
ACCESSORIES

FURNITURE

Price List Quarter 2

(April - July 2024)

Revised - April 12, 2024



General Information 3
Color Addendum..... 4
Paint Swatches 5
Sit/Stand Workstations 6
Monitor Arms 7
CPU Holders..... 10
Task Lights..... 11

Electrical Accessories 13
Miscellaneous Accessories 19
Keyboard Trays..... 20
Acclimate Screens 21
Acclimate Screen Accessories 24
Dividers and Load Bars..... 26
Tool Rail Accessories 27

Special Services

Shipping:

Add 5% of Net for shipping.

Installation:

Add 8% of Net for Installation.

**Specifications and prices subject to change
with-out prior notice.**

Acclimate™ Screens/Markerboards

Paint Color

Black	BL
Blue Grey	GR
Bronze Metallic	ZM
Cayenne	CY
Champagne Metallic	CM
Cool Grey	CG
Cottonwood	CO
Espresso Metallic	EX
Everglade Shade	EV
Earthen Clay	EY
Flannel	FN
Glitz Metallic	GZ
Hazy Jade	HJ
Honey Bee	HY
Light Tone	LG
Mardi Gras	MG
Misty Brown	MY
Nemo	NE
Nordic	ND
Purple Haze	PH
Rubber Ducky	RK
Sand	SA
Starlight Silver Metallic	SX
Surf's Up	SP
Twilight Shadow	TI
Ultra Blue	UB
Warm Grey	WG
Zesty Lime	ZL

Electrical Accessories

Grommet/PowerUp® Module Color

Black	BL
Cool Grey	CG
Flannel	FN
Grey	GR
Light Tone	LG
Misty Brown	MY
Sand	SA
Warm Grey	WG

Villa Module Color

Black	BL
-------	----

Villa Grommet Color

Black	BL
Blue Grey	GR
Bronze Metallic	ZM
Champagne Metallic	CM
Cool Grey	CG
Cottonwood	CO
Flannel	FN
Misty Brown	MY
Starlight Silver Metallic	SX
Warm Grey	WG

Ashley Duo™ Module Color

Black	BL
Warm Grey	WG
Cottonwood	TT

Electrical Power Modules

Black	BL
Cool Grey	CG
Cottonwood	CO
Warm Grey	WG

Universal Height Adjustable Screens

Base Finish

Black	BL
Blue Grey	GR
Bronze Metallic	ZM
Cayenne	CY
Champagne Metallic	CM
Cool Grey	CG
Cottonwood	CO
Espresso Metallic	EX
Flannel	FN
Light Tone	LG
Mardi Gras	MG
Misty Brown	MY
Nemo	NE
Nordic	ND
Purple Haze	PH
Rubber Ducky	RK
Sand	SA
Starlight Silver Metallic	SX
Surf's Up	SP
Ultra Blue	UB
Warm Grey	WG
Zesty Lime	ZL

Felt Color

Dandelion	FTDD
Fawn	FTFW
Flannel	FTFN
Heather	FTHR
Lava	FTLV
Midnight Blue	FTMB
Spring	FTSG

Actual Samples and Replacement Cards


Contact your Sales or Customer Service Representative.

- Not all colors are available on all products.
- There will be slight variations in color, texture and finish.
- Swatches are provided as a preliminary color reference and should not be used for a final color selection.
- Please refer to the Color Addendum for product line details and options.

METALLIC POWDERCOAT & CHROME PLATED





MODESTY PANEL POLYESTER COLOR OPTIONS



POWDERCOAT & MOLDED PLASTIC



	DESCRIPTION	COLOR	BASIC MODEL	NET PRICE
 <p data-bbox="52 560 94 584">ESI</p>	<p data-bbox="388 194 598 219">S2S Workstation</p> <ul data-bbox="388 219 1039 349" style="list-style-type: none"> • Large workstation and keyboard platform • Integrated cable management • Ships fully assembled • Worksurface: 21"D x 35.5"W • Worksurface and keyboard platform move simultaneously • DROP SHIP ONLY 	<p data-bbox="1270 194 1333 219">Black</p>	<p data-bbox="1564 194 1648 219">S2S-BLK</p>	<p data-bbox="1879 194 1942 219">\$440</p>
 <p data-bbox="52 982 94 1006">HS</p>	<p data-bbox="388 625 598 649">Quick Stand Eco</p> <p data-bbox="388 657 1102 706">This adjustable standing desk features simple setup, portability, and near effortless adjustability. It transforms ordinary desktops into active, healthy workspaces.</p> <ul data-bbox="388 706 745 787" style="list-style-type: none"> • Dual monitor configuration • Integrated cable management • Product height 18.6" • DROP SHIP ONLY 	<p data-bbox="1270 625 1333 649">Black</p>	<p data-bbox="1564 625 1648 649">QSEBD-BL</p>	<p data-bbox="1879 625 1942 649">\$1,081</p>

1

HOW TO ORDER

- Indicate the following information on the order form:
1. Quantity of each item.
 2. Model Number, including options.
See "How to Build a Model Number."
 3. Any special service required.

Note: The indicates that a choice is required. The absence of indicates that no choice is required.

HOW TO BUILD A MODEL NUMBER


- 1 Select Basic Model

+

DESCRIPTION

BASIC MODEL

NET PRICE




VIVO

VIVO Monitor Arm

- Single Monitor Counterbalance Desk Mount for 13" – 27" Screens
- Fits most screens 13" – 27" and 4.4 lbs. – 14.3 lbs.
 - Gas spring arm
 - Heavy-duty C-clamp and optional grommet mount fit desks up to 3.24" in thickness
 - Arm has 360° rotation, 90° swivel, 90° tilt
 - Easy installation and tool-less monitor placement
 - DROP SHIP ONLY

STAND-V0010

\$50



VIVO

VIVO Monitor Arm

- Dual Monitor Counterbalance Desk Mount for 13" – 27" Screens
- Fits two screens 13" – 27" and 4.4 lbs. – 14.3 lbs.
 - Gas spring arms
 - Heavy-duty C-clamp and optional grommet mount fit desks up to 3.24" in thickness
 - Arms have 360° rotation, 90° swivel, 90° tilt
 - Easy installation and tool-less monitor placement
 - DROP SHIP ONLY

STAND-V0020

\$78

1

HOW TO ORDER


- Indicate the following information on the order form:
1. Quantity of each item.
 2. Model Number, including options.
See "How to Build a Model Number."
 3. Any special service required.

Note: The indicates that a choice is required. The absence of indicates that no choice is required.

HOW TO BUILD A MODEL NUMBER

- 1 Select Basic Model

+



ESI

Sena Single Monitor Arm

- Finger touch dynamic height adjustment
- Recommended for worksurfaces 36" deep or less
- 12.7" height adjustment range 7.0"-19.7" (low/high)
- 25.7" arm extension (Clamp)
- 24.4" arm extension (Grommet)
- 2.9" arm retraction
- +75° / -35° monitor tilt
- +/-90° VESA rotation
- 2.2lb. - 19.8lb weight capacity (per arm)
- VESA 75mm/100mm quick release
- 180° lock-out feature
- 360° / 180° arm rotation with 180° lock-out
- Desk clamp and grommet mount included
- DROP SHIP ONLY

BASIC MODEL

COLOR OPTION

NET PRICE


SENA

□□□

\$172

Sena2 Dual Monitor Arm

- Finger touch dynamic height adjustment
- Recommended for worksurfaces 36" deep or less
- 12.7" height adjustment range 7.0"-19.7" (low/high)
- 25.7" arm extension (Clamp)
- 2.9" arm retraction
- +75°/-35° monitor tilt
- ±90° VESA rotation
- 2.2 lb.-19.8 lb. weight capacity (per arm)
- VESA 75mm/100mm quick release
- 180° lock-out feature
- 270° / 135° arm rotation with 180° lock-/Bezel measured left to right. Max. width is contingent on weight capacity.
- DROP SHIP ONLY



ESI

SENA2

□□□

\$319

1

2

HOW TO ORDER

Indicate the following information on the order form:


1. Quantity of each item.
2. Model Number, including options.
See "How to Build a Model Number."
3. Any special service required.

Note: The □ indicates that a choice is required. The absence of □ indicates that no choice is required.

HOW TO BUILD A MODEL NUMBER

- 1 Select Basic Model
- 2 Select Color Option
BLK - Black
WHT - White
SLV - Silver

+



ESI

FlexCharge Power Hub for Single Sena and Sena2

Monitor Arms

- Features Qi wireless charging pad, 5V-2A (10W Coil)
- Two fast charging USB ports:
 - (1) USB-A (5V-2.4A charging speed)
 - (1) USB-C (5V-2A charging speed)
- Power Consumption:
 - Max power output: 44W
 - No load: 2-3 W
 - Full load (all ports used): 40W
- Power insert:
 - AC Input - 120V
 - DC Output - 12V, 3A
- Built-in surge protection
- Colors: Silver, Black, White
- 6' power cord
- DROP SHIP ONLY


BASIC MODEL

COLOR OPTION

NET PRICE

FCHHUB-K1

\$135



ESI

FlexCharge Power Hub for Dual Kata and Kata2-MS

- Features Qi wireless charging pad, 5V-2A (10W Coil)
- Two fast charging USB ports:
 - (1) USB-A (5V-2.4A charging speed)
 - (1) USB-C (5V-2A charging speed)
- Power Consumption:
 - Max power output: 44W
 - No load: 2-3 W
 - Full load (all ports used): 40W
- Power insert:
 - AC Input - 120V
 - DC Output - 12V, 3A
- Built-in surge protection
- Colors: Silver, Black, White
- 6' power cord
- DROP SHIP ONLY

FCHHUB-K2

\$135

1

2

HOW TO ORDER

Indicate the following information on the order form:



1. Quantity of each item.
2. Model Number, including options.
See "How to Build a Model Number."
3. Any special service required.

Note: The indicates that a choice is required. The absence of indicates that no choice is required.

HOW TO BUILD A MODEL NUMBER

- 1 Select Basic Model
- 2 Select Color Option
 - BLK - Black
 - WHT - White
 - SLV - Silver

+

DESCRIPTION	BASIC MODEL	FINISH COLOR	NET PRICE
 <p>ESI</p>	LILY-LED	□□□	\$117
<p>Lily LED - Single Arm LED Task Light</p> <ul style="list-style-type: none"> • LED • 5000 K color temperature • 900 lumens • 90 CRI • 8 watts • 90,000 hrs. lamp life • Built-in dimmer • 6.0' power cord • Power source and light is ETL listed • 16.0" arm reach 			
 <p>ESI</p>	LILY-LEDX	□□□	\$156
<p>Lily LEDX Single Arm Task Light with USB-A Port</p> <ul style="list-style-type: none"> • LED • 5000 K color temperature • 900 lumens • 90 CRI • 8 watts • 90,000 hrs. lamp life • 6 hr. auto shut-off • Built-in dimmer • 6.0' power cord • Power source and light is ETL listed • USB-A charging port • 16.0" arm reach 			
	1	2	

HOW TO ORDER


Indicate the following information on the order form:
 1. Quantity of each item.
 2. Model Number, including options.
 See "How to Build a Model Number."
 3. Any special service required.

Note: The □ indicates that a choice is required. The absence of □ indicates that no choice is required.

HOW TO BUILD A MODEL NUMBER

- 1 Select Basic Model
- 2 Select Finish Color
 - SLV - Silver
 - WHT - White
 - BLK - Black





DESCRIPTION

- Tuck Under Cabinet LED Task Light**
- Attaches to the bottom of overhead cabinets/shelving
 - Slim profile mounts with magnets or screw-in bracket
 - Hardware included. Includes two cord managers
 - Adder units do not include power supply. Must purchase starter unit
 - Touch and hold dimability with last state memory
 - Stand Alone LED Task Light has 18W energy consumption and 9 foot power supply
 - Starter LED Task Light has 60W energy consumption and 11 foot power supply, these are to be daisy chained with Adder Units
 - Adder LED Task Light does not include a power supply and must be purchased with a Starter unit
 - Adder LED Task Light comes with an 18" jumper cord that connects with the Starter unit or another Adder unit

FEATURES

BASIC MODEL

NET PRICE

12" Stand Alone	TUCK-12-SGL-GN	\$79
17" Stand Alone	TUCK-17-SGL-GN	\$98
31" Stand Alone	TUCK-31-SGL-GN	\$119
44" Stand Alone	TUCK-44-SGL-GN	\$136
12" Starter	TUCK-12-DCP-GN	\$101
17" Starter	TUCK-17-DCP-GN	\$125
31" Starter	TUCK-31-DCP-GN	\$145
44" Starter	TUCK-44-DCP-GN	\$163
12" Adder	TUCK-12-DCA-GN	\$53
17" Adder	TUCK-17-DCA-GN	\$60
31" Adder	TUCK-31-DCA-GN	\$81
44" Adder	TUCK-44-DCA-GN	\$98

INTERLOCKING SPECIFICATIONS INTER-LINKING COMBINATIONS (DAISY CHAIN)				INTERLOCKING SPECIFICATIONS INTER-LINKING COMBINATIONS (DAISY CHAIN)			
# OF 12"	# OF 17"	# OF 31"	# OF 44"	# OF 12"	# OF 17"	# OF 31"	# OF 44"
6	0	0	0	1	4	0	0
5	1	0	0	1	3	0	0
5	0	0	0	1	2	1	0
4	2	0	0	1	2	0	1
4	1	0	0	1	1	1	0
4	0	1	0	1	1	0	1
4	0	0	0	0	4	0	0
3	2	0	0	0	3	1	0
3	1	1	0	0	3	0	0
3	1	0	0	0	2	1	0
3	0	1	0	0	2	0	1
3	0	0	1	0	1	2	0
3	0	0	0	0	1	1	1
2	3	0	0	0	1	0	1
2	2	1	0	0	0	3	0
2	1	1	0	0	0	2	0
2	0	2	0	0	0	1	1
2	0	0	1	0	0	0	2

1

HOW TO ORDER




- Indicate the following information on the order form:
1. Quantity of each item.
 2. Model Number, including options.
See "How to Build a Model Number."
 3. Any special service required.

Note: The indicates that a choice is required. The absence of indicates that no choice is required.

HOW TO BUILD A MODEL NUMBER

- 1 Select Basic Model

LED TASK LIGHT CABINET WIDTH	
Cabinet Width	Light Width
24"	12" or 17"
30"	17"
36"	17"
42"	31"
48"	31"
54"	44"
60"	44"
66"	44"
72"	44"

DESCRIPTION	LENGTH	BASIC MODEL	COLOR	NET PRICE
 <p>PowerUp</p> <ul style="list-style-type: none"> • 22" cord for fixed seating tables or powered tables with multi-circuit power beams • 108" and 180" cords for use in non-powered tables • Module designed to fit rectangular cutout 3" x 6.25" • Data tree is provided to allow data jacks to be inserted into the module • Not for use with Activ8 single circuit components • Cord terminates in a 3-prong plug • Choose poly color 	22"	14-2260-22	<input type="checkbox"/>	\$57
	108"	14-2260-108	<input type="checkbox"/>	\$61
	180"	14-2260-180	<input type="checkbox"/>	\$64
 <p>Villa Module</p> <ul style="list-style-type: none"> • Duplex receptacles provide 2 outlets, 2 USB charging ports, 1 RJ45 data connector • Module only, grommet to be ordered separately • Black only • Mounts on the under surface below a cutout to allow power access • Cord terminates in a 3-prong plug • Available in black paint only 	36"	14-3263-36	BL	\$183
	108"	14-3263-108	BL	\$183
	180"	14-3263-180	BL	\$183
 <p>Villa Grommet</p> <ul style="list-style-type: none"> • Metal grommet design to fit to fit rectangular cutout (3" x 6.25") • Choose paint color 		GRM-VG1	<input type="checkbox"/>	\$46

1

2

HOW TO ORDER

Indicate the following information on the order form:

1. Quantity of each item.
2. Model Number, including options.
See "How to Build a Model Number."
3. Any special service required.

Note: The indicates that a choice is required. The absence of indicates that no choice is required.

HOW TO BUILD A MODEL NUMBER

- 1 Select Basic Model
- 2 Select Poly Or Paint Color
[See Color Addendum](#)


+

DESCRIPTION

BASIC MODEL

COLOR

NET PRICE




Activ8 Power-Up Module

- Duplex receptacles provide 2 outlets and 2 data jack openings
- Power module provides 15 amp power
- Up to 8 modules may be used per infeed per UL Standard 962
- Modules may be connected (reconnected in any order without sequential keying)
- Attached cord is approximately 12"
- Data tree is provided to allow data jacks to be inserted into the module
- Jumpers ordered separately

AC8PUM

\$95




Activ8 Villa Power Module with Metal Cover

- Duplex receptacles provide 2 outlets, 2 USB charging ports, 1 RJ45 data connector
- Power module provides 15 amp power
- Up to 8 modules may be used per infeed per UL Standard 962
- Modules may be connected (reconnected in any order without sequential keying)
- Attached cord is approximately 12"
- Data tree is provided to allow data jacks to be inserted into the module
- Jumpers ordered separately

AC8VMC

\$260



Activ8 Villa Power Module without Cover

- Duplex receptacles provide 2 outlets, 2 USB charging ports, 1 RJ45 data connector
- Power module provides 15 amp power
- Up to 8 modules may be used per infeed per UL Standard 962
- Modules may be connected (reconnected in any order without sequential keying)
- Attached cord is approximately 12"
- Data tree is provided to allow data jacks to be inserted into the module
- Jumpers ordered separately

AC8VMN

\$217

1

2

HOW TO ORDER

Indicate the following information on the order form:

1. Quantity of each item.
2. Model Number, including options.
See "How to Build a Model Number."
3. Any special service required.

Note: The indicates that a choice is required. The absence of indicates that no choice is required.

HOW TO BUILD A MODEL NUMBER

- 1 Select Basic Model
- 2 Select Module Color
[See Color Addendum](#)

+


DESCRIPTION

BASIC MODEL

NET PRICE

Activ8 Infeed

- 108" cord plugs into standard 15 amp outlet
- Control module is located 6" from table connection
- Diagnostic LED indicator shows power status
- Controller automatically limits number of connections to 8
- 40 foot maximum string, not including infeed cord
- Will not work with GFI/GCFI outlets or backup systems like uninterrupted power supplies




AC8IF-108

\$151

Activ8Module and Attachment Bracket

- Duplex receptacles provide 2 outlets. Power module provides 15 amp power
- Up to 8 modules may be used per infeed per UL Standard 962
- Modules may be connected (reconnected in any order without sequential keying)
- Modules snap into brackets attached to InTandem® Table System, FlexStation®, and DataLink® Training Table
- Jumpers ordered separately. No data cord management is provided
- Module will snap directly into T-4® troughs and Volition® stanchions
- Attached cord is approximately 9"




AC8RPTDL-12

\$59

Activ8® Jumper

- Jumpers are all keyed alike
- Refer to StyleLinks Benching Planning Guide for size recommendations.



AC8JP-29

\$42

AC8JP-53

\$48

AC8JP-77

\$54

1

HOW TO ORDER

Indicate the following information on the order form:

1. Quantity of each item.
2. Model Number, including options.
See "How to Build a Model Number."
3. Any special service required.

Note: The indicates that a choice is required. The absence of indicates that no choice is required.

HOW TO BUILD A MODEL NUMBER


- 1 Select Basic Model

+

DESCRIPTION

BASIC MODEL

NET PRICE



Undermount R8 Module

- Silver in color
- Includes 8-15A, 120 VAC receptacles, 2 outer most rotated 90° to accommodate large plugs
- 144" power cord
- Under table mount attaches with 4 screws (included)
- Module hangs down from surface 1" to allow easier access to plug in/unplug
- Includes 4 wire management clips
- ETL listed for US and Canada
- Dimensions are 16.3" x 2.3" x 2.8"

14-1450-SLVR

\$179

Vertical Cable Manager

- Silver in color
- Multi-directional manager holds wires in static and adjustable tables
- Weighted base keeps manager in position
- Attaches to underside of table with or without wire management trough
- Includes 63 links, 1-3 link magnetic piece, 1 top connector, 2 screws, 1 base plate
- Includes magnetic link to easily attach to table leg

47-2310-SLVR

\$69

1

HOW TO ORDER

Indicate the following information on the order form:


1. Quantity of each item.
2. Model Number, including options.
See "How to Build a Model Number."
3. Any special service required.

Note: The indicates that a choice is required. The absence of indicates that no choice is required.

HOW TO BUILD A MODEL NUMBER

- 1 Select Basic Model






Ashley Duo Module

- Provides two 3-prong receptacles
- Provides two USB power outlets (2.1A each)
- Modules offer a 3', 8' or 15' 3-prong plug power source or an Activ8 2' cord
- Attach with a thin mounting bracket with thumb screws
- Fits work surfaces .75" - 1.5" in thickness
- 15A approved
- Dimensions are 5.5" x 3.2" x 4.5"

LENGTH BASIC MODEL COLOR NET PRICE

LENGTH	BASIC MODEL	COLOR	NET PRICE
3'	ASHDUO-3	<input type="checkbox"/>	\$183
8'	ASHDUO-8	<input type="checkbox"/>	\$190
15'	ASHDUO-15	<input type="checkbox"/>	\$199
2', Activ8	ASHDUO-A8	<input type="checkbox"/>	\$195



Ashley Duo Under Module

- Provides two 3-prong receptacles
- Provides two USB power outlets (2.1A each)
- Modules offer a 3', 8' or 15' 3-prong plug power source or an Activ8 3' cord
- Under table units attach with a thin flush mount bracket
- Installs in minutes
- 15A approved
- Dimensions are 5.5" x 2.8" x 1.8"

LENGTH BASIC MODEL COLOR NET PRICE

LENGTH	BASIC MODEL	COLOR	NET PRICE
3'	ASHDUO-U-3	<input type="checkbox"/>	\$161
8'	ASHDUO-U-8	<input type="checkbox"/>	\$166
15'	ASHDUO-U-15	<input type="checkbox"/>	\$176
3', Activ8	ASHDUO-U-A8	<input type="checkbox"/>	\$170

1

2

HOW TO ORDER

Indicate the following information on the order form:





1. Quantity of each item.
2. Model Number, including options.
See "How to Build a Model Number."
3. Any special service required.

Note: The indicates that a choice is required. The absence of indicates that no choice is required.

HOW TO BUILD A MODEL NUMBER

- 1 Select Basic Model
- 2 Select Module Color
[See Color Addendum](#)

+

	DESCRIPTION	LENGTH	BASIC MODEL	COLOR	NET PRICE
	Node In-surface Power Module (Corded) <ul style="list-style-type: none"> • Fits into a 3" diameter round cutout which can be field installed • Provides one 3-prong receptacles, one USB-A and one USB-C charging port • Includes two strain-relief clips included for wire management • 15A approved • UL listed 	36" Cord	MOD-MO1-36	<input type="checkbox"/>	\$196
		108" Cord	MOD-MO1-108	<input type="checkbox"/>	\$392
		180" Cord	MOD-MO1-180	<input type="checkbox"/>	\$392
	Dubbel Undersurface Power Module (Corded) <ul style="list-style-type: none"> • Under table unit attaches with two screws into the worksurface • Provides three 3-prong receptacles, one USB-A and one USB-C charging port • Includes two strain-relief clips included for wire management • 15A approved • UL listed 	36" Cord	MOD-MB1-36	<input type="checkbox"/>	\$196
		108" Cord	MOD-MB1-108	<input type="checkbox"/>	\$392
		180" Cord	MOD-MB1-180	<input type="checkbox"/>	\$392
	Dean Clamp-on Power Module (Corded) <ul style="list-style-type: none"> • Toollessly clamps onto worksurfaces 3/4" to 1-1/2" thick • Not compatible with modesty panels • Provides two 3-prong receptacles, one USB-A and one USB-C charging port • Includes two strain-relief clips included for wire management • 15A approved • UL listed 	36" Cord	MOD-MC1-36	<input type="checkbox"/>	\$227
		108" Cord	MOD-MC1-108	<input type="checkbox"/>	\$231
		180" Cord	MOD-MC1-180	<input type="checkbox"/>	\$239
	Nacre Pop-Up Module <ul style="list-style-type: none"> • Flush with surface when closed • Push to open • Two three-prong receptacles • One USB-A • One USB-C • One open data port • Single-circuit or corded 		46-8057-108	<input type="checkbox"/>	\$230

1

2

HOW TO ORDER

Indicate the following information on the order form:



1. Quantity of each item.
2. Model Number, including options.
See "How to Build a Model Number."
3. Any special service required.

Note: The indicates that a choice is required. The absence of indicates that no choice is required.

HOW TO BUILD A MODEL NUMBER

- 1 Select Basic Model
- 2 Select Module Color
[See Color Addendum](#)

+

	DESCRIPTION	DIMENSIONS (WxDxH)	BASIC MODEL	NET PRICE
	<p>Create a Corner</p> <ul style="list-style-type: none"> Any 90° corner can be transformed into a corner workstation Black only <p>*Keyboard system not included</p>	12" x 6" x 1"	112CAC-1-00	\$34
	12" x 6" x 1-1/8"	112CAC-1-125	\$34	
	12" x 6" x 1-1/4"	112CAC-1-25	\$34	
	12" x 6" x 1-1/2"	112CAC-1-50	\$34	
	18" x 12" x 1"	118CAC-1-00	\$67	
	18" X 12" x 1 1/8"	118CAC-1-125	\$67	
	18" x 12" x 1-1/4"	118CAC-1-25	\$67	
	18" x 12" x 1-1/2"	118CAC-1-50	\$67	
	<p>Lock Core and Key</p> <ul style="list-style-type: none"> Used for: Legion, System XXI, Flexstation, Files and Storage, and Volition products 		31-13-0433	\$4

1

HOW TO ORDER

Indicate the following information on the order form:

- Quantity of each item.
- Model Number, including options.
See "How to Build a Model Number."
- Any special service required.

Note: The indicates that a choice is required. The absence of indicates that no choice is required.

HOW TO BUILD A MODEL NUMBER


1 Select Basic Model

+

DESCRIPTION

BASIC MODEL

NET PRICE



Keyboard Tray with Tilt and Swivel Mouse Tray

- Ergonomically shaped
- Anti-skid grip strips
- Built-in mouse guard
- Height adjustable mousing surface
- Swivel and tilt mouse tray attaches right or left
- Foam-gel wrist rest
- 23.0" glide track requires 24" deep clearance under worksurface
- Low profile arm design provides maximum leg room
- Fully adjustable 7.5" extended length neck accommodates corner mounts
- 360° swivel allows user to move keyboard freely from side to side
- Soft touch knob provides tilt control +/-15 degrees
- Available in graphite tray and black arm

FAKWS

\$ 513



HDPE Without Swivel

- Ergonomically shaped
- Snap in foam-gel wrist rest
- 23.0" glide track requires 24" deep clearance under worksurface
- Low profile arm design provides maximum leg room
- Spring-assisted counterbalancing system allows for precise height adjustment
- Accommodates corner mounts
- 360° swivel
- Tilt control +/-15 degrees
- Available in black only

FAKWOS

\$ 356



Prima Keyboard Tray

- Mousing surface adjusts easily
- Ergonomically shaped
- Snap in foam-gel wrist rest
- Sliding mouse surface
- 23.0" glide track requires 24" deep clearance under worksurface
- Low profile arm design provides maximum leg room
- Spring-assisted counterbalancing system allows for precise height adjustment
- Accommodates corner mounts
- 360° swivel
- Tilt control +/-15 degrees
- Available in black only

FAKPM

\$ 304

1

HOW TO ORDER




HOW TO BUILD A MODEL NUMBER

Indicate the following information on the order form:

1. Quantity of each item.
2. Model Number, including options.
See "How to Build a Model Number."
3. Any special service required.

1 Select Basic Model

Note: The indicates that a choice is required. The absence of indicates that no choice is required.

DESCRIPTION	BASIC MODEL	NET PRICE
 <p>Glides</p> <ul style="list-style-type: none"> • Same height as casters • Provides 1/2" height adjustment • Height: 3 3/8" 	2-KP103000BLWH	\$20
 <p>Magnetic Markerboard Tray</p> <ul style="list-style-type: none"> • One 16" magnetically mounted aluminum pen and eraser tray • Clear aluminum anodized finish 	MB-TRAY	\$23
 <p>Magnetic Markerboard Kit</p> <ul style="list-style-type: none"> • One 16" magnetically mounted aluminum pen and eraser tray with one eraser and four pens • Clear aluminum anodized finish 	MB-MARKERKIT	\$38

1

HOW TO ORDER

Indicate the following information on the order form:

1. Quantity of each item.
2. Model Number, including options.
See "How to Build a Model Number."
3. Any special service required.

Note: The indicates that a choice is required. The absence of indicates that no choice is required.

HOW TO BUILD A MODEL NUMBER

- 1 Select Basic Model

+


DESCRIPTION

DIMENSIONS

BASIC MODEL

TRIM COLOR

NET PRICE



Shelf Dividers

- Steel shelf dividers with powder-coated finish
- Fits on all shelves and cabinets


7-1/4"W x 11-1/2"H

NSD

\$8

Shelf Dividers

- Steel shelf dividers work on laminate low end shelves, regular shelves, flipper door units, and coat racks



8" x 13"

ST-SD

\$19

1

2

HOW TO ORDER

Indicate the following information on the order form:

1. Quantity of each item.
2. Model Number, including options.
See "How to Build a Model Number."
3. Any special service required.

Note: The indicates that a choice is required. The absence of indicates that no choice is required.


HOW TO BUILD A MODEL NUMBER

1 Select Basic Model

2 Select Trim Color

- BL - Black
- GR - Blue Grey
- CG - Cool Grey
- LG - Light Tone
- MY - Misty Brown
- SA - Sand
- WG - Warm Grey

+



DESCRIPTION

Wall Mounted Load Bar

- Supports overhead storage on drywall or other non-panel applications

DIMENSIONS

BASIC MODEL

COLOR

NET PRICE

DIMENSIONS	BASIC MODEL	COLOR	NET PRICE
24"L	SWLB-24	<input type="checkbox"/>	\$64
30"L	SWLB-30	<input type="checkbox"/>	\$72
36"L	SWLB-36	<input type="checkbox"/>	\$75
42"L	SWLB-42	<input type="checkbox"/>	\$82
48"L	SWLB-48	<input type="checkbox"/>	\$86
54"L	SWLB-54	<input type="checkbox"/>	\$89
60"L	SWLB-60	<input type="checkbox"/>	\$93
66"L	SWLB-66	<input type="checkbox"/>	\$96
72"L	SWLB-72	<input type="checkbox"/>	\$100
84"L	SWLB-84	<input type="checkbox"/>	\$108
96"L	SWLB-96	<input type="checkbox"/>	\$134

1

2

HOW TO ORDER

Indicate the following information on the order form:

1. Quantity of each item.
2. Model Number, including options.
See "How to Build a Model Number."
3. Any special service required.

Note: The indicates that a choice is required. The absence of indicates that no choice is required.





HOW TO BUILD A MODEL NUMBER

1 Select Basic Model

2 Select Color

- BL - Black
- GR - Blue Grey
- CG - Cool Grey
- LG - Light Tone
- MY - Misty Brown
- SA - Sand
- WG - Warm Grey

+

	DIMENSIONS (HxWxD)	BASIC MODEL	TRIM COLOR	NET PRICE
 <p>Plastic Diagonal Storage Unit</p> <ul style="list-style-type: none"> • Plastic construction. • Three slanted partitions per unit with dividers. • Suspends from Tool Rail. 	2-1/2" x 7" x 12-1/2"	PPDS	<input type="checkbox"/>	\$35
 <p>Plastic Paper Tray Unit</p> <ul style="list-style-type: none"> • Plastic construction. • Accepts letter and legal-size paper. • Suspends from Tool Rail. 	2" x 9-1/2" x 14"	PPLL	<input type="checkbox"/>	\$26
 <p>Accessory Tray</p> <ul style="list-style-type: none"> • Injection-molded plastic. • Stores stamps, tape dispenser, post-it pads and more. • Suspends from Tool Rail. 	2" x 9-1/2" x 10"	PPAT	<input type="checkbox"/>	\$18
 <p>Pencil Tray</p> <ul style="list-style-type: none"> • Injection-molded plastic. • Suspends from Tool Rail. 	4" x 4" x 3-1/2"	PPPC	<input type="checkbox"/>	\$12

1

2

HOW TO ORDER

Indicate the following information on the order form:

1. Quantity of each item.
2. Model Number, including options.
See "How to Build a Model Number."
3. Any special service required.

Note: The indicates that a choice is required. The absence of indicates that no choice is required.

HOW TO BUILD A MODEL NUMBER

- 1 Select Basic Model
- 2 Select Trim Color
 - BL - Black
 - GR - Blue Grey
 - LG - Light Tone
 - SA - Sand
 - WG - Warm Grey

+

State of Wisconsin Bureau of Correctional Enterprises

Business Office and Showroom
3099 East Washington Avenue
Madison, WI 53704

608.240.5200

shopbce.com

BCE Product Development Center
Design. Support. Promote.



Industries