
FILES & STORAGE

FURNITURE

Price List Quarter 2

(April - July 2024)

Revised - April 12, 2024



Table of Contents

General Information 3

| | |
|--|----|
| Preconfigured Lateral Files & Multi-Media Storage Cabinets | 4 |
| Lateral File Capacities for Suspended Filing / Dimensions | 5 |
| Color Addendum | 6 |
| Paint Swatches..... | 8 |
| Molded Edge Colors | 9 |
| Laminate Swatches..... | 10 |

Preconfigured Lateral Files..... 12

| | |
|------------------------------|----|
| Drawer Units..... | 12 |
| Receding Door Units..... | 17 |
| End Tab Shelving Units | 20 |
| Multi-Media Units | 22 |

Laminate File 24

| | |
|------------|----|
| Tops | 24 |
|------------|----|

Lateral Files 27

| | |
|------------------|----|
| Accessories..... | 27 |
|------------------|----|

Storage 29

| | |
|---------------|----|
| Cabinets..... | 29 |
|---------------|----|

Pedestals..... 31

| | |
|------------------------------|----|
| General Information | 31 |
| Dimensions..... | 32 |
| Mobile and Freestanding..... | 33 |
| Hanging | 36 |
| Supporting..... | 37 |
| Accessories..... | 38 |

Vertical Files 40

| | |
|---------------------------|----|
| General Information | 40 |
| Letter | 41 |
| Legal | 42 |

| | |
|------------------|----|
| Accessories..... | 43 |
|------------------|----|

Storage 44

| | |
|-------------------------------------|----|
| General Information | 44 |
| Dimensions..... | 45 |
| 12" Deep Bookcases | 46 |
| 15" Deep Bookcases | 47 |
| 12" Deep Bookcases Accessories..... | 48 |
| Wood Bookshelves | 49 |

Vini® 50

| | |
|---|----|
| Laterals | 50 |
| Mobile Pedestals | 52 |
| Freestanding Pedestals..... | 53 |
| Worksurface Supporting Pedestals..... | 54 |
| Double Pedestal Worksurface Supporting..... | 55 |
| Pedestal Accessories | 56 |
| Wardrobes..... | 58 |
| Overheads | 62 |
| Overhead Accessories | 63 |
| Underhead Accessories..... | 66 |

GENERAL INFORMATION

BCE lateral files are designed on a 1-1/2" module to provide an unparalleled degree of internal flexibility. Interior components are available 3", 6", 7-1/2", 9", 10-1/2", 12", 13-1/2" and 15" high. These components are designed to efficiently accommodate virtually any filing and storage requirement.

To assure BCE files are compatible with panel systems, desks or custom architectural details, cabinets are available in 40 different heights.

Preconfigured Units

To simplify the specification process, BCE offers preconfigured files and storage Cabinets in the most popular sizes with the most popular internal components. These units are assembled using standard components. Lateral files and storage Cabinets can be field-retrofitted and updated by specifying componentry from the Custom-Built section of this price list.

Height

Lateral files and storage cabinets are available in 40 standard heights. Heights include 1/8" allowance for leveling glides fully recessed.

Depth

All lateral files and storage cabinets are 18" deep.

Width

Lateral files and storage cabinets are available in three standard widths: 30", 36" and 42".

Drawer Dimensions

Refer to the illustrations on page 3 for the range of drawer sizes and the height clearance of each.

CONSTRUCTION AND STANDARD FEATURES

Basic Shell

Shell common to lateral file and storage cabinet units. Uprights punched to accept interior components on 11/2" centers. Upright and top and bottom reinforcements are welded into rigid "box frame." Constructed of 18- and 20-gauge steel. Seamless back and top with reinforced corners. Illustrated shell heights include 1/8" for adjustable glide in recessed position.

Doors/Drawers

Drawer fronts, 20-gauge steel with full-width flush inset pull and label holder. Fronts are screw-mounted to roll-out shelves to build drawers. Roll-out shelf body, 20-gauge steel slotted on 11/2" centers to accept dividers. Leading edge formed to provide pull; center section offset for additional strength. Shelf ends, 18-gauge steel, notched to accept hanging folder bars. Each roll-out shelf equipped with two heavy-duty, three-section, ball-bearing suspensions. Components have been tested to accept loads of 125 lbs. This exceeds ANSI/BIFMA X5.2-1989 standards for lateral files when recommended counterbalance weight is

installed.

Hinged door, 20-gauge steel, double-wall construction. Door swing is limited to 95° to prevent contact with adjacent cabinet and full height vertical flush inset pull.

Shelves

Blank shelf, 22-gauge steel, formed 1" thick on front and back edges. End Tab Shelf, 22-gauge steel shelf and back, 20-gauge sides. Shelf offset along width to increase strength. Slotted on 1" increments to accept plate dividers. Preconfigured lateral files meet or exceed ANSI/BIFMA X5.2-1989 standards.

Receding Door

20-gauge steel with full-width flush inset pull and label holder. Equipped with sound absorber. Doors have guiding mechanism fitted with nylon glides to prevent metal-to-metal contact and ensure effortless operation.

The diagrams on the following page identify various shelf and drawer combinations and related height clearances behind a receding door. The diagrams illustrate typical use. Additional interior options can be installed behind a receding door.

Note: Dimensions have been taken from the front raised edge of the roll-out shelf .

Accessories

Plate dividers, 18-gauge steel, notched to lock into shelf. Folder bars, 30" & 36" (14-gauge steel); 42" (12-gauge steel), offset to maximize strength.

Suspended binder frames are constructed of 14- to 18-gauge steel. Screw-mounted to cabinet. Can be used behind 13-1/2" and 15" receding doors and hinged storage cabinet doors.

Adjustable Glides

Lateral files and storage Cabinets are supplied with four adjustable glides. The glides can be adjusted from inside the cabinet using a 1-1/4" hex socket wrench, or from outside the cabinet using a 7/8" wrench. Standard glides provide 3/4" adjustment; longer glides are also available. Overall cabinet heights include the glide in its recessed position.

Interlock

All Cabinets are equipped with an interlock safety mechanism. This mechanism reduces the possibility of cabinet tip over by permitting only one drawer to be opened at a time. With some unique combinations an individual drawer may not be controlled by the interlock. In these instances a caution label will be affixed to the drawer body.

Locks

Locks are standard on all units. The lock is a high-security double-bit type. The double-bit-lock offers superior security when compared to a single-bit lock. Units are standard with random keys in a range of 200 different numbers. Specific keying combinations are available at no additional charge. This information must be included with the order. Locks can be master keyed.

STANDARD PAINT FINISHES

All BCE products are chemically etched prior to painting. This process enhances top coat bonding. The top coat is a high solids modified 40 sheen polyester enamel. The enamel is baked on to provide a scratch- and stain-resistant surface.

All inside and outside shell and drawer front surfaces are painted with the same specified paint color. Interior components and accessories are chrome-plated. Powder coated/enamel finish colors listed here are available where specifications call for painted surfaces.

40 Sheen powder coated/enamel finish

Special Paint Finishes

All special colors, including other manufacturers' standard enamel finishes, are available subject to the following conditions.

1. Two steel color chips (minimum 3"x 5") are requested for color matching purposes. Paper samples are acceptable, however, a reasonable tolerance must be allowed when comparing the two variations.
2. All nonstandard colors are available at no additional charge (excluding hi-chromatic colors), but may be subject to extended lead times. Order will not be processed until color match is approved. Written confirmation must accompany order.
3. Textured paint finishes are available at a 5% up-charge. BCE has a set of standard textured paints available at a 5% up-charge. All other nonstandard textured colors follow the same procedure for color matching as listed above.
4. Special Metallic or Mica finishes must follow the following procedure:

All Metallic and Mica finishes are subject to an up-charge. The up-charge will be based on the particular color requested. All Metallics or Micas must provide a steel color chip sample. All Metallic or Mica finishes require a 3-week turnaround on samples and dorequire an extended lead time on the actual order. Please be aware that metallic finishes can be inconsistent. The metal fleck can create patterns that are visible on large flat surfaces.

INSTALLATION

Caution Labels

Caution- and safety-related information is contained on a peel-off label affixed to the front of the cabinet. This label is to be removed by the customer.

Caution information is also permanently affixed to the left side of the top drawer. Both labels contain important installation and loading information.

Installation Information

Complete instructions on the proper installation and use of BCE files are provided in each file shipped. The instructions refer to correct methods of leveling, ganging and loading. Counterbalance weights should be installed in all single freestanding files.

Field Reconfiguration

As needs change, BCE lateral files and storage Cabinets can readily be field-changed; however, this process should be undertaken by a qualified service technician.

SPECIAL SERVICES

Shipping:

Add 5% of Net for shipping.

Installation:

Add 8% of Net for Installation.


Specifications and prices subject to change without prior notice.

| Inside Drawer and Shelf Dimensions | 30"W x 18"D Cabinet | | | 36"W x 18"D Cabinet | | | 42"W x 18"D Cabinet | | |
|------------------------------------|---------------------|----------|----------|---------------------|----------|----------|---------------------|----------|----------|
| | W | D | H | W | D | H | W | D | H |
| 10-1/2" Drawer | 26-3/4" | 15-7/8" | 10-1/4" | 32-3/4" | 15-7/8" | 10-1/4" | 38-3/4" | 15-9/16" | 10-1/4" |
| 12" Single Rollout Shelf | 26-3/4" | 15-7/8" | | 32-3/4" | 15-7/8" | | 38-3/4" | 15-9/16" | |
| 12" Blank Shelf | 26-3/4" | 16-3/16" | | 32-3/4" | 16-3/16" | | 38-3/4" | 16-3/16" | |
| 12" End Tab Filing Shelf | 26-3/4" | 15-3/4" | | 32-3/4" | 15-3/4" | | 38-3/4" | 15-3/4" | |
| 12" Slotted Shelf | 26-3/4" | 15-1/2" | | 32-3/4" | 15-1/2" | | 38-3/4" | 15-1/2" | |
| 12" Drawer | 26-3/4" | 15-7/8" | 11-1/2" | 32-3/4" | 15-7/8" | 11-1/2" | 38-3/4" | 15-7/8" | 11-1/2" |
| 13-1/2" Rollout Shelf | 26-3/4" | 15-7/8" | | 32-3/4" | 15-7/8" | | 38-3/4" | 15-7/8" | |
| 13-1/2" Drawer | 26-3/4" | 15-7/8" | 13-1/32" | 32-3/4" | 15-7/8" | 13-1/32" | 38-3/4" | 15-7/8" | 13-1/32" |
| Cupboard | 28-1/2" | 17" | | 34-1/2" | 17" | | 40-1/2" | 17" | |


*Dimensions have been taken from the front raised edge of rollout shelf. The inside clear dimension wide approximately 1/2" greater.

Inside Clear Dimensions of Shelf and Drawers


12" Rollout Shelf Behind Receding Door





Blank / Slotted Shelf Behind Receding Door




End Tab Shelf Behind Receding Door



Tie Bar Shelf Below Receding Door



Drawer




700 Series Lateral Files

LETTER SIZE PAPER FILING


30"

Side to Side
CIL-30FBA
included



26-3/4" of File Space


Front to Back
CIL-30FBA
included
(2) CIL-334-FBK
required



30-1/4" of File Space


36"

Side to Side
CIL-36FBA
included



32-3/4" of File Space


Front to Back
CIL-30FBA
included
(2) CIL-334-FBK
required



30-1/4" of File Space


42"

Side to Side
CIL-42FBA
included



38-3/4" of File Space

Front to Back
CIL-30FBA
included
(2) CIL-334-FBK
required




45-3/8" of File Space

LETTER SIZE PAPER FILING


30"

Side to Side
CIL-30FBA
included



26-3/4" of File Space


Side to Side
CIL-30FBA
included
(1) CIL-334-FBK
required



26-1/8" of File Space


36"

Side to Side
CIL-36FBA
included



32-3/4" of File Space


Front to Back
CIL-30FBA
included
(2) CIL-334-FBK
required



30-1/4" of File Space


42"

Side to Side
CIL-42FBA
included



38-3/4" of File Space

Side to Side
CIL-30FBA
included
(2) CIL-334-FBK
required



37-1/4" of File Space

Unit and Drawer Color

| | |
|---------------------------|----|
| Black | BL |
| Blue Grey | GR |
| Bronze Metallic | ZM |
| Cayenne | CY |
| Champagne Metallic | CM |
| Cool Grey | CG |
| Cottonwood | CO |
| Everglade Shade | EV |
| Espresso Metallic | EX |
| Earthen Clay | EY |
| Flannel | FN |
| Hazy Jade | HJ |
| Light Tone | LG |
| Mardi Gras | MG |
| Misty Brown | MY |
| Nemo | NE |
| Nordic | ND |
| Poppy Red | PR |
| Purple Haze | PH |
| Rubber Ducky | RK |
| Sand | SA |
| Sky Blue | SK |
| Starlight Silver Metallic | SX |
| Surf's Up | SP |
| Twilight Shadow | TI |
| Ultra Blue | UB |
| Warm Grey | WG |
| Zesty Lime | ZL |

Trim Color- Pedestal

Seat Cushion Only

| | |
|-----------|----|
| Black | BL |
| Blue Grey | GR |
| Flannel | FN |
| Sand | SA |
| Warm Grey | WG |

Front Surface Finish;

Surface Finish

| | |
|--------------------|-----|
| Biltmore Cherry | LBT |
| Black | LBK |
| Brighton Walnut | LBW |
| Canyon Zephyr | LCA |
| Castle Oak | LCO |
| Casual Linen | LCU |
| Cherry Storm | LCX |
| Classic Linen | LCI |
| Cloud Zephyr | LCL |
| Cocobala | LCC |
| Coffee Bean | LCB |
| Crisp Linen | LRI |
| Desert Zephyr | LDZ |
| Dove Grey | LDG |
| Fired Steel | LIL |
| Flax Linen | LXF |
| Florence Walnut | LFC |
| Forged Steel | LOL |
| Frosty White | LFW |
| Graphite Nebula | LGN |
| Grey | LGE |
| High Rise | LHE |
| Hollyberry | LHY |
| Irish Linen | LIH |
| Island | LID |
| Italian Silver Ash | LIT |
| Kensington Maple | LKM |
| Lapis Blue | LLB |
| Markerboard White | LMK |
| Misted Zephyr | LMR |
| Monticello Maple | LMT |
| Nickel Evolv | LNV |
| North Sea | LNA |
| Ocean | LON |
| Orange Grove | LOE |
| Pearl Bisque | LPB |
| Pearl Silver | LPS |
| Pressed Linen | LPR |
| River Cherry | LRY |
| Rugged Linen | LGR |
| Satin Stainless | LSS |
| Shadow Zephyr | LSR |
| Silicon Evolv | LSV |
| Sterling Ash | LAZ |
| Tailored Lined | LTL |
| Titanium Evolv | LTV |
| White Nebula | LWL |
| White Sand | LWN |
| Windsor Mahogany | LWY |

Edge Color for 74P Edge Style

| | |
|--------------------|-----|
| Biltmore Cherry | TBT |
| Black | TBL |
| Blue Grey | TGR |
| Brighton Walnut | TBW |
| Castle Oak | TCO |
| Cayenne | TCY |
| Cherry Storm | TCX |
| Cocobala | TCC |
| Cool Grey | TCG |
| Flannel | TFN |
| Florence Walnut | EFC |
| Frosty White | TFW |
| Italian Silver Ash | EIT |
| Kensington Maple | TKM |
| Light Tone | TLG |
| Mardi Gras | TMG |
| Misty Brown | TMY |
| Monticello Maple | TMT |
| Multiplex | EMB |
| Nemo | TNE |
| Nordic | TND |
| Purple Haze | TPH |
| River Cherry | TRY |
| Rubber Ducky | TRK |
| Sand | TSA |
| Sterling Ash | TAZ |
| Surf's Up | TSP |
| Ultra Blue | TUB |
| Warm Grey | TWG |
| Windsor Mahogany | TWY |
| Zesty Lime | TZL |

Unit Color/Paint Color

| | |
|---------------------------|----|
| Black | BL |
| Blue Grey | GR |
| Bronze Metallic | ZM |
| Cayenne | CY |
| Champagne Metallic | CM |
| Cool Grey | CG |
| Cottonwood | CO |
| Everglade Shade | EV |
| Espresso Metallic | EX |
| Earthen Clay | EY |
| Flannel | FN |
| Hazy Jade | HJ |
| Light Tone | LG |
| Mardi Gras | MG |
| Misty Brown | MY |
| Nemo | NE |
| Nordic | ND |
| Purple Haze | PH |
| Rubber Ducky | RK |
| Sand | SA |
| Starlight Silver Metallic | SX |
| Surf's Up | SP |
| Twilight Shadow | TI |
| Ultra Blue | UB |
| Warm Grey | WG |
| Zesty Lime | ZL |

Stain Color

| | |
|--------------------|----|
| Biltmore Cherry | BC |
| Brighton Walnut | BW |
| Castle Oak | CO |
| Dark Cherry | DC |
| English Oak | EO |
| Monticello Maple | MM |
| Montana Walnut | MW |
| Natural (Red Oak) | NX |
| Victorian Mahogany | VM |
| Wild Cherry | WC |

Surface Finish

| | |
|--------------------|-----|
| Biltmore Cherry | LBT |
| Black | LBK |
| Brighton Walnut | LBW |
| Canyon Zephyr | LCA |
| Castle Oak | LCO |
| Casual Linen | LCU |
| Cherry Storm | LCX |
| Classic Linen | LCI |
| Cloud Zephyr | LCL |
| Cocobala | LCC |
| Coffee Bean | LCB |
| Crisp Linen | LRI |
| Desert Zephyr | LDZ |
| Dove Grey | LDG |
| Fired Steel | LIL |
| Flax Linen | LXF |
| Florence Walnut | LFC |
| Forged Steel | LOL |
| Frosty White | LFW |
| Graphite Nebula | LGN |
| Grey | LGE |
| High Rise | LHE |
| Hollyberry | LHY |
| Irish Linen | LIH |
| Island | LID |
| Italian Silver Ash | LIT |
| Kensington Maple | LKM |
| Lapis Blue | LLB |
| Markerboard White | LMK |
| Misted Zephyr | LMR |
| Monticello Maple | LMT |
| Nickel Evolv | LNV |
| North Sea | LNA |
| Ocean | LON |
| Orange Grove | LOE |
| Pearl Bisque | LPB |
| Pearl Silver | LPS |
| Pressed Linen | LPR |
| River Cherry | LRY |
| Rugged Linen | LGR |
| Satin Stainless | LSS |
| Shadow Zephyr | LSR |
| Silicon Evolv | LSV |
| Sterling Ash | LAZ |
| Tailored Lined | LTL |
| Titanium Evolv | LTV |
| White Nebula | LWL |
| White Sand | LWN |
| Windsor Mahogany | LWY |

Edge Color


| | |
|--------------------|-----|
| Biltmore Cherry | EBT |
| Black | EBL |
| Blue Grey | EGR |
| Brighton Walnut | EBW |
| Castle Oak | ECO |
| Cherry Storm | ECX |
| Cocobala | ECC |
| Cool Grey | ECG |
| Everglade Shade | EEV |
| Earthen Clay | EY |
| Flannel | EFN |
| Florence Walnut | EFC |
| Frosty White | EFW |
| Hazy Jade | EHJ |
| Italian Silver Ash | EIT |
| Kensington Maple | EKM |
| Light Tone | ELG |
| Mardi Gras | EMG |
| Misty Brown | EMY |
| Monticello Maple | EMT |
| Multiplex | EMB |
| Nemo | ENE |
| Purple Haze | EPH |
| River Cherry | ERY |
| Rubber Ducky | ERK |
| Sand | ESA |
| Sterling Ash | EAZ |
| Surf's Up | ESP |
| Twilight Shadow | ETI |
| Ultra Blue | EUB |
| Warm Grey | EWG |
| Windsor Mahogany | EWY |
| Zesty Lime | EZL |

Actual Samples and Replacement Cards

Contact your Sales or Customer Service Representative.

- Not all colors are available on all products.
- There will be slight variations in color, texture and finish.
- Swatches are provided as a preliminary color reference and should not be used for a final color selection.
- Please refer to the Color Addendum for product line details and options.

METALLIC POWDERCOAT & CHROME PLATED



POWDERCOAT & MOLDED PLASTIC





74P
1 - 1/4" STRAIGHT

**MOLDED EDGE COLORS -
VINYL EDGE**




74P
1 - 1/4" STRAIGHT

**MOLDED EDGE COLORS -
WOODGRAIN VINYL EDGE**




STANDARD LAMINATES

SOLIDS



MISCELLANEOUS



WOODGRAIN LAMINATES



* Consider factory lead time when ordering

LINEN



ZEPHYR



EVOLV



PREMIUM LAMINATES (UPCHARGE APPLIES TO ALL SURFACE TEXTURES)

SOLIDS


WOODGRAIN LAMINATES

METALLICS




Select Laminate Surface Textures (excluding for MARKERBOARD WHITE)

LAMINATE SURFACE TEXTURES



#01 HIGH GLOSS - PREMIUM
 A mirror sheen finish, which gives a smooth, brilliant appearance. Recommended for horizontal applications such as countertops and light-to medium commercial applications. Excellent for vertical application.




#18 LINEARITY - PREMIUM
 A directional texture running the length of the sheet, having a narrow, random, matte-gloss linear quality. It is complementary to linear woodgrains, and linear patterns and provides dimension and visual movement to solid colors. Recommended for horizontal and vertical application.




#35 MIRAGE - HD PREMIUM
 Subtle variations in matte and gloss finish connect to nature's own finishes: rough and weathered, smooth and polished. Recommended for horizontal and vertical application.




#57 ALIGNED OAK* - HD PREMIUM
 NEW Authentic realism is brought to the surface using synchronized texture as each elegantly aged oak design exhibits the natural dimension and feel of real wood. Recommended for horizontal and vertical application.




#07 TEXTURED GLOSS - PREMIUM
 A textured finish which reproduces the high sheen of waxed wood furniture. Recommended for horizontal and vertical application.




#19 LENO WEAVE* - PREMIUM
 NEW Random intersecting horizontal and vertical lines create a geometric weave with a matte-gloss mix. Recommended for horizontal and vertical application.




#38 FINE VELVET TEXTURE - STANDARD
 A smooth textured finish with moderate reflective value. Recommended for horizontal and vertical application.



#60 MATTE - STANDARD
 Textured finish with a moderate reflective quality. Recommended for horizontal and vertical application.



#12 SOFTGRAIN - PREMIUM
 A dense, woodgrain structure that is low gloss and soft to the touch. Subtle highlights of reflectivity randomly occur within the embossed grains, creating a sophisticated raw wood look. Recommended for horizontal and vertical application.



#22 ANTIQUE - PREMIUM
 A mixture of varying low gloss features combined with organic movement, indicative of the surface of an aged stone or an antique metal. Recommended for horizontal and vertical application.




#52 QUARRY - PREMIUM
 Premium finish emulating the "pitted" look of polished natural stone. Recommended for horizontal and vertical application.



#78 FINEGRAIN - PREMIUM
 This premium finish features the polish and luster of a real wood veneer, with a subtle, narrow grain structure that runs the length of the sheet. Recommended for horizontal and vertical application.



#16 CASUAL RUSTIC - PREMIUM
 A woodgrain texture with a blend of grain variations ranging from linear to subtle movement with random, irregular features. The overall low gloss surface is accented with higher sheen woodgrain ticking and random highlights. Recommended for horizontal and vertical application.



#28 GLOSS LINE - PREMIUM
 A linear woodgrain texture with varied widths of narrow grain structures in an alternating mix of matte and gloss surface areas. Recommended for horizontal and vertical application.




#55 GLAZE - HD PREMIUM
 A layering of matte features over a glaze of semi-gloss, creates this timeworn effect. Recommended for horizontal and vertical application.

* Not available in Textured Solids


Finish features AEON™ Enhanced Performance Technology, providing 3x industry standard wear resistance, improved scratch, scuff and mar performance, versus comparable competitive finishes.

ANTIMICROBIAL PROTECTION is built into the laminate to protect the surface against damaging microbes. Antimicrobial agents protect the surface from the growth of mold and mildew that cause odors when used for countertops and work surfaces.




23-15/16" File, 2 high

- Two 10-1/2" drawers with FBA folder bars
- Counterbalance weights are factory installed in accordance with the manufacturer recommendations



27" File, 2 high

- Two 12" drawers with FBA folder bars
- Counterbalance weights are factory installed in accordance with the manufacturer recommendations



30-1/16" File, 2 high

- Two 13-1/2" drawers with type-A folder bars
- Counterbalance weights are factory installed in accordance with the manufacturer recommendations

| W | D | H | BASIC MODEL | COLOR | COUNTERBALANCE | NET PRICE |
|-----|-----|-----------|--------------|--------------------------|----------------|-----------|
| 30" | 18" | 23-15/16" | CIL-30210-2D | <input type="checkbox"/> | CBW | \$684 |
| 36" | 18" | 23-15/16" | CIL-36210-2D | <input type="checkbox"/> | CBW | \$707 |
| 42" | 18" | 23-15/16" | CIL-42210-2D | <input type="checkbox"/> | CBW | \$751 |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| 30" | 18" | 27" | CIL-30240-2D | <input type="checkbox"/> | CBW | \$640 |
| 36" | 18" | 27" | CIL-36240-2D | <input type="checkbox"/> | CBW | \$667 |
| 42" | 18" | 27" | CIL-42240-2D | <input type="checkbox"/> | CBW | \$709 |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| 30" | 18" | 30-1/16" | CIL-30270-2D | <input type="checkbox"/> | CBW | \$679 |
| 36" | 18" | 30-1/16" | CIL-36270-2D | <input type="checkbox"/> | CBW | \$707 |
| 42" | 18" | 30-1/16" | CIL-42270-2D | <input type="checkbox"/> | CBW | \$751 |
| | | | | | | |
| | | | | | | |
| | | | | | | |

1

2

3

HOW TO ORDER

Indicate the following information on the order form:

1. Quantity of each item.
2. Model Number, including options.
(See "How to Build a Model Number.")
3. Any special service required.

Note:

The indicates that a choice is required.

The absence of indicates that no choice is required.

HOW TO BUILD A MODEL NUMBER

1 Select Basic Model

2 Select Color
[See Color Addendum](#)

3 Select Counterbalance
CBW Counterbalance weight

INFORMATION



LOCK


All units include a lock. Keying is random unless otherwise specified at time of order entry.

FOLDER BARS

[See filing configurations](#)


HEIGHT

All dimensions shown include 1/8" allowance for glides in recessed position.




39-1/4" File, 3 high

- Three 12" drawers with type-A folder bars
- Counterbalance weights are factory installed in accordance with the manufacturer recommendations



51-1/2" File, 4 high

- Four 12" drawers with type-A folder bars
- Counterbalance weights are factory installed in accordance with the manufacturer recommendations



54-9/16" File, 4 high

- One 15" receding door/end tab shelf with 3 plate dividers
- Three 12" drawers with FBA folder bars
- Counterbalance weights are factory installed in accordance with the manufacturer recommendations

| W | D | H | BASIC MODEL | COLOR | COUNTERBALANCE | NET PRICE |
|-----|-----|----------|--------------|--------------------------|----------------|-----------|
| 30" | 18" | 39-1/4" | CIL-30360-3D | <input type="checkbox"/> | CBW | \$786 |
| 36" | 18" | 39-1/4" | CIL-36360-3D | <input type="checkbox"/> | CBW | \$822 |
| 42" | 18" | 39-1/4" | CIL-42360-3D | <input type="checkbox"/> | CBW | \$879 |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| 30" | 18" | 51-1/2" | CIL-30480-4D | <input type="checkbox"/> | CBW | \$924 |
| 36" | 18" | 51-1/2" | CIL-36480-4D | <input type="checkbox"/> | CBW | \$968 |
| 42" | 18" | 51-1/2" | CIL-42480-4D | <input type="checkbox"/> | CBW | \$1,043 |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| 30" | 18" | 54-9/16" | CIL-30510-4D | <input type="checkbox"/> | CBW | \$1,109 |
| 36" | 18" | 54-9/16" | CIL-36510-4D | <input type="checkbox"/> | CBW | \$1,138 |
| 42" | 18" | 54-9/16" | CIL-42510-4D | <input type="checkbox"/> | CBW | \$1,268 |
| | | | | | | |
| | | | | | | |
| | | | | | | |

1

2

3

HOW TO ORDER

Indicate the following information on the order form:

1. Quantity of each item.
2. Model Number, including options.
(See "How to Build a Model Number.")
3. Any special service required.

Note:

The indicates that a choice is required.

The absence of indicates that no choice is required..

HOW TO BUILD A MODEL NUMBER

1 Select Basic Model

2 Select Color
[See Color Addendum](#)

3 Select Counterbalance
CBW Counterbalance weight

INFORMATION



LOCK


All units include a lock. Keying is random unless otherwise specified at time of order entry.

FOLDER BARS

[See filing configurations](#)


HEIGHT

All dimensions shown include 1/8" allowance for glides in recessed position.




56-3/32" File, 5 high

- Five 10-1/2" drawers with FBA folder bars
- Counterbalance weights are factory installed in accordance with the manufacturer recommendations



59-5/32" File, 5 high

- One 12" receding door/rollout shelf with three plate dividers
- One 12" drawer with FBA folder bars
- Three 10-1/2" drawers with FBA folder bars
- Counterbalance weights are factory installed in accordance with the manufacturer recommendation



63-3/4" File, 5 high

- One 12" receding door/rollout shelf with three plate dividers
- Four 12" drawers with FBA folder bars
- Counterbalance weights are factory installed in accordance with the manufacturer recommendation

| W | D | H | BASIC MODEL | COLOR | COUNTERBALANCE | NET PRICE |
|-----|-----|----------|--------------|--------------------------|----------------|-----------|
| 30" | 18" | 56-3/32" | CIL-30525-5D | <input type="checkbox"/> | CBW | \$1,212 |
| 36" | 18" | 56-3/32" | CIL-36525-5D | <input type="checkbox"/> | CBW | \$1,243 |
| 42" | 18" | 56-3/32" | CIL-42525-5D | <input type="checkbox"/> | CBW | \$1,344 |
| | | | | | | |
| | | | | | | |
| 30" | 18" | 59-5/32" | CIL-30555-5D | <input type="checkbox"/> | CBW | \$1,216 |
| 36" | 18" | 59-5/32" | CIL-36555-5D | <input type="checkbox"/> | CBW | \$1,235 |
| 42" | 18" | 59-5/32" | CIL-42555-5D | <input type="checkbox"/> | CBW | \$1,394 |
| | | | | | | |
| | | | | | | |
| 30" | 18" | 63-3/4" | CIL-30600-5D | <input type="checkbox"/> | CBW | \$1,134 |
| 36" | 18" | 63-3/4" | CIL-36600-5D | <input type="checkbox"/> | CBW | \$1,224 |
| 42" | 18" | 63-3/4" | CIL-42600-5D | <input type="checkbox"/> | CBW | \$1,394 |
| | | | | | | |
| | | | | | | |

1

2

3

HOW TO ORDER

- Indicate the following information on the order form:
1. Quantity of each item.
 2. Model Number, including options.
(See "How to Build a Model Number.")
 3. Any special service required.

Note:
The indicates that a choice is required.

The absence of indicates that no choice is required..

HOW TO BUILD A MODEL NUMBER

1 Select Basic Model

2 Select Color
[See Color Addendum](#)

3 Select Counterbalance
CBW Counterbalance weight


INFORMATION



LOCK
All units include a lock. Keying is random unless otherwise specified at time of order entry.


FOLDER BARS
[See filing configurations](#)

HEIGHT
All dimensions shown include 1/8" allowance for glides in recessed position.




65-9/32" File, 5 high

- One 12" receding door/rollout shelf with three plate dividers
- One 1-1/2" tie bar or posting shelf
- Four 12" drawers with FBA folder bars
- DP model replaces 1-1/2" tie bar with a 1-1/2" posting shelf
- Counterbalance weights are factory installed in accordance with the manufacturer recommendations



68-11/32" File, 5 high

- One 15" receding door/end tab shelf with three plate dividers
- One 1-1/2" tie bar or posting shelf
- 1-1/2" structural filler shelf on 42" wide
- Four 12" drawers with FBA folder bars
- Counterbalance weights are factory installed in accordance with the manufacturer recommendations



71-13/32" File, 6 high

- One 13-1/2" receding door
- One 1-1/2" tie bar slotted with three plate dividers on 30" and 36" wide
- 1-1/2" structural filler shelf on 42" wide
- Five 10-1/2" drawers with FBA folder bars
- Counterbalance weights are factory installed in accordance with the manufacturer recommendations

| W | D | H | BASIC MODEL | COLOR | COUNTERBALANCE | NET PRICE |
|-------|-----|-----------|---------------|--------------------------|----------------|-----------|
| 30" | 18" | 65-9/32" | CIL-30615-5D | <input type="checkbox"/> | CBW | \$1,156 |
| 36" | 18" | 65-9/32" | CIL-36615-5D | <input type="checkbox"/> | CBW | \$1,205 |
| 42" | 18" | 65-9/32" | CIL-42615-5D | <input type="checkbox"/> | CBW | \$1,404 |
| 30" | 18" | 65-9/32" | CIL-30615-5DP | <input type="checkbox"/> | CBW | \$1,264 |
| 36" | 18" | 65-9/32" | CIL-36615-5DP | <input type="checkbox"/> | CBW | \$1,310 |
| 42" | 18" | 65-9/32" | CIL-42615-5DP | <input type="checkbox"/> | CBW | \$1,404 |
| <hr/> | | | | | | |
| 30" | 18" | 68-11/32" | CIL-30645-5D | <input type="checkbox"/> | CBW | \$1,304 |
| 36" | 18" | 68-11/32" | CIL-36645-5D | <input type="checkbox"/> | CBW | \$1,371 |
| 42" | 18" | 68-11/32" | CIL-42645-5D | <input type="checkbox"/> | CBW | \$1,582 |
| <hr/> | | | | | | |
| 30" | 18" | 71-13/32" | CIL-30675-6D | <input type="checkbox"/> | CBW | \$1,461 |
| 36" | 18" | 71-13/32" | CIL-36675-6D | <input type="checkbox"/> | CBW | \$1,677 |
| 42" | 18" | 71-13/32" | CIL-42675-6D | <input type="checkbox"/> | CBW | \$1,857 |

1

2

3

HOW TO ORDER

- Indicate the following information on the order form:
1. Quantity of each item.
 2. Model Number, including options.
(See "How to Build a Model Number.")
 3. Any special service required.

Note:
The indicates that a choice is required.

The absence of indicates that no choice is required..

HOW TO BUILD A MODEL NUMBER

1 Select Basic Model

2 Select Color
[See Color Addendum](#)

3 Select Counterbalance
CBW Counterbalance weight


INFORMATION



LOCK
All units include a lock. Keying is random unless otherwise specified at time of order entry.

FOLDER BARS
[See filing configurations](#)

HEIGHT
All dimensions shown include 1/8" allowance for glides in recessed position.



77-17/32" File, 6 high

- One 12" receding door/end tab shelf with plate dividers
- One 12" receding door/rollout shelf with 3 plate dividers
- One 1-1/2" tie bar
- 1-1/2" structural filler shelf on 42" wide
- Four 12" drawers with FBA folder bars
- Counterbalance weights are factory installed in accordance with the manufacturer recommendations

| W | D | H | BASIC MODEL | COLOR | COUNTERBALANCE | NET PRICE |
|-----|-----|-----------|--------------|--------------------------|----------------|-----------|
| 30" | 18" | 77-17/32" | CIL-30735-6D | <input type="checkbox"/> | CBW | \$1,387 |
| 36" | 18" | 77-17/32" | CIL-36735-6D | <input type="checkbox"/> | CBW | \$1,471 |
| 42" | 18" | 77-17/32" | CIL-42735-6D | <input type="checkbox"/> | CBW | \$1,721 |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |

① ② ③

HOW TO ORDER

Indicate the following information on the order form:
 1. Quantity of each item.
 2. Model Number, including options.
 (See "How to Build a Model Number.")
 3. Any special service required.

Note:
 The indicates that a choice is required.

The absence of indicates that no choice is required..


HOW TO BUILD A MODEL NUMBER

- ① **Select Basic Model**
- ② **Select Color**
[See Color Addendum](#)
- ③ **Select Counterbalance**
CBW Counterbalance weight

INFORMATION




- LOCK**
All units include a lock. Keying is random unless otherwise specified at time of order entry.
- FOLDER BARS**
[See filing configurations](#)
- HEIGHT**
All dimensions shown include 1/8" allowance for glides in recessed position.




27" File, 2 high

- One 12" receding door/roll out shelf with FBA folder bars
- One 12" drawer with FBA folder bars
- Counterbalance weights are factory installed in accordance with the manufacturer recommendations



39-1/4" File, 3 high

- Two 12" receding doors/roll out shelves with FBA folder bars
- One 12" drawer with FBA folder bars
- Counterbalance weights are factory installed in accordance with the manufacturer recommendations



51-1/2" File, 4 high

- Three 12" receding doors/roll out shelves with FBA folder bars
- One 12" drawer with FBA folder bars
- Counterbalance weights are factory installed in accordance with the manufacturer recommendations

| W | D | H | BASIC MODEL | COLOR | COUNTERBALANCE | NET PRICE |
|-----|-----|---------|--------------|--------------------------|----------------|-----------|
| 30" | 18" | 27" | CIL-30240-2R | <input type="checkbox"/> | CBW | \$681 |
| 36" | 18" | 27" | CIL-36240-2R | <input type="checkbox"/> | CBW | \$702 |
| 42" | 18" | 27" | CIL-42240-2R | <input type="checkbox"/> | CBW | \$751 |
| | | | | | | |
| | | | | | | |
| 30" | 18" | 39-1/4" | CIL-30360-3R | <input type="checkbox"/> | CBW | \$836 |
| 36" | 18" | 39-1/4" | CIL-36360-3R | <input type="checkbox"/> | CBW | \$866 |
| 42" | 18" | 39-1/4" | CIL-42360-3R | <input type="checkbox"/> | CBW | \$931 |
| | | | | | | |
| | | | | | | |
| 30" | 18" | 51-1/2" | CIL-30480-4R | <input type="checkbox"/> | CBW | \$1,025 |
| 36" | 18" | 51-1/2" | CIL-36480-4R | <input type="checkbox"/> | CBW | \$1,075 |
| 42" | 18" | 51-1/2" | CIL-42480-4R | <input type="checkbox"/> | CBW | \$1,178 |
| | | | | | | |
| | | | | | | |

1

2

3

HOW TO ORDER

Indicate the following information on the order form:

1. Quantity of each item.
2. Model Number, including options.
(See "How to Build a Model Number.")
3. Any special service required.

Note:

The indicates that a choice is required.

The absence of indicates that no choice is required..

HOW TO BUILD A MODEL NUMBER

1 Select Basic Model

2 Select Color
[See Color Addendum](#)

3 Select Counterbalance
CBW Counterbalance weight

INFORMATION



LOCK


All units include a lock. Keying is random unless otherwise specified at time of order entry.

FOLDER BARS

[See filing configurations](#)

HEIGHT


All dimensions shown include 1/8" allowance for glides in recessed position.



63-3/4" File, 5 high

- One 12" receding door/roll out shelf with 3 plate dividers
- Three 12" receding doors/rollout shelves with FBA folder bars
- One 12" drawer with FBA folder bars
- Counterbalance weights are recommended in accordance with the manufacturer recommendations

| W | D | H | BASIC MODEL | COLOR | COUNTERBALANCE | NET PRICE |
|-----|-----|---------|--------------|--------------------------|----------------|-----------|
| 30" | 18" | 63-3/4" | CIL-30600-5R | <input type="checkbox"/> | CBW | \$1,237 |
| 36" | 18" | 63-3/4" | CIL-36600-5R | <input type="checkbox"/> | CBW | \$1,258 |
| 42" | 18" | 63-3/4" | CIL-42600-5R | <input type="checkbox"/> | CBW | \$1,394 |
| | | | | | | |
| | | | | | | |
| | | | | | | |



65-9/32" File, 5 high

- Two 12" receding doors/roll out shelves with 3 plate dividers
- Three 12" drawer with FBA folder bars
- One 1-1/2" tie bar or posting shelf
- RP model replaces 1-1/2" tie bar with a 1-1/2" posting shelf
- Counterbalance weights are recommended in accordance with the manufacturer recommendations

| | | | | | | |
|-----|-----|----------|---------------|--------------------------|-----|---------|
| 30" | 18" | 65-9/32" | CIL-30615-5R | <input type="checkbox"/> | CBW | \$1,258 |
| 36" | 18" | 65-9/32" | CIL-36615-5R | <input type="checkbox"/> | CBW | \$1,299 |
| 42" | 18" | 65-9/32" | CIL-42615-5R | <input type="checkbox"/> | CBW | \$1,457 |
| 30" | 18" | 65-9/32" | CIL-30615-5RP | <input type="checkbox"/> | CBW | \$1,310 |
| 36" | 18" | 65-9/32" | CIL-36615-5RP | <input type="checkbox"/> | CBW | \$1,354 |
| | | | | | | |
| | | | | | | |
| | | | | | | |

①

②

③

HOW TO ORDER

Indicate the following information on the order form:

1. Quantity of each item.
2. Model Number, including options.
(See "How to Build a Model Number.")
3. Any special service required.

Note:

The indicates that a choice is required.

The absence of indicates that no choice is required..

HOW TO BUILD A MODEL NUMBER

① **Select Basic Model**

② **Select Color**
[See Color Addendum](#)

③ **Select Counterbalance**
CBW Counterbalance weight

INFORMATION



LOCK


All units include a lock. Keying is random unless otherwise specified at time of order entry.

FOLDER BARS

[See filing configurations](#)

HEIGHT

All dimensions shown include 1/8" allowance for glides in recessed position.



77-17/32" File, 6 high

- One 12" receding door/end tab shelf with 3 plate dividers.
- One 12" receding door/roll out shelf with 3 plate dividers
- One 12" receding door/roll out shelf with FBA folder bars
- 1-1/2" tie bar on 30/36" wide
- 1-1/2" structural filler shelf with 3 plate dividers on 42" wide
- Two 12" receding doors/roll out shelves with FBA folder bars
- One 12" drawer with FBA folder bars
- Counterbalance weights are recommended in accordance with the manufacturer recommendations

| W | D | H | BASIC MODEL | COLOR | COUNTERBALANCE | NET PRICE |
|-----|-----|-----------|--------------|--------------------------|----------------|-----------|
| 30" | 18" | 77-17/32" | CIL-30735-6R | <input type="checkbox"/> | CBW | \$1,511 |
| 36" | 18" | 77-17/32" | CIL-36735-6R | <input type="checkbox"/> | CBW | \$1,555 |
| 42" | 18" | 77-17/32" | CIL-42735-6R | <input type="checkbox"/> | CBW | \$1,796 |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |

1

2

3

HOW TO ORDER

- Indicate the following information on the order form:
1. Quantity of each item.
 2. Model Number, including options.
(See "How to Build a Model Number.")
 3. Any special service required.

Note:
The indicates that a choice is required.


The absence of indicates that no choice is required..

HOW TO BUILD A MODEL NUMBER

- 1 **Select Basic Model**
- 2 **Select Color**
[See Color Addendum](#)
- 3 **Select Counterbalance**
CBW Counterbalance weight


INFORMATION +

- LOCK**
All units include a lock. Keying is random unless otherwise specified at time of order entry.
- FOLDER BARS**
[See filing configurations](#)
- HEIGHT**
All dimensions shown include 1/8" allowance for glides in recessed position.




27" File, 2 high

- Two 12" receding doors with fixed end tab shelves
- Three plate dividers per opening
- Counterbalance weights are factory installed in accordance with the manufacturer recommendations



39-1/4" File

- Three 12" receding doors with fixed end tab shelves
- Three plate dividers per opening
- Counterbalance weights are factory installed in accordance with the manufacturer recommendations



51-1/2" File

- Four 12" receding doors with fixed end tab shelves
- Three plate dividers per opening
- Counterbalance weights are factory installed in accordance with the manufacturer recommendations

| W | D | H | BASIC MODEL | COLOR | COUNTERBALANCE | NET PRICE |
|-----|-----|---------|--------------|--------------------------|----------------|-----------|
| 30" | 18" | 27" | CIL-30240-2E | <input type="checkbox"/> | CBW | \$684 |
| 36" | 18" | 27" | CIL-36240-2E | <input type="checkbox"/> | CBW | \$698 |
| 42" | 18" | 27" | CIL-42240-2E | <input type="checkbox"/> | CBW | \$759 |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| 30" | 18" | 39-1/4" | CIL-30360-3E | <input type="checkbox"/> | CBW | \$893 |
| 36" | 18" | 39-1/4" | CIL-36360-3E | <input type="checkbox"/> | CBW | \$922 |
| 42" | 18" | 39-1/4" | CIL-42360-3E | <input type="checkbox"/> | CBW | \$1,000 |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| 30" | 18" | 51-1/2" | CIL-30480-4E | <input type="checkbox"/> | CBW | \$1,107 |
| 36" | 18" | 51-1/2" | CIL-36480-4E | <input type="checkbox"/> | CBW | \$1,153 |
| 42" | 18" | 51-1/2" | CIL-42480-4E | <input type="checkbox"/> | CBW | \$1,268 |
| | | | | | | |
| | | | | | | |
| | | | | | | |

1

2

3

HOW TO ORDER

Indicate the following information on the order form:

1. Quantity of each item.
2. Model Number, including options.
(See "How to Build a Model Number.")
3. Any special service required.

Note:

The indicates that a choice is required.

The absence of indicates that no choice is required..

HOW TO BUILD A MODEL NUMBER

1 Select Basic Model

2 Select Color
[See Color Addendum](#)

3 Select Counterbalance
CBW Counterbalance weight

INFORMATION



LOCK


All units include a lock. Keying is random unless otherwise specified at time of order entry.

FOLDER BARS

[See filing configurations](#)


HEIGHT

All dimensions shown include 1/8" allowance for glides in recessed position.



65-9/32" File

- Two 12" receding doors with fixed end tab shelves
- 1-1/2" tie bar
- Three 12" receding doors with fixed end tab shelves
- Three plate dividers per opening
- Counterbalance weights are factory installed in accordance with the manufacturer recommendations



77-17/32" File

- Three 12" receding doors with fixed end tab shelves
- 1-1/2" tie bar on 30" and 36" wide
- 1-1/2" structural filled shelf on 42" wide
- Three 12" receding doors with fixed end tab shelves
- Three plate dividers per opening
- Counterbalance weights are factory installed in accordance with the manufacturer recommendations

| W | D | H | BASIC MODEL | COLOR | COUNTERBALANCE | NET PRICE |
|-----|-----|----------|--------------|--------------------------|----------------|-----------|
| 30" | 18" | 65-9/32" | CIL-30615-5E | <input type="checkbox"/> | CBW | \$1,367 |
| 36" | 18" | 65-9/32" | CIL-36615-5E | <input type="checkbox"/> | CBW | \$1,385 |
| 42" | 18" | 65-9/32" | CIL-42615-5E | <input type="checkbox"/> | CBW | \$1,534 |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |

| | | | | | | |
|-----|-----|-----------|--------------|--------------------------|-----|---------|
| 30" | 18" | 77-17/32" | CIL-30735-6E | <input type="checkbox"/> | CBW | \$1,635 |
| 36" | 18" | 77-17/32" | CIL-36735-6E | <input type="checkbox"/> | CBW | \$1,664 |
| 42" | 18" | 77-17/32" | CIL-42735-6E | <input type="checkbox"/> | CBW | \$1,959 |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |

①

②

③

HOW TO ORDER

- Indicate the following information on the order form:
1. Quantity of each item.
 2. Model Number, including options.
(See "How to Build a Model Number.")
 3. Any special service required.

Note:
The indicates that a choice is required.

The absence of indicates that no choice is required..

HOW TO BUILD A MODEL NUMBER

① Select Basic Model

② Select Color
[See Color Addendum](#)


③ Select Counterbalance
CBW Counterbalance weight

INFORMATION +

LOCK
All units include a lock. Keying is random unless otherwise specified at time of order entry.


FOLDER BARS
[See filing configurations](#)

HEIGHT
All dimensions shown include 1/8" allowance for glides in recessed position.




65-9/32" File

- One 24" hinged door insert with one blank shelf
- One 1-1/2" locking tie bar shelf
- Three 12" drawers with FBA folder bars for side-to-side filing
- Cabinet supplied with two locks. One controls hinged doors and the other lock controls drawers, keyed alike unless otherwise specified.
- Counterbalance weights are factory installed in accordance with the manufacturer recommendations



71-13/32" File

- One 30" hinged door insert with one blank shelf
- One 1-1/2" locking tie bar shelf
- Three 12" drawers with FBA folder bars for side-to-side filing
- Cabinet supplied with two locks. One controls hinged doors and the other lock controls drawers, keyed alike unless otherwise specified.
- Counterbalance weights are factory installed in accordance with the manufacturer recommendations



77-17/32" File

- One 24" hinged door insert with one blank shelf
- One 1-1/2" locking tie bar shelf
- Four 12" drawers with FBA folder bars for side-to-side filing
- Cabinet supplied with two locks. One controls hinged doors and the other lock controls drawers, keyed alike unless otherwise specified.
- Counterbalance weights are factory installed in accordance with the manufacturer recommendations

| | W | D | H | BASIC MODEL | COLOR | NET PRICE |
|----------------|-----|-----|-----------|--------------|--------------------------|-----------|
| 65-9/32" File | 30" | 18" | 65-9/32" | CIL-30615-5M | <input type="checkbox"/> | \$1,209 |
| | 36" | 18" | 65-9/32" | CIL-36615-5M | <input type="checkbox"/> | \$1,358 |
| | 42" | 18" | 65-9/32" | CIL-42615-5M | <input type="checkbox"/> | \$1,450 |
| 71-13/32" File | 30" | 18" | 71-13/32" | CIL-30675-5M | <input type="checkbox"/> | \$1,281 |
| | 36" | 18" | 71-13/32" | CIL-36675-5M | <input type="checkbox"/> | \$1,404 |
| | 42" | 18" | 71-13/32" | CIL-42675-5M | <input type="checkbox"/> | \$1,584 |
| 77-17/32" File | 30" | 18" | 77-17/32" | CIL-30735-6M | <input type="checkbox"/> | \$1,415 |
| | 36" | 18" | 77-17/32" | CIL-36735-6M | <input type="checkbox"/> | \$1,610 |
| | 42" | 18" | 77-17/32" | CIL-42735-6M | <input type="checkbox"/> | \$1,811 |

1

2

HOW TO ORDER

Indicate the following information on the order form:

1. Quantity of each item.
2. Model Number, including options.
(See "How to Build a Model Number.")
3. Any special service required.

Note:

The indicates that a choice is required.

The absence of indicates that no choice is required..

HOW TO BUILD A MODEL NUMBER

- 1 Select Basic Model
- 2 Select Color
[See Color Addendum](#)

INFORMATION



LOCK

All units include a lock. Keying is random unless otherwise specified at time of order entry.

FOLDER BARS

[See filing configurations](#)

HEIGHT

All dimensions shown include 1/8" allowance for glides in recessed position.



Laminate Top for Side-by-Side Units
• High Pressure Laminate tops.

| FITTING SIZE | W | D | H | BASIC MODEL | EDGE STYLE | LAMINATE SURFACE | EDGE COLOR | NET PRICE |
|---|------|-----|--------|-------------|------------|------------------|------------|-----------|
| Fits one 30" wide lateral | 30" | 18" | 1-1/4" | CIL-3018T | □□□ | □□□ | □□□ | \$148 |
| Fits one 36" wide lateral | 36" | 18" | 1-1/4" | CIL-3618T | □□□ | □□□ | □□□ | \$155 |
| Fits one 42" wide lateral | 42" | 18" | 1-1/4" | CIL-4218T | □□□ | □□□ | □□□ | \$166 |
| Fits two 30" wide laterals | 60" | 18" | 1-1/4" | CIL-6018T | □□□ | □□□ | □□□ | \$200 |
| Fits one 30" & one 36" wide laterals | 66" | 18" | 1-1/4" | CIL-6618T | □□□ | □□□ | □□□ | \$220 |
| Fits two 36" or one 30" & one 42" laterals | 72" | 18" | 1-1/4" | CIL-7218T | □□□ | □□□ | □□□ | \$231 |
| Fits one 36" & one 42" wide laterals | 78" | 18" | 1-1/4" | CIL-7818T | □□□ | □□□ | □□□ | \$250 |
| Fits two 42" wide laterals | 84" | 18" | 1-1/4" | CIL-8418T | □□□ | □□□ | □□□ | \$255 |
| Fits three 30" wide laterals | 90" | 18" | 1-1/4" | CIL-9018T | □□□ | □□□ | □□□ | \$336 |
| Fits two 30" & one 42" or one 30" & two 36" | 102" | 18" | 1-1/4" | CIL-10218T | □□□ | □□□ | □□□ | \$407 |
| Fits three 36" or one 30" & one 36" & one 42" | 108" | 18" | 1-1/4" | CIL-10818T | □□□ | □□□ | □□□ | \$438 |
| Fits four 30" or one 36" & two 42" laterals | 120" | 18" | 1-1/4" | CIL-12018T | □□□ | □□□ | □□□ | \$468 |

- ①
- ②
- ③
- ④

HOW TO ORDER

- Indicate the following information on the order form:
1. Quantity of each item.
 2. Model Number, including options.
(See "How to Build a Model Number.")
 3. Any special service required.

Note:
The □ indicates that a choice is required.

The absence of □ indicates that no choice is required..

HOW TO BUILD A MODEL NUMBER

- ① **Select Basic Model**
- ② **Select Edge Style**
SE Self Edge
74P Laminate Edge
- ③ **Select Laminate Surface**
[See Color Addendum](#)


- ④ **Select Edge Color***
[See Color Addendum](#)
*Use XXX if selecting SE option.

INFORMATION



NOTE
Many other laminates are available without an up-charge. Ask your BCE Sales rep for samples. Color swatches available on-line and by request.

WEIGHTS
Figures provided are approximate and reflect packaged product without additional accessories



Laminate Tops For Back-to-Back Units

- High Pressure Laminate tops.

| FITTING SIZE | W | D | H | BASIC MODEL | EDGE STYLE | LAMINATE SURFACE | EDGE COLOR | NET PRICE |
|-----------------------------|------|-----|--------|-------------|--|--|--|-----------|
| Fits two 30" wide laterals | 30" | 36" | 1-1/4" | CIL-3036T | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | \$221 |
| Fits two 36" wide laterals | 36" | 36" | 1-1/4" | CIL-3636T | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | \$249 |
| Fits two 42" wide laterals | 42" | 36" | 1-1/4" | CIL-4236T | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | \$272 |
| Fits four 30" wide laterals | 60" | 36" | 1-1/4" | CIL-6036T | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | \$381 |
| Fits four 36" wide laterals | 72" | 36" | 1-1/4" | CIL-7236T | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | \$410 |
| Fits four 36" wide laterals | 84" | 36" | 1-1/4" | CIL-8436T | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | \$447 |
| Fits four 42" wide laterals | 90" | 36" | 1-1/4" | CIL-9036T | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | \$494 |
| Fits six 30" wide laterals | 108" | 36" | 1-1/4" | CIL-10836T | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | \$683 |

①

②

③

④

HOW TO ORDER

Indicate the following information on the order form:

1. Quantity of each item.
2. Model Number, including options. (See "How to Build a Model Number.")
3. Any special service required.

Note:
The indicates that a choice is required.

The absence of indicates that no choice is required..

HOW TO BUILD A MODEL NUMBER

① Select Basic Model

② Select Edge Style
SE Self Edge
74P Laminate Edge

③ Select Laminate Surface
[See Color Addendum](#)

④ Select Edge Color*

[See Color Addendum](#)

*Use XXX if selecting SE option.

INFORMATION




NOTE

Many other laminates are available without an up-charge. Ask your BCE Sales rep for samples. Color swatches available on-line and by request.

WEIGHTS

Figures provided are approximate and reflect packaged product without additional accessories



Laminate Pedestal Top
• High Pressure Laminate tops.

| FITTING SIZE | W | D | H | BASIC MODEL | EDGE STYLE | LAMINATE SURFACE | EDGE COLOR | NET PRICE |
|-------------------------|-----|---------|--------|-------------|--------------------------|--------------------------|--------------------------|-----------|
| Fits 20" deep pedestals | 15" | 17-3/4" | 1-1/8" | CIP-1715T | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | \$77 |
| Fits 24" deep pedestals | 15" | 21-3/4" | 1-1/8" | CIP-2115T | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | \$86 |
| Fits 30" deep pedestals | 15" | 27-3/4" | 1-1/8" | CIP-2715T | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | \$102 |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |

① ② ③ ④

HOW TO ORDER

Indicate the following information on the order form:
 1. Quantity of each item.
 2. Model Number, including options.
 (See "How to Build a Model Number.")
 3. Any special service required.

Note:
 The indicates that a choice is required.

The absence of indicates that no choice is required..

HOW TO BUILD A MODEL NUMBER


- ① **Select Basic Model**
- ② **Select Edge Style**
 SE Self Edge
 74P Laminate Edge
- ③ **Select Laminate Surface**
[See Color Addendum](#)

- ④ **Select Edge Color***
[See Color Addendum](#)
 *Use XXX if selecting SE option.

INFORMATION +

NOTE
 Many other laminates are available without an up-charge. Ask your BCE Sales rep for samples. Color swatches available on-line and by request.

WEIGHTS
 Figures provided are approximate and reflect packaged product without additional accessories



Laminate Top for Bookcases

| FITTING SIZE | W | D | H | BASIC MODEL | EDGE STYLE | LAMINATE SURFACE | EDGE COLOR | NET PRICE |
|--------------|-----|-----|--------|-------------|--------------------------|--------------------------|--------------------------|-----------|
| 12" Deep | 30" | 12" | 1-1/4" | CIB-3012T | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | \$194 |
| 12" Deep | 36" | 12" | 1-1/4" | CIB-3612T | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | \$222 |
| 12" Deep | 60" | 12" | 1-1/4" | CIB-6012T | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | \$328 |
| 12" Deep | 72" | 12" | 1-1/4" | CIB-7212T | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | \$403 |
| 15" Deep | 30" | 15" | 1-1/4" | CIB-3015T | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | \$198 |
| 15" Deep | 36" | 15" | 1-1/4" | CIB-3615T | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | \$223 |
| 15" Deep | 60" | 15" | 1-1/4" | CIB-6015T | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | \$328 |
| 15" Deep | 72" | 15" | 1-1/4" | CIB-7215T | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | \$403 |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |

- 1**
- 2**
- 3**
- 4**

HOW TO ORDER

- Indicate the following information on the order form:
- Quantity of each item.
 - Model Number, including options. (See "How to Build a Model Number.")
 - Any special service required.

Note:
The indicates that a choice is required.

The absence of indicates that no choice is required..

HOW TO BUILD A MODEL NUMBER





- Select Basic Model**
- Select Edge Style**
SE Self Edge
74P Laminate Edge
- Select Laminate Surface**
[See Color Addendum](#)

- Select Edge Color***
[See Color Addendum](#)
*Use XXX if selecting SE option.

INFORMATION +

NOTE
Many other laminates are available without an up-charge. Ask your BCE Sales rep for samples. Color swatches available on-line and by request.

WEIGHTS
Figures provided are approximate and reflect packaged product without additional accessories

| | W | BASIC MODEL | NET PRICE |
|--|-----|-------------|-----------|
|  <p>Type "A" Folder Bars</p> <ul style="list-style-type: none"> • Side to Side • Files one row legal or letter • Priced per set • Installs in 10-1/2", 12", 13-1/2" and 15" drawers and similar sized receding door roll out shelf combinations • Dark Tone enamel finish only | 30" | CIL-30FBA | \$21 |
| | 36" | CIL-36FBA | \$21 |
| | 42" | CIL-42FBA | \$23 |
|  <p>Type "K" Folder Bars</p> <ul style="list-style-type: none"> • Converts side-to-side filing to front to back filing • One set (two bars) required per row of filing • Priced per set of two • Legal or Letter | | CIL-334FBK | \$10 |
| | | | |
|  <p>Plate Dividers</p> <ul style="list-style-type: none"> • 6" divider for 6" rollout shelves and 6", 7-1/2", and 9" drawers • 12" divider for 10-1/2", 12", 13-1/2", and 15" rollout shelves and drawers • Sold in packs of 3 • Dark Tone Only | 6" | CIL-3346DV | \$19 |
| | 12" | CIL-33412DV | \$16 |
|  <p>Legal/Letter Conversion</p> <ul style="list-style-type: none"> • Dark Tone Only • To be used when filing letter-size folders side to side | | CIL-30LL | \$12 |
| | | CIL-36LL | \$12 |

1

HOW TO ORDER

Indicate the following information on the order form:

1. Quantity of each item.
2. Model Number, including options.
(See "How to Build a Model Number.")
3. Any special service required.

Note:

The indicates that a choice is required.

The absence of indicates that no choice is required..

HOW TO BUILD A MODEL NUMBER

1 Select Basic Model

INFORMATION



WEIGHT





Figures provided are approximate and reflect packaged product without additional accessories.

ENAMEL FINISH

Color Cards are available on-line and by request.

FOLDER BARS

Files are configured for side-to-side media storage.

| | W | D | H | BASIC MODEL | COLOR | NET PRICE |
|--|-----|-----|---|-------------|--------------------------|-----------|
|  <p>Compressor Follower</p> <ul style="list-style-type: none"> • Installs in 12", 13-1/2" and 15" drawers and receding door/roll out shelf combinations • All installation hardware included • Dark Tone only • Compressor moves side-to-side | 27" | 8" | | CIL-30CF | | \$74 |
| | 33" | 8" | | CIL-36CF | | \$76 |
| | 39" | 8" | | CIL-42CF | | \$77 |
|  <p>Touch Up Paint</p> <ul style="list-style-type: none"> • Specify Color Code • 1-ounce brush application | | | | CIL-97003 | <input type="checkbox"/> | \$25 |
| | | | | | | |
| | | | | | | |
|  <p>Adjustable Shelf</p> <ul style="list-style-type: none"> • May be installed behind hinged or receding doors • Black finish only • Includes brackets | | 30" | | CIL-30BS | | \$55 |
| | | 36" | | CIL-36BS | | \$56 |
| | | 42" | | CIL-42BS | | \$59 |
|  <p>Coat Rod</p> <ul style="list-style-type: none"> • Includes mounting hardware for installation behind hinged doors • Fixed blank shelf may be installed directly above • Specify separately | | 30" | | CIL-30CR | <input type="checkbox"/> | \$34 |
| | | 36" | | CIL-36CR | <input type="checkbox"/> | \$35 |
| | | 42" | | CIL-42CR | <input type="checkbox"/> | \$36 |

1

2

HOW TO ORDER

- Indicate the following information on the order form:
1. Quantity of each item.
 2. Model Number, including options.
(See "How to Build a Model Number.")
 3. Any special service required.

Note:
The indicates that a choice is required.

The absence of indicates that no choice is required..

HOW TO BUILD A MODEL NUMBER

- 1 **Select Basic Model**
- 2 **Select Color**
[See Color Addendum](#)


INFORMATION




WEIGHT
Figures provided are approximate and reflect packaged product without additional accessories.

ENAMEL FINISH
Color Cards are available on-line and by request.


FOLDER BARS
Files are configured for side-to-side media storage.




27" Multimedia Storage Cabinet
• Available with one adjustable shelf



33-1/8" Multimedia Storage Cabinet
• Available with one adjustable shelf



39-1/4" Multimedia Storage Cabinet
• Available with two adjustable shelves



51-1/2" Multimedia Storage Cabinet
• Available with two adjustable shelves

| | W | D | H | BASIC MODEL | COLOR | NET PRICE |
|------------------------------------|-----|-----|---------|--------------|--------------------------|-----------|
| 27" Multimedia Storage Cabinet | 30" | 18" | 27" | CIL-30240-HD | <input type="checkbox"/> | \$537 |
| | 36" | 18" | 27" | CIL-36240-HD | <input type="checkbox"/> | \$583 |
| | 42" | 18" | 27" | CIL-42240-HD | <input type="checkbox"/> | \$616 |
| 33-1/8" Multimedia Storage Cabinet | 30" | 18" | 33-1/8" | CIL-30300-HD | <input type="checkbox"/> | \$616 |
| | 36" | 18" | 33-1/8" | CIL-36300-HD | <input type="checkbox"/> | \$642 |
| | 42" | 18" | 33-1/8" | CIL-42300-HD | <input type="checkbox"/> | \$684 |
| 39-1/4" Multimedia Storage Cabinet | 30" | 18" | 39-1/4" | CIL-30360-HD | <input type="checkbox"/> | \$667 |
| | 36" | 18" | 39-1/4" | CIL-36360-HD | <input type="checkbox"/> | \$715 |
| | 42" | 18" | 39-1/4" | CIL-42360-HD | <input type="checkbox"/> | \$768 |
| 51-1/2" Multimedia Storage Cabinet | 30" | 18" | 51-1/2" | CIL-30480-HD | <input type="checkbox"/> | \$761 |
| | 36" | 18" | 51-1/2" | CIL-36480-HD | <input type="checkbox"/> | \$827 |
| | 42" | 18" | 51-1/2" | CIL-42480-HD | <input type="checkbox"/> | \$874 |

①

②

HOW TO ORDER

- Indicate the following information on the order form:
1. Quantity of each item.
 2. Model Number, including options.
(See "How to Build a Model Number.")
 3. Any special service required.

Note:
The indicates that a choice is required.

The absence of indicates that no choice is required..

HOW TO BUILD A MODEL NUMBER

- ① **Select Basic Model**
- ② **Select Color**
[See Color Addendum](#)


INFORMATION




LOCK
All units include a lock. Keying is random unless otherwise specified at time of order entry.

FOLDER BARS
[See filing configurations](#)


HEIGHT
All dimensions shown include 1/8" allowance for glides in recessed position.




56-3/32" Multimedia Storage Cabinet
• Available with two adjustable shelves



63-3/4" Multimedia Storage Cabinet
• Available with three adjustable shelves



65-9/32" Multimedia Storage Cabinet
• Available with three adjustable shelves



77-17/32" Multimedia Storage Cabinet
• Available with four adjustable shelves

| | W | D | H | BASIC MODEL | COLOR | NET PRICE |
|--------------------------------------|-----|-----|-----------|--------------|--------------------------|-----------|
| 56-3/32" Multimedia Storage Cabinet | 30" | 18" | 56-3/32" | CIL-30525-HD | <input type="checkbox"/> | \$883 |
| | 36" | 18" | 56-3/32" | CIL-36525-HD | <input type="checkbox"/> | \$939 |
| | 42" | 18" | 56-3/32" | CIL-42525-HD | <input type="checkbox"/> | \$998 |
| 63-3/4" Multimedia Storage Cabinet | 30" | 18" | 63-3/4" | CIL-30600-HD | <input type="checkbox"/> | \$943 |
| | 36" | 18" | 63-3/4" | CIL-36600-HD | <input type="checkbox"/> | \$1,008 |
| | 42" | 18" | 63-3/4" | CIL-42600-HD | <input type="checkbox"/> | \$1,081 |
| 65-9/32" Multimedia Storage Cabinet | 30" | 18" | 65-9/32" | CIL-30615-HD | <input type="checkbox"/> | \$949 |
| | 36" | 18" | 65-9/32" | CIL-36615-HD | <input type="checkbox"/> | \$1,012 |
| | 42" | 18" | 65-9/32" | CIL-42615-HD | <input type="checkbox"/> | \$1,098 |
| 77-17/32" Multimedia Storage Cabinet | 30" | 18" | 77-17/32" | CIL-30735-HD | <input type="checkbox"/> | \$1,094 |
| | 36" | 18" | 77-17/32" | CIL-36735-HD | <input type="checkbox"/> | \$1,137 |

1

2

HOW TO ORDER

- Indicate the following information on the order form:
1. Quantity of each item.
 2. Model Number, including options.
(See "How to Build a Model Number.")
 3. Any special service required.

Note:
The indicates that a choice is required.

The absence of indicates that no choice is required..

HOW TO BUILD A MODEL NUMBER

- 1 Select Basic Model
- 2 Select Color
[See Color Addendum](#)

INFORMATION



LOCK
All units include a lock. Keying is random unless otherwise specified at time of order entry.

FOLDER BARS
[See filing configurations](#)

HEIGHT
All dimensions shown include 1/8" allowance for glides in recessed position.

GENERAL INFORMATION

BCE pedestals are available in sizes and drawer combinations to suit any personal storage requirement. Freestanding and mobile units are designed to fit below most worksurfaces. Hanging and worksurface supporting units are sized to fit under BCE Systems furniture. A mounting kit is provided with each unit to allow installation under other compatible workstations.

Preconfigured Units

To simplify the specification process, BCE offers preconfigured pedestals in the most popular sizes with the most popular internal components. These units are assembled using standard components.

Height

Four pedestal styles are available. Heights include 1/4" allowance for leveling glides fully recessed. Worksurface Supporting: 24-13/16", 27-7/8". Freestanding: 22-3/8", 25-9/16". Mobile: 21-11/16", 24-5/8", 27-9/16" Hanging: 19-3/16", 22-1/8", 25-1/16".

Depth

Products are available in three standard depths: 17-5/8", 21-5/8" and 27-5/8".

Width

All products are 15" wide.

Drawer Dimensions

Refer to the illustrations on page 24 for the range of drawer sizes and the height clearance of each.

CONSTRUCTION AND STANDARD FEATURES

Basic Shell

Twenty-gauge steel body with 20-gauge steel top and box frame front and back uprights. Uprights are notched in 3" intervals for drawer suspension mounting. Fronts: Two-piece metal construction.

Twenty-two gauge steel outer skin welded to 22-gauge inner liner. With full width inset pull. Drawer fronts overlap front of pedestal.

Three-inch (pencil) drawer: Single wall two-piece construction. Body 22-gauge; back 22-gauge. Operates on two section 3/4" extension ball bearing suspension.

Six-inch (box) drawer; single wall two-piece construction. Body 22-gauge; back 22-gauge. Operates on two-section 3/4" extension ball bearing suspension.

Twelve-inch (file): Single wall, two-piece construction. Front liner 20-gauge; body 22-gauge. Mounted on full extension slide arm suspensions.

Freestanding and supporting pedestals include four glides, adjustable from outside the cabinet. Standard glides provide 1" adjustment.

Counterbalance

Counterbalance weight is standard in all mobile units and all freestanding units. Consists of four twin-wheel hooded casters. Front two casters are locking; rear two casters are non-locking. Counterbalance weight included in all mobile units.

Locks are standard on all units. The lock is a high-security double-bit type. The double-bit lock offers superior security when compared to a single-bit lock. Units are standard with random keys in a range of 200 different numbers. Specific keying combinations are available at no additional charge. This information must be included with the order. Locks can be master keyed.

PAINT FINISHES

All BCE products are chemically etched prior to painting. This process enhances top coat bonding. The top coat is a high solids modified 40 sheen polyester enamel. The enamel is baked on to provide a scratch- and stain-resistant surface.

All inside and outside shell and drawer surfaces are painted with the same specified paint color.

Interior components and accessories are painted Dark Tone. Mechanical components are black chrome-plated. Powder coated/enamel finish colors shown in Color Card 1 in the BCE Fabrics & Finishes binder are standard and are available where specifications call for painted surfaces.

Color Card 1: 40 Sheen powder coated/enamel finish

SPECIAL PAINT FINISHES

All special colors, including other manufacturers' standard enamel finishes, are available subject to the following conditions:

1. Two steel color chips (minimum 3"x5") are requested for color matching purposes. Paper samples are acceptable, however, a reasonable tolerance must be allowed when comparing the two variations.

2. All nonstandard colors are available at no additional charge (excluding hi-chromatic colors) , but may be subject to extended lead times. Order will not be processed until color match is approved. Written confirmation must accompany order.

3. Textured paint finishes are available at a 5% up-charge. BCE has a set of standard textured paints available at a 5% up-charge. All other nonstandard textured colors follow the same procedure for color matching as listed above.

4. Special Metallic or Mica finishes must follow the following procedure: All Metallic and Mica finishes are subject to an up-charge. The up-charge will be based on the particular color requested. All Metallics or Micas must provide a steel color chip sample. All Metallic or Mica finishes require a 3-week turnaround on samples and do require an extended lead time on the actual order.


Please be aware that metallic finishes can be inconsistent. The metal fleck can create patterns that are visible on large flat surfaces.

As needs change, BCE pedestals can readily be field-changed; however, this process should be undertaken by a qualified service technician.

Color swatches are available on-line and by request.


| Inside Dimensions of Drawers | 17-5/8"D Pedestal | | | 21-5/8"D Pedestal | | | 27-5/8"D Pedestal | | |
|------------------------------|-------------------|---------|---------|-------------------|-----------|---------|-------------------|-----------|---------|
| | W | D | H | W | D | H | W | D | Hw |
| 3" Pencil | 12-1/8" | 16-1/4" | 2-3/16" | 12-1/8" | 19-5/16" | 2-3/16" | 12-1/8" | 25-13/16" | 2-3/16" |
| 6" Box | 12-1/8" | 16-1/4" | 5-1/8" | 12-1/8" | 19-5/16" | 5-1/8" | 12-1/8" | 25-13/16" | 5-1/8" |
| 12" File | 12-1/8" | 15-3/4" | 11" | 12-1/8" | 18-13/16" | 11" | 12-1/8" | 25-5/16" | 11" |

| Pedestal Heights and Depths | Depths | Heights Including Glides | Heights Including Casters | Heights Without Glides/ Casters |
|-----------------------------|---------------------------|--------------------------|------------------------------|------------------------------------|
| Freestanding | 17-5/8", 21-5/8", 27-5/8" | 22-3/8", 25-9/16" | | |
| Mobile | 17-5/8", 21-5/8", 27-5/8" | | 21-11/16", 24-5/8", 27-9/16" | |
| Hanging | 17-5/8", 21-5/8", 27-5/8" | | | 19-3/16", 22-1/8", 25-1/16" |
| Worksurface Supporting | 17-5/8", 21-5/8", 27-5/8" | 24-13/16", 27-7/8" | | |




Pedestal - BF

- One 6" box drawer
- One 12" file drawer
- Counterbalance weight included in mobile and freestanding units



Pedestal - BBB

- Three 6" box drawers
- Counterbalance weight included in mobile and freestanding units



Pedestal - PBF

- One 3" pencil drawer,
- One 6" box drawer
- One 12" file drawer
- Counterbalance weight included in mobile and freestanding units

| FEATURES | W | D | H | BASIC MODEL | COLOR | NET PRICE | |
|----------|--------------|---------|---------|---------------|--------------------------|--------------------------|-------|
| Mobile | 15" | 17-5/8" | 21-3/4" | CIP-1520M-BF | <input type="checkbox"/> | \$315 | |
| | 15" | 21-5/8" | 21-3/4" | CIP-1524M-BF | <input type="checkbox"/> | \$320 | |
| | 15" | 27-5/8" | 21-3/4" | CIP-1530M-BF | <input type="checkbox"/> | \$333 | |
| | | | | | | | |
| Mobile | 15" | 17-5/8" | 21-3/4" | CIP-1520M-BBB | <input type="checkbox"/> | \$391 | |
| | 15" | 21-5/8" | 21-3/4" | CIP-1524M-BBB | <input type="checkbox"/> | \$423 | |
| | 15" | 27-5/8" | 21-3/4" | CIP-1530M-BBB | <input type="checkbox"/> | \$436 | |
| | | | | | | | |
| Mobile | 15" | 17-5/8" | 24-5/8" | CIP-1520M-PBF | <input type="checkbox"/> | \$344 | |
| | 15" | 21-5/8" | 24-5/8" | CIP-1524M-PBF | <input type="checkbox"/> | \$354 | |
| | 15" | 27-5/8" | 24-5/8" | CIP-1530M-PBF | <input type="checkbox"/> | \$367 | |
| | Freestanding | 15" | 17-5/8" | 22-1/4" | CIP-1520F-PBF | <input type="checkbox"/> | \$345 |
| | | 15" | 21-5/8" | 22-1/4" | CIP-1524F-PBF | <input type="checkbox"/> | \$354 |
| | | 15" | 27-5/8" | 22-1/4" | CIP-1530F-PBF | <input type="checkbox"/> | \$370 |
| | | | | | | | |

①

②

HOW TO ORDER

Indicate the following information on the order form:

1. Quantity of each item.
2. Model Number, including options.
(See "How to Build a Model Number.")
3. Any special service required.

Note:

The indicates that a choice is required.

The absence of indicates that no choice is required..

HOW TO BUILD A MODEL NUMBER

- ① Select Basic Model
- ② Select Color
[See Color Addendum](#)

INFORMATION




LOCK


All units include a lock. Keying is random unless otherwise specified at time of order entry.

HEIGHT

All freestanding pedestals include 1/8" allowance for glides in recessed position. Mobile pedestals include 2 5/16" allowance for casters.



Pedestal - FF
 • Two 12" file drawers
 • Counterbalance weight included in mobile and freestanding units



Pedestal- BBF
 • Two 6" box drawers
 • One 12" file drawer
 • Counterbalance weight included in mobile and freestanding units

| FEATURES | W | D | H | BASIC MODEL | COLOR | NET PRICE |
|--------------|-----|---------|----------|---------------|--------------------------|-----------|
| Mobile | 15" | 17-5/8" | 27-9/16" | CIP-1520M-FF | <input type="checkbox"/> | \$320 |
| | 15" | 21-5/8" | 27-9/16" | CIP-1524M-FF | <input type="checkbox"/> | \$328 |
| | 15" | 27-5/8" | 27-9/16" | CIP-1530M-FF | <input type="checkbox"/> | \$359 |
| Freestanding | 15" | 17-5/8" | 25-3/16" | CIP-1520F-FF | <input type="checkbox"/> | \$312 |
| | 15" | 21-5/8" | 25-3/16" | CIP-1524F-FF | <input type="checkbox"/> | \$325 |
| | 15" | 27-5/8" | 25-3/16" | CIP-1530F-FF | <input type="checkbox"/> | \$340 |
| | | | | | | |
| Mobile | 15" | 17-5/8" | 27-9/16" | CIP-1520M-BBF | <input type="checkbox"/> | \$347 |
| | 15" | 21-5/8" | 27-9/16" | CIP-1524M-BBF | <input type="checkbox"/> | \$369 |
| | 15" | 27-5/8" | 27-9/16" | CIP-1530M-BBF | <input type="checkbox"/> | \$384 |
| Freestanding | 15" | 17-5/8" | 25-3/16" | CIP-1520F-BBF | <input type="checkbox"/> | \$350 |
| | 15" | 21-5/8" | 25-3/16" | CIP-1524F-BBF | <input type="checkbox"/> | \$369 |
| | 15" | 27-5/8" | 25-3/16" | CIP-1530F-BBF | <input type="checkbox"/> | \$396 |
| | | | | | | |
| | | | | | | |
| | | | | | | |

1

2

HOW TO ORDER

- Indicate the following information on the order form:
1. Quantity of each item.
 2. Model Number, including options.
(See "How to Build a Model Number.")
 3. Any special service required.

Note:
The indicates that a choice is required.

The absence of indicates that no choice is required..

HOW TO BUILD A MODEL NUMBER


- 1 Select Basic Model
- 2 Select Color
[See Color Addendum](#)

INFORMATION




LOCK
All units include a lock. Keying is random unless otherwise specified at time of order entry.

HEIGHT
All freestanding pedestals include 1/8" allowance for glides in recessed position. Mobile pedestals include 2 5/16" allowance for casters.



Pedestal - BBBB

- Four 6" box drawers
- Counterbalance weight included in mobile and free standing units



Pedestal - PBBB

- One 3" pencil drawer
- Three 6" box drawers
- Counterbalance weight included in mobile and free standing units

| FEATURES | W | D | H | BASIC MODEL | COLOR | NET PRICE |
|--------------|-----|---------|----------|----------------|--------------------------|-----------|
| Mobile | 15" | 17-3/8" | 27-9/16" | CIP-1520M-BBBB | <input type="checkbox"/> | \$391 |
| | 15" | 21-3/8" | 27-9/16" | CIP-1524M-BBBB | <input type="checkbox"/> | \$423 |
| | 15" | 27-3/8" | 27-9/16" | CIP-1530M-BBBB | <input type="checkbox"/> | \$436 |
| Freestanding | 15" | 17-5/8" | 25-3/16" | CIP-1520F-BBBB | <input type="checkbox"/> | \$382 |
| | 15" | 21-5/8" | 25-3/16" | CIP-1524F-BBBB | <input type="checkbox"/> | \$414 |
| | 15" | 27-5/8" | 25-3/16" | CIP-1530F-BBBB | <input type="checkbox"/> | \$429 |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| Mobile | 15" | 17-5/8" | 24-5/8" | CIP-1520M-PBBB | <input type="checkbox"/> | \$387 |
| | 15" | 21-5/8" | 24-5/8" | CIP-1524M-PBBB | <input type="checkbox"/> | \$407 |
| | 15" | 27-5/8" | 24-5/8" | CIP-1530M-PBBB | <input type="checkbox"/> | \$418 |
| Freestanding | 15" | 17-5/8" | 22-3/8" | CIP-1520F-PBBB | <input type="checkbox"/> | \$384 |
| | 15" | 21-5/8" | 22-3/8" | CIP-1524F-PBBB | <input type="checkbox"/> | \$401 |
| | 15" | 27-5/8" | 22-3/8" | CIP-1530F-PBBB | <input type="checkbox"/> | \$412 |
| | | | | | | |
| | | | | | | |
| | | | | | | |

①

②

HOW TO ORDER

Indicate the following information on the order form:

1. Quantity of each item.
2. Model Number, including options.
(See "How to Build a Model Number.")
3. Any special service required.

Note:

The indicates that a choice is required.

The absence of indicates that no choice is required..

HOW TO BUILD A MODEL NUMBER

① Select Basic Model

② Select Color
[See Color Addendum](#)

INFORMATION







LOCK

All units include a lock. Keying is random unless otherwise specified at time of order entry.

HEIGHT

All freestanding pedestals include 1/8" allowance for glides in recessed position. Mobile pedestals include 2 5/16" allowance for casters.

| | FEATURES | W | D | H | BASIC MODEL | COLOR | NET PRICE |
|--|----------|-----|---------|----------|----------------|--------------------------|-----------|
|  <p>Pedestal • One 6" box drawer • One 12" file drawer</p> | Hanging | 15" | 17-5/8" | 19-3/16" | CIP-1520H-BF | <input type="checkbox"/> | \$249 |
| | | 15" | 21-5/8" | 19-3/16" | CIP-1524H-BF | <input type="checkbox"/> | \$261 |
| | | 15" | 27-5/8" | 19-3/16" | CIP-1530H-BF | <input type="checkbox"/> | \$303 |
|  <p>Pedestal • Three 6" box drawers • Lock Included</p> | Hanging | 15" | 17-5/8" | 19-3/16" | CIP-1520H-BBB | <input type="checkbox"/> | \$285 |
| | | 15" | 21-5/8" | 19-3/16" | CIP-1524H-BBB | <input type="checkbox"/> | \$305 |
| | | 15" | 27-5/8" | 19-3/16" | CIP-1530H-BBB | <input type="checkbox"/> | \$330 |
|  <p>Pedestal • One 3" pencil drawer • One 6" box drawer • One 12" file drawer</p> | Hanging | 15" | 17-5/8" | 22-1/8" | CIP-1520H-PBF | <input type="checkbox"/> | \$286 |
| | | 15" | 21-5/8" | 22-1/8" | CIP-1524H-PBF | <input type="checkbox"/> | \$312 |
| | | 15" | 27-5/8" | 22-1/8" | CIP-1530H-PBF | <input type="checkbox"/> | \$357 |
|  <p>Pedestal • One 3" pencil drawer • Three 6" box drawers</p> | Hanging | 15" | 17-5/8" | 22-1/8" | CIP-1520H-PBBB | <input type="checkbox"/> | \$318 |
| | | 15" | 21-5/8" | 22-1/8" | CIP-1524H-PBBB | <input type="checkbox"/> | \$354 |
| | | 15" | 27-5/8" | 22-1/8" | CIP-1530H-PBBB | <input type="checkbox"/> | \$379 |

①

②

HOW TO ORDER

Indicate the following information on the order form:

1. Quantity of each item.
2. Model Number, including options.
(See "How to Build a Model Number.")
3. Any special service required.

Note:

The indicates that a choice is required.

The absence of indicates that no choice is required..

HOW TO BUILD A MODEL NUMBER

① **Select Basic Model**

② **Select Color**
[See Color Addendum](#)

INFORMATION




LOCK


All units include a lock. Keying is random unless otherwise specified at time of order entry.

HEIGHT


All freestanding pedestals include 1/8" allowance for glides in recessed position. Mobile pedestals include 2 5/16" allowance for casters.



- Pedestal**
- Two 12" file drawers
 - Includes four leveling glides



- Pedestal**
- Two 6" box drawers
 - One 12" file drawer
 - Includes four leveling glides



- Pedestal**
- Four 6" box drawers
 - Includes four leveling glides
 - Lock Included

| FEATURES | W | D | H | BASIC MODEL | COLOR | NET PRICE |
|------------|-----|---------|---------|----------------|--------------------------|-----------|
| Supporting | 15" | 17-5/8" | 27-7/8" | CIP-1520W-FF | <input type="checkbox"/> | \$308 |
| | 15" | 21-5/8" | 27-7/8" | CIP-1524W-FF | <input type="checkbox"/> | \$323 |
| | 15" | 27-5/8" | 27-7/8" | CIP-1530W-FF | <input type="checkbox"/> | \$340 |
| Supporting | 15" | 17-5/8" | 27-7/8" | CIP-1520W-BBF | <input type="checkbox"/> | \$345 |
| | 15" | 21-5/8" | 27-7/8" | CIP-1524W-BBF | <input type="checkbox"/> | \$362 |
| | 15" | 27-5/8" | 27-7/8" | CIP-1530W-BBF | <input type="checkbox"/> | \$384 |
| Supporting | 15" | 17-5/8" | 27-7/8" | CIP-1520W-BBBB | <input type="checkbox"/> | \$379 |
| | 15" | 21-5/8" | 27-7/8" | CIP-1524W-BBBB | <input type="checkbox"/> | \$404 |
| | 15" | 27-5/8" | 27-7/8" | CIP-1530W-BBBB | <input type="checkbox"/> | \$424 |

①

②

HOW TO ORDER

Indicate the following information on the order form:

1. Quantity of each item.
2. Model Number, including options.
(See "How to Build a Model Number.")
3. Any special service required.

Note:

The indicates that a choice is required.

The absence of indicates that no choice is required..

HOW TO BUILD A MODEL NUMBER

- ① **Select Basic Model**
- ② **Select Color**
[See Color Addendum](#)

INFORMATION






LOCK

All units include a lock. Keying is random unless otherwise specified at time of order entry.

HEIGHT

All freestanding pedestals include 1/8" allowance for glides in recessed position. Mobile pedestals include 2 5/16" allowance for casters.

| | FEATURES | W | D | H | BASIC MODEL | NET PRICE |
|--|----------|---------|--------|---------|-------------|-----------|
|  <p>Glide Kit</p> <ul style="list-style-type: none"> • Adds 1/4" to 1 inch to pedestal height • 4 per kit | | | | | CIP-GK | \$6 |
| | | | | | | |
| | | | | | | |
| | | | | | | |
|  <p>Caster Kit</p> <ul style="list-style-type: none"> • Converts freestanding pedestals to mobile units • Adds 2-5/16" to pedestal height • Must use with counterbalance weight • 4 per kit | | | | 2-9/16" | S7P-CK | \$9 |
| | | | | | | |
| | | | | | | |
| | | | | | | |
|  <p>Counterbalance Weight</p> <ul style="list-style-type: none"> • For freestanding units when not under a worksurface. | 30" Deep | 12-1/2" | 1/2" | 10-1/4" | CIP-CBW20 | \$54 |
| | 24" Deep | 12-1/2" | 1-1/8" | 10-1/4" | CIP-CBW40 | \$71 |
| | | | | | | |
| | | | | | | |

①

HOW TO ORDER

Indicate the following information on the order form:

1. Quantity of each item.
2. Model Number, including options.
(See "How to Build a Model Number.")
3. Any special service required.

Note:
The indicates that a choice is required.
The absence of indicates that no choice is required..





HOW TO BUILD A MODEL NUMBER

① **Select Basic Model**

INFORMATION



HEIGHT
All dimensions shown include 1/8" allowance for glides in recessed position.

| | FEATURES | W | D | H | BASIC MODEL | NET PRICE |
|---|----------|---------|-----|--------|-------------|-----------|
|  <p>Pencil Tray</p> <ul style="list-style-type: none"> • For 3" pencil and 6" box drawers • Black finish only • Priced each | | 12-1/8" | 4" | 1" | CIP-PT | \$7 |
| | | | | | | |
| | | | | | | |
|  <p>6" Partition</p> <ul style="list-style-type: none"> • For 6" box drawers • Dark Tone enamel finish only • Priced each | | 12-1/8" | | 4-5/8" | CIP-D6 | \$6 |
| | | | | | | |
| | | | | | | |
|  <p>Hanging Folder Partition</p> <ul style="list-style-type: none"> • For 12" (pedestal) file drawers • Dark Tone enamel finish only • Priced each | | 12-1/8" | | 9-5/8" | CIP-D12 | \$7 |
| | | | | | | |
| | | | | | | |
|  <p>Pedestal Seat</p> <ul style="list-style-type: none"> • Cushioned Seat for Mobile Pedestal • 17" Deep, used with 17-5/8" deep mobile pedestal • 20" Deep, used with 21-5/8" deep mobile pedestal • Fabric runs side-to-side • Lip height is 3-1/4" | | 15" | 17" | 1-7/8" | PDCU-17 | \$53 |
| | | 15" | 20" | 1-7/8" | PDCU-20 | \$57 |
| | | | | | | |

1

HOW TO ORDER

Indicate the following information on the order form:

1. Quantity of each item.
2. Model Number, including options.
(See "How to Build a Model Number.")
3. Any special service required.

Note:
The indicates that a choice is required.

The absence of indicates that no choice is required..

HOW TO BUILD A MODEL NUMBER

1 Select Basic Model

INFORMATION



HEIGHT
All dimensions shown include 1/8" allowance for glides in recessed position.

GENERAL INFORMATION

BCE vertical files are designed on a 11" module.

To assure BCE files are compatible with panel systems, desks or custom architectural details, cabinets are available in 4 different heights.

Height

Vertical files are available in 4 standard heights. Heights include 1/8" allowance for leveling glides fully recessed.

Depth

All products are 27-5/8" deep.

Width

Cabinets are available in two standard widths: 15" and 18"

CONSTRUCTION AND STANDARD FEATURES

Basic Shell

Uprights and top and bottom reinforcements are welded into rigid "box frame." Constructed of 18- and 20-gauge steel. Seamless back and top with reinforced corners. 5-drawer cabinets also feature a welded tie bar midway in the shell.

Illustrated shell heights include 1/8" for adjustable glide in recessed position.

Doors/Drawers

Drawer fronts, 20-gauge steel double wall with full-width flush inset pull and label holder. Fronts are screw-mounted to shelves. Shelf body, 20-gauge steel. Each roll-out shelf equipped with two heavy-duty, three-section, ball-bearing suspensions. Components have been tested to accept loads of 75 lbs.

Adjustable Glides

Cabinets are supplied with two adjustable glides. The glides can be adjusted from inside the cabinets using a 1/4" hex socket wrench, or from the outside the cabinet using a 7/8" wrench. Standard glides provide 3/4" adjustment; longer glides are also available. Overall cabinet heights include the glide in its recessed position.

Locks

Locks are standard on all units. The lock is a high-security double-bit type. The double-bit lock offers superior security when compared to a single-bit lock. Units are standard with random keys in a range of 200 different numbers. Specific keying combinations are available at no additional charge. This information must be included with the order. Locks can be master keyed.

STANDARD PAINT FINISHES

All BCE products are chemically etched prior to painting. This process enhances top coat bonding. The top coat is a high solids modified 40 sheen polyester enamel. The enamel is baked on to provide a scratch- and stain-resistant surface.

All inside and outside shell and drawer front surfaces are painted with the same specified paint color.

Interior components and accessories are Dark Tone. Mechanical components are black chrome-plated.

Powder coated/enamel finish colors listed are available where specifications call for painted surfaces.

Color swatches are available on-line and by request.

SPECIAL PAINT FINISHES

All specific colors, including other manufacturers' standard enamel finishes, are available subject to the following conditions:

1. Two steel color chips (minimum 3"x5") are requested for color matching purposes. Paper samples are acceptable, however, a reasonable tolerance must be allowed when comparing the two variations.

2. All nonstandard colors are available at no additional charge (excluding hi-chromatic colors) , but may be subject to extended lead times. Order will not be processed until color match is approved. Written confirmation must accompany order.

3. Textured paint finishes are available at a 5% up-charge. BCE has a set of standard textured paints available at a 5% up-charge. All other nonstandard textured colors follow the same procedure for color matching as listed above.


4. Special Metallic or Mica finishes must follow the following procedure:

All Metallic and Mica finishes are subject to an up-charge. The up-charge will be based on the particular color requested.

All Metallics or Micas must provide a steel color chip sample.

All Metallic or Mica finishes require a 3-week turnaround on samples and do require an extended lead time on the actual order.


Please be aware that metallic finishes can be inconsistent. The metal fleck can create patterns that are visible on large flat surfaces.



25-3/4" High, 2 High

- Two 11" drawers with either folder bars or compressor follower in each drawer


| FEATURES | W | D | H | BASIC MODEL | COLOR | NET PRICE |
|-------------|-----|---------|---------|---------------|--------------------------|-----------|
| Compressor | 15" | 27-5/8" | 25-3/4" | CIV-1530-2DCF | <input type="checkbox"/> | \$558 |
| Folder Bars | 15" | 27-5/8" | 25-3/4" | CIV-1530-2DFB | <input type="checkbox"/> | \$558 |



36-7/8" High, 3 High

- Three 11" drawers with either folder bars or compressor follower in each drawer


| | | | | | | |
|-------------|-----|---------|---------|---------------|--------------------------|-------|
| Compressor | 15" | 27-5/8" | 36-7/8" | CIV-1530-3DCF | <input type="checkbox"/> | \$731 |
| Folder Bars | 15" | 27-5/8" | 36-7/8" | CIV-1530-3DFB | <input type="checkbox"/> | \$731 |



48" High, 4 High

- Four 11" drawers with either folder bars or compressor follower in each drawer

| | | | | | | |
|-------------|-----|---------|-----|---------------|--------------------------|-------|
| Compressor | 15" | 27-5/8" | 48" | CIV-1530-4DCF | <input type="checkbox"/> | \$911 |
| Folder Bars | 15" | 27-5/8" | 48" | CIV-1530-4DFB | <input type="checkbox"/> | \$911 |



59-1/8" High, 5 High

- Five 11" drawers with either folder bars or compressor follower in each drawer

| | | | | | | |
|-------------|-----|---------|---------|---------------|--------------------------|---------|
| Compressor | 15" | 27-5/8" | 59-1/8" | CIV-1530-5DCF | <input type="checkbox"/> | \$1,103 |
| Folder Bars | 15" | 27-5/8" | 59-1/8" | CIV-1530-5DFB | <input type="checkbox"/> | \$1,103 |

1

2

HOW TO ORDER

Indicate the following information on the order form:

1. Quantity of each item.
2. Model Number, including options.
(See "How to Build a Model Number.")
3. Any special service required.

Note:

The indicates that a choice is required.

The absence of indicates that no choice is required..

HOW TO BUILD A MODEL NUMBER

- 1 Select Basic Model
- 2 Select Color
[See Color Addendum](#)

INFORMATION




LOCK

All units include a lock. Keying is random unless otherwise specified at time of order entry.

HEIGHT


All freestanding pedestals include 1/8" allowance for glides in recessed position. Mobile pedestals include 2 5/16" allowance for casters.



25-3/4" High, 2 High

- Two 11" drawers with either folder bars or compressor follower in each drawer


| FEATURES | W | D | H | BASIC MODEL | COLOR | NET PRICE |
|-------------|-----|---------|---------|---------------|--------------------------|-----------|
| Compressor | 18" | 27-5/8" | 25-3/4" | CIV-1830-2DCF | <input type="checkbox"/> | \$585 |
| Folder Bars | 18" | 27-5/8" | 25-3/4" | CIV-1830-2DFB | <input type="checkbox"/> | \$585 |



36-7/8" High, 3 High

- Three 11" drawers with either folder bars or compressor follower in each drawer


| | | | | | | |
|-------------|-----|---------|---------|---------------|--------------------------|-------|
| Compressor | 18" | 27-5/8" | 36-7/8" | CIV-1830-3DCF | <input type="checkbox"/> | \$758 |
| Folder Bars | 18" | 27-5/8" | 36-7/8" | CIV-1830-3DFB | <input type="checkbox"/> | \$758 |



48" High, 4 High

- Four 11" drawers with either folder bars or compressor follower in each drawer

| | | | | | | |
|-------------|-----|---------|-----|---------------|--------------------------|-------|
| Compressor | 18" | 27-5/8" | 48" | CIV-1830-4DCF | <input type="checkbox"/> | \$953 |
| Folder Bars | 18" | 27-5/8" | 48" | CIV-1830-4DFB | <input type="checkbox"/> | \$953 |



59-1/8" High, 5 High

- Five 11" drawers with either folder bars or compressor follower in each drawer

| | | | | | | |
|-------------|-----|---------|---------|---------------|--------------------------|---------|
| Compressor | 18" | 27-5/8" | 59-1/8" | CIV-1830-5DCF | <input type="checkbox"/> | \$1,145 |
| Folder Bars | 18" | 27-5/8" | 59-1/8" | CIV-1830-5DFB | <input type="checkbox"/> | \$1,145 |

①

②

HOW TO ORDER

Indicate the following information on the order form:

1. Quantity of each item.
2. Model Number, including options.
(See "How to Build a Model Number.")
3. Any special service required.

Note:

The indicates that a choice is required.

The absence of indicates that no choice is required..

HOW TO BUILD A MODEL NUMBER

- ① **Select Basic Model**
- ② **Select Color**
[See Color Addendum](#)

INFORMATION




LOCK

All units include a lock. Keying is random unless otherwise specified at time of order entry.

HEIGHT


All freestanding pedestals include 1/8" allowance for glides in recessed position. Mobile pedestals include 2 5/16" allowance for casters.



Compressor

- 15" fits into any letter size drawer
- 18" fits into any legal size drawer
- Dark Tone enamel finish only
- Legal size Includes parts required for one 15" wide drawer
- Letter size Includes parts required for one 18" wide drawer

| FEATURES | W | D | H | BASIC MODEL | NET PRICE |
|----------|-----|----|----|-------------|-----------|
| Letter | 15" | 1" | 7" | CIV-15CF | \$21 |
| Legal | 18" | 1" | 7" | CIV-18CF | \$21 |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |



Folder Bars

- Fits any legal or letter size drawer
- Dark Tone enamel finish only
- Includes parts required for one drawer
- Priced per set

| | | | | | |
|--|----|-----|----|------------|------|
| | 1" | 26" | 9" | CIV-1518FB | \$21 |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |

1

HOW TO ORDER

Indicate the following information on the order form:

1. Quantity of each item.
2. Model Number, including options.
(See "How to Build a Model Number.")
3. Any special service required.

Note:

The indicates that a choice is required.

The absence of indicates that no choice is required..

HOW TO BUILD A MODEL NUMBER

1 Select Basic Model

INFORMATION



FOLDER BARS

Files are configured for side-to-side media storage.

GENERAL INFORMATION

BCE Storage/Bookcases have been designed to optimally store standard three-ring binders on all shelves. Shelves are adjustable on 1" increments to accommodate other media storage needs.

The units described on the following pages are to suit the most common storage requirements. Other bookcase sizes can be built to suit specific needs. Contact BCE Sales for details.

Height

Bookcases are available in four standard heights. Other heights will be considered on a special order basis, contact BCE Sales for details. Heights include 1/8" allowance for leveling glides fully recessed.

Depth

Bookcases are available in two standard depths: 12" and 15".

Width

All bookcases are 30" and 36" wide.

Shelf Clearance

BCE Storage/Bookcases are manufactured to the same high standards of quality and value as our Lateral Files and Storage Cabinets. The shell and shelves are constructed of 20-gauge steel, offset and channel formed to enhance strength. Adjustable glides are located in each corner to provide for exact leveling. Shelves are adjustable in 1" increments and redesigned to facilitate storage of binders on each shelf.

CONSTRUCTION AND STANDARD FEATURES

Basic Shell

Shells are unique to bookcases, featuring a flush inner liner. The liner is punched to accept shelf brackets on 1" increments, starting approximately 8" from the bottom of the cabinet and terminating approximately 8" from the top of the cabinet. The liners, top and bottom reinforcements are welded into a rigid box frame. The shell is constructed from 18- and 20-gauge steel, with multiple strategically located offsets to maximize strength. The back is seamless. All corners are reinforced.

Illustrated shell heights include 1/8" for adjustable glide in recessed position.

Shelves

Shelves are constructed using 22-gauge steel, formed 7/8" thick on the leading and trailing edges to enhance strength.

Adjustable Glides

Bookcases are supplied with four adjustable glides. The glides can be adjusted from inside the bookcase using a 1/4" hex socket wrench, or from outside the bookcase using a 7/8" wrench. Standard glides provide 3/4" adjustment; longer glides are also available. Overall bookcase heights include the glide in its recessed position.

STANDARD PAINT FINISHES

All BCE products are chemically etched prior to painting. This process enhances top coat bonding. The top coat is a high solids modified 40 sheen polyester enamel. The enamel is baked on to provide a scratch- and stain-resistant surface.

All inside and outside shell and drawer front surfaces are painted with the same specified paint color.

Interior components and accessories are Dark Tone. Mechanical components are black chrome-plated.

Powder coated/enamel finish colors listed are available where specifications call for painted surfaces.

Color swatches are available on-line and by request.

SPECIAL PAINT FINISHES

All specific colors, including other manufacturers' standard enamel finishes, are available subject to the following conditions:

1. Two steel color chips (minimum 3"x 5") are requested for color matching purposes. Paper samples are acceptable, however, a reasonable tolerance must be allowed when comparing the two variations.

2. All nonstandard colors are available at no additional charge (excluding hi-chromatic colors), but may be subject to extended lead times. Order will not be processed until color match is approved. Written confirmation must accompany order.

3. Textured paint finishes are available at a 5% up-charge. BCE has a set of standard textured paints available at a 5% up-charge. All other nonstandard textured colors follow the same procedure for color matching as listed above.

4. Special Metallic or Mica finishes must follow the following procedure:

All Metallic and Mica finishes are subject to an up-charge. The up-charge will be based on the particular color requested.

All Metallics or Micas must provide a steel color chip sample.


All Metallic or Mica finishes require a 3-week turnaround on samples and do require an extended lead time on the actual order.

Please be aware that metallic finishes can be inconsistent. The metal fleck can create patterns that are visible on large flat surfaces.


| Inside Clear Dimensions | Bookcase Height | Top Opening | Middle Opening | Bottom Opening |
|-------------------------|-----------------|-------------|----------------|----------------|
| | 28-15/32" | 12-13/64" | 12-13/64" | 12-13/64" |
| | 42-5/16" | 12-37/64" | 12-37/64" | 12-13/64" |
| | 54-9/16" | 12-61/64" | 12-61/64" | 12-13/64" |
| | 66-13/16" | 12-9/16" | 12-9/16" | 12-13/64" |

| Bookcase Height | Inside Width | | Inside Depth | |
|-----------------|--------------|-----------|--------------|-----------|
| | 30" Model | 36" Model | 12" Model | 15" Model |
| 28-15/32" | 28-1/2" | 34-1/2" | 11-1/2" | 14-1/2" |
| 42-5/16" | 28-1/2" | 34-1/2" | 11-1/2" | 14-1/2" |
| 54-9/16" | 28-1/2" | 34-1/2" | 11-1/2" | 14-1/2" |
| 66-13/16" | 28-1/2" | 34-1/2" | 11-1/2" | 14-1/2" |


Note: Dimensions shown above are with shelves located to provide for storage of three-ring binders. Shelves are easily adjustable on 1" increments. Dimensions will vary according.




28-17/32" High
• One adjustable shelf



42-5/16" High
• Two adjustable shelves



54-9/16" High
• Three adjustable shelves



66-13/16" High
• Four adjustable shelves

| | W | D | H | BASIC MODEL | COLOR | NET PRICE |
|---|-----|-----|-----------|--------------|--------------------------|-----------|
| 28-17/32" High • One adjustable shelf | 30" | 12" | 28-17/32" | CIB-30255-12 | <input type="checkbox"/> | \$315 |
| | 36" | 12" | 28-17/32" | CIB-36255-12 | <input type="checkbox"/> | \$324 |
| 42-5/16" High • Two adjustable shelves | 30" | 12" | 42-5/16" | CIB-30390-12 | <input type="checkbox"/> | \$399 |
| | 36" | 12" | 42-5/16" | CIB-36390-12 | <input type="checkbox"/> | \$410 |
| 54-9/16" High • Three adjustable shelves | 30" | 12" | 54-9/16" | CIB-30510-12 | <input type="checkbox"/> | \$479 |
| | 36" | 12" | 54-9/16" | CIB-36510-12 | <input type="checkbox"/> | \$494 |
| 66-13/16" High • Four adjustable shelves | 30" | 12" | 66-13/16" | CIB-30630-12 | <input type="checkbox"/> | \$553 |
| | 36" | 12" | 66-13/16" | CIB-36630-12 | <input type="checkbox"/> | \$563 |

①

②

HOW TO ORDER

Indicate the following information on the order form:

1. Quantity of each item.
2. Model Number, including options.
(See "How to Build a Model Number.")
3. Any special service required.

Note:

The indicates that a choice is required.

The absence of indicates that no choice is required..

HOW TO BUILD A MODEL NUMBER

- ① **Select Basic Model**
- ② **Select Color**
[See Color Addendum](#)

INFORMATION




ENAMEL FINISH


Color Cards are available on-line and by request.

HEIGHT

All dimensions shown include 1/8" allowance for glides in recessed position.




28-17/32" High
• One adjustable shelf



42-5/16" High
• Two adjustable shelves



54-9/16" High
• Three adjustable shelves



66-13/16" High
• Four adjustable shelves

| | W | D | H | BASIC MODEL | COLOR | NET PRICE |
|---|-----|-----|-----------|--------------|--------------------------|-----------|
| 28-17/32" High • One adjustable shelf | 30" | 15" | 28-17/32" | CIB-30255-15 | <input type="checkbox"/> | \$330 |
| | 36" | 15" | 28-17/32" | CIB-36255-15 | <input type="checkbox"/> | \$342 |
| 42-5/16" High • Two adjustable shelves | 30" | 15" | 42-5/16" | CIB-30390-15 | <input type="checkbox"/> | \$420 |
| | 36" | 15" | 42-5/16" | CIB-36390-15 | <input type="checkbox"/> | \$429 |
| 54-9/16" High • Three adjustable shelves | 30" | 15" | 54-9/16" | CIB-30510-15 | <input type="checkbox"/> | \$503 |
| | 36" | 15" | 54-9/16" | CIB-36510-15 | <input type="checkbox"/> | \$519 |
| 66-13/16" High • Four adjustable shelves | 30" | 15" | 66-13/16" | CIB-30630-15 | <input type="checkbox"/> | \$576 |
| | 36" | 15" | 66-13/16" | CIB-36630-15 | <input type="checkbox"/> | \$591 |

①

②

HOW TO ORDER

Indicate the following information on the order form:

1. Quantity of each item.
2. Model Number, including options.
(See "How to Build a Model Number.")
3. Any special service required.

Note:

The indicates that a choice is required.

The absence of indicates that no choice is required..

HOW TO BUILD A MODEL NUMBER

- ① **Select Basic Model**
- ② **Select Color**
[See Color Addendum](#)

INFORMATION





ENAMEL FINISH

Color Cards are available on-line and by request.

HEIGHT

All dimensions shown include 1/8" allowance for glides in recessed position.

| | FEATURES | W x D x H | BASIC MODEL | COLOR | NET PRICE |
|--|--------------------------|-------------|--------------------|--------------------------|-----------|
| Blank Shelf • Must specify color  | For 12" D bookcases only | 30"x 12" 1" | CIB-3012-BS | <input type="checkbox"/> | \$63 |
| | For 12" D bookcases only | 36"x 12" 1" | CIB-3612-BS | <input type="checkbox"/> | \$63 |
| | For 15" D bookcases only | 30"x 15" 1" | CIB-3015-BS | <input type="checkbox"/> | \$65 |
| | For 15" D bookcases only | 36"x 15" 1" | CIB-3615-BS | <input type="checkbox"/> | \$67 |
| | For 18" D bookcases only | 36"x 18" 1" | CIB-3618-BS | <input type="checkbox"/> | \$75 |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |

| | | | | | |
|--|--------------------------------|-----------------|------------------|--|------|
| Book End Support • Black finish only  | For all 12" D bookcase shelves | 1-1/2"x 12"x 8" | CIB-BES12 | | \$15 |
| | For all 15" D bookcase shelves | 1-1/2"x 15"x 8" | CIB-BES15 | | \$16 |
| | For all 18" D bookcase shelves | 1-1/2"x 18"x 8" | CIB-BES18 | | \$19 |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |

①

②

HOW TO ORDER

Indicate the following information on the order form:
 1. Quantity of each item.
 2. Model Number, including options.
 (See "How to Build a Model Number.")
 3. Any special service required.

Note:
 The indicates that a choice is required.

 The absence of indicates that no choice is required..

HOW TO BUILD A MODEL NUMBER


- ① **Select Basic Model**
- ② **Select Color**
[See Color Addendum](#)

INFORMATION



ENAMEL FINISH
 Color Cards are available on-line and by request.

HEIGHT
 All dimensions shown include 1/8" allowance for glides in recessed position.



Wood Bookshelves

- Oak hardwood and oak veneer plywood construction
- Recessed metal shelf stripping with adjustable clips
- Shelves adjust at 1/2" intervals

| W | D | H | BASIC MODEL | STAIN OPTION | NET PRICE |
|-----|-----|-----|-------------|--------------------------|-----------|
| 30" | 12" | 36" | FB123036 | <input type="checkbox"/> | \$472 |
| 30" | 12" | 42" | FB123042 | <input type="checkbox"/> | \$515 |
| 30" | 12" | 48" | FB123048 | <input type="checkbox"/> | \$555 |
| 30" | 12" | 60" | FB123060 | <input type="checkbox"/> | \$621 |
| 30" | 12" | 72" | FB123072 | <input type="checkbox"/> | \$686 |
| 30" | 12" | 84" | FB123084 | <input type="checkbox"/> | \$751 |
| 30" | 12" | 96" | FB123096 | <input type="checkbox"/> | \$815 |
| 36" | 12" | 36" | FB123636 | <input type="checkbox"/> | \$494 |
| 36" | 12" | 42" | FB123642 | <input type="checkbox"/> | \$537 |
| 36" | 12" | 48" | FB123648 | <input type="checkbox"/> | \$576 |
| 36" | 12" | 60" | FB123660 | <input type="checkbox"/> | \$643 |
| 36" | 12" | 72" | FB123672 | <input type="checkbox"/> | \$708 |
| 36" | 12" | 84" | FB123684 | <input type="checkbox"/> | \$773 |
| 36" | 12" | 96" | FB123696 | <input type="checkbox"/> | \$837 |
| 36" | 15" | 36" | FB153636 | <input type="checkbox"/> | \$541 |
| 36" | 15" | 42" | FB153642 | <input type="checkbox"/> | \$592 |
| 36" | 15" | 48" | FB153648 | <input type="checkbox"/> | \$635 |
| 36" | 15" | 60" | FB153660 | <input type="checkbox"/> | \$721 |
| 36" | 15" | 72" | FB153672 | <input type="checkbox"/> | \$875 |
| 36" | 15" | 84" | FB153684 | <input type="checkbox"/> | \$918 |
| 36" | 15" | 96" | FB153696 | <input type="checkbox"/> | \$978 |
| | | | | | |
| | | | | | |

1

2

HOW TO ORDER

Indicate the following information on the order form:

1. Quantity of each item.
2. Model Number, including options.
(See "How to Build a Model Number.")
3. Any special service required.

Note:

The indicates that a choice is required.

The absence of indicates that no choice is required..

HOW TO BUILD A MODEL NUMBER

- 1 Select Basic Model
- 2 Select Stain Option
[See Color Addendum](#)

INFORMATION




ENAMEL FINISH

Color Cards are available on-line and by request.


HEIGHT

All dimensions shown include 1/8" allowance for glides in recessed position.




27" File, 2 High

- Two 12" drawers with side-to-side hanging folder bars
- Counterbalance weights are factory installed in accordance with the manufacturer recommendations



39-1/4" File, 3 High

- Three 12" drawers with side-to-side hanging folder bars
- Counterbalance weights are factory installed in accordance with the manufacturer recommendations



51-1/2" File, 4 High

- Four 12" drawers with side-to-side hanging folder bars
- Counterbalance weights are factory installed in accordance with the manufacturer recommendations

| | W | D | H | BASIC MODEL | COLOR | COUNTER BALANCE | KEY OPTION | PULL OPTION | NET PRICE |
|----------------------|-----|-----|---------|-------------|--------------------------|-----------------|------------|--------------------------|-----------|
| 27" File, 2 High | 30" | 18" | 27" | VL302D | <input type="checkbox"/> | CBW | KS | <input type="checkbox"/> | \$512 |
| | 36" | 18" | 27" | VL362D | <input type="checkbox"/> | CBW | KS | <input type="checkbox"/> | \$531 |
| | 42" | 18" | 27" | VL422D | <input type="checkbox"/> | CBW | KS | <input type="checkbox"/> | \$563 |
| 39-1/4" File, 3 High | 30" | 18" | 39-1/4" | VL303D | <input type="checkbox"/> | CBW | KS | <input type="checkbox"/> | \$621 |
| | 36" | 18" | 39-1/4" | VL363D | <input type="checkbox"/> | CBW | KS | <input type="checkbox"/> | \$650 |
| | 42" | 18" | 39-1/4" | VL423D | <input type="checkbox"/> | CBW | KS | <input type="checkbox"/> | \$694 |
| 51-1/2" File, 4 High | 30" | 18" | 51-1/2" | VL304D | <input type="checkbox"/> | CBW | KS | <input type="checkbox"/> | \$737 |
| | 36" | 18" | 51-1/2" | VL364D | <input type="checkbox"/> | CBW | KS | <input type="checkbox"/> | \$766 |
| | 42" | 18" | 51-1/2" | VL424D | <input type="checkbox"/> | CBW | KS | <input type="checkbox"/> | \$817 |

- 1
- 2
- 3
- 4
- 5

HOW TO ORDER

Indicate the following information on the order form:

1. Quantity of each item.
2. Model Number, including options.
(See "How to Build a Model Number.")
3. Any special service required.

Note:

The indicates that a choice is required.

The absence of indicates that no choice is required..

HOW TO BUILD A MODEL NUMBER

- 1 Select Basic Model
- 2 Select Color
[See Color Addendum](#)
- 3 Select Counterbalance
CBW Counterbalance weight

- 4 Key Option
KS Key Standard
- 5 Select Pull Option
USP Vini pull (Standard)
CZP StyleLinks pull

INFORMATION



LOCK

All units include a lock. Keying is random unless otherwise specified at time of order entry.

FOLDER BARS


Files are configured for side-to-side media storage.

HEIGHT

All dimensions shown include 1/8" allowance for glides in recessed position.

WEIGHTS

Figures provided are approximate and reflect packaged product without additional accessories



63-3/4" File, 5 High

- One 12" receding door with roll out shelf & 3 plate dividers
- Four 12" drawers with side-to-side hanging folder bars
- Counterbalance weights are factory installed in accordance with the manufacturer recommendations

| W | D | H | BASIC MODEL | COLOR | COUNTER BALANCE | KEY OPTION | PULL OPTION | NET PRICE |
|-----|-----|---------|-------------|--------------------------|-----------------|------------|--------------------------|--|
| 30" | 18" | 63-3/4" | VL305RD | <input type="checkbox"/> | CBW | KS | <input type="checkbox"/> | \$921 |
| 36" | 18" | 63-3/4" | VL365RD | <input type="checkbox"/> | CBW | KS | <input type="checkbox"/> | \$950 |
| 42" | 18" | 63-3/4" | VL425RD | <input type="checkbox"/> | CBW | KS | <input type="checkbox"/> | \$1,023 |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | ① ② ③ ④ ⑤ |

HOW TO ORDER

- Indicate the following information on the order form:
1. Quantity of each item.
 2. Model Number, including options.
(See "How to Build a Model Number.")
 3. Any special service required.

Note:
The indicates that a choice is required.

The absence of indicates that no choice is required..

HOW TO BUILD A MODEL NUMBER

- ① Select Basic Model**
- ② Select Color**
[See Color Addendum](#)
- ③ Select Counterbalance**
CBW Counterbalance weight

- ④ Key Option**
KS Key Standard
- ⑤ Select Pull Option**
USP Vini pull (Standard)
CZP StyleLinks pull

INFORMATION




LOCK
All units include a lock. Keying is random unless otherwise specified at time of order entry.


FOLDER BARS
Files are configured for side-to-side media storage.

HEIGHT
All dimensions shown include 1/8" allowance for glides in recessed position.


WEIGHTS
Figures provided are approximate and reflect packaged product without additional accessories



- Pedestal - BF**
- One 6" box drawer
 - One 12" file drawer
 - 5th wheel eliminates the need for counterbalance
 - Optional dividers sold separately



- Pedestal - BBF**
- Two 6" box drawers
 - One 12" file drawer
 - 5th wheel eliminates the need for counterbalance
 - Optional dividers sold separately



- Pedestal - FF**
- Two 12" file drawers
 - Counterbalance weight included
 - Optional dividers sold separately

| FEATURE | W | D | H | BASIC MODEL | COLOR | KEY OPTION | PULL OPTION | NET PRICE |
|---------|-----|---------|---------|-------------|--------------------------|------------|--------------------------|-----------|
| Mobile | 15" | 17-5/8" | 21-3/4" | VIN1520MBF | <input type="checkbox"/> | KS | <input type="checkbox"/> | \$211 |
| | 15" | 21-5/8" | 21-3/4" | VIN1524MBF | <input type="checkbox"/> | KS | <input type="checkbox"/> | \$221 |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| Mobile | 15" | 17-5/8" | 27-5/8" | VIN1520MBBF | <input type="checkbox"/> | KS | <input type="checkbox"/> | \$234 |
| | 15" | 21-5/8" | 27-5/8" | VIN1524MBBF | <input type="checkbox"/> | KS | <input type="checkbox"/> | \$247 |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| Mobile | 15" | 17-5/8" | 27-5/8" | VIN1520MFF | <input type="checkbox"/> | KS | <input type="checkbox"/> | \$240 |
| | 15" | 21-5/8" | 27-5/8" | VIN1524MFF | <input type="checkbox"/> | KS | <input type="checkbox"/> | \$250 |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |

① ② ③ ④

HOW TO ORDER

- Indicate the following information on the order form:
1. Quantity of each item.
 2. Model Number, including options.
(See "How to Build a Model Number.")
 3. Any special service required.

Note:
The indicates that a choice is required.

The absence of indicates that no choice is required..

HOW TO BUILD A MODEL NUMBER

- 1 Select Basic Model
- 2 Select Color
[See Color Addendum](#)

- 3 Key Option
KS Key Standard
- 4 Select Pull Option
USP Vini pull (Standard)
CZP StyleLinks pull


INFORMATION



LOCK
All units include a lock. Keying is random unless otherwise specified at time of order entry.


HEIGHT
All dimensions shown include 1/8" allowance for glides in recessed position.

WEIGHTS
Figures provided are approximate and reflect packaged product without additional accessories



Pedestal - BBF

- Two 6" box drawers
- One 12" file drawer
- Features 2-5/8" non-adjustable glides
- Center caster eliminates need for counterbalance weight
- Optional dividers sold separately



Pedestal - FF

- Two 12" file drawers
- Counterbalance weight included
- Features 2-5/8" non-adjustable glides
- Optional dividers sold separately

| FEATURE | W | D | H | BASIC MODEL | COLOR | KEY OPTION | PULL OPTION | NET PRICE |
|--------------|-----|---------|---------|-------------|--------------------------|------------|--------------------------|-----------|
| Freestanding | 15" | 17-5/8" | 27-5/8" | VIN1520FBBF | <input type="checkbox"/> | KS | <input type="checkbox"/> | \$250 |
| | 15" | 21-5/8" | 27-5/8" | VIN1524FBBF | <input type="checkbox"/> | KS | <input type="checkbox"/> | \$260 |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| Freestanding | 15" | 17-5/8" | 27-5/8" | VIN1520FFF | <input type="checkbox"/> | KS | <input type="checkbox"/> | \$231 |
| | 15" | 21-5/8" | 27-5/8" | VIN1524FFF | <input type="checkbox"/> | KS | <input type="checkbox"/> | \$240 |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |

- ①
- ②
- ③
- ④

HOW TO ORDER

- Indicate the following information on the order form:
- Quantity of each item.
 - Model Number, including options.
(See "How to Build a Model Number.")
 - Any special service required.

Note:
The indicates that a choice is required.


The absence of indicates that no choice is required..

HOW TO BUILD A MODEL NUMBER


- Select Basic Model**
- Select Color**
[See Color Addendum](#)
- Key Option**
KS Key Standard
- Select Pull Option**
USP Vini pull (Standard)
CZP StyleLinks pull

INFORMATION

- LOCK**
All units include a lock. Keying is random unless otherwise specified at time of order entry.
- HEIGHT**
All dimensions shown include 1/8" allowance for glides in recessed position.
- WEIGHTS**
Figures provided are approximate and reflect packaged product without additional accessories



- Pedestal - BBF**
- Two 6" box drawers
 - One 12" file drawer
 - Includes four leveling glides
 - Optional dividers sold separately



- Pedestal - FF**
- Two 12" file drawers
 - Includes four leveling glides
 - Optional dividers sold separately
 - Counterbalance weight required in certain desk configurations

| W | D | H | BASIC MODEL | COLOR | BRACKET OPTION | COUNTERBALANCE WEIGHT OPTION | KEY OPTION | PULL OPTION | NET PRICE |
|-----|---------|---------|-------------|-------|----------------|------------------------------|------------|-------------|-----------|
| 15" | 17-5/8" | 27-7/8" | VIN1520WBBF | □□ | □□□□ | | KS | □□□ | \$244 |
| 15" | 21-5/8" | 27-7/8" | VIN1524WBBF | □□ | □□□□ | | KS | □□□ | \$258 |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| 15" | 17-5/8" | 27-7/8" | VIN1520WFF | □□ | □□□□ | □□□□□ | KS | □□□ | \$249 |
| 15" | 21-5/8" | 27-7/8" | VIN1524WFF | □□ | □□□□ | □□□□□ | KS | □□□ | \$259 |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |

1 2 3 4 5 6

HOW TO ORDER HOW TO BUILD A MODEL NUMBER INFORMATION +

Indicate the following information on the order form:
 1. Quantity of each item.
 2. Model Number, including options. (See "How to Build a Model Number.")
 3. Any special service required.

Note:
 The □ indicates that a choice is required.
 The absence of □ indicates that no choice is required.


- Select Basic Model**
- Select Color**
[See Color Addendum](#)
- Select Bracket When ordering:**
 XI for System XXI
 SW for PowerWorks BYO
 LN for Legion
 PW for PowerWorks
 If ped is not replacing return, no bracket is required.

- Select Bracket (Continued)**
 NB No bracket
 XI24 24" WS (For SystemXXI)
 XI30 30" WS (For System XXI)
 SW24 24" WS (For PowerWorks BYO)
 SW30 30" WS (For PowerWorks BYO)
 LN22 22" WS (For Legion)
 LN24 24" WS (For Legion)
 LN30 30" WS (For Legion)
 PW24 24" WS (For PowerWorks)
 PW30 30" WS (For PowerWorks)

- Select Counterbalance Weight (if applicable)**
 CBW With Counterbalance
 NOCBW No Counterbalance
- Key Option**
 KS Key Standard
- Select Pull Option**
 USP Vini pull (standard)
 CZP StyleLinks pull

LOCK
 All units include a lock. Keying is random unless otherwise specified at time of order entry.

WEIGHTS
 Figures provided are approximate and reflect packaged product without additional accessories



- 30" Wide, 2 High**
- Two 12" drawers with side-to-side hanging folder bars
 - Panel-tie bracket, if ordered, ships with unit
 - For use with panel systems' planning only, may not be planned freestanding

| W | D | H | BASIC MODEL | COLOR | BRACKET OPTION | KEY OPTION | PULL OPTION | NET PRICE |
|-----|-----|---------|-------------|--------------------------|--------------------------|------------|--------------------------|-----------|
| 30" | 22" | 27-3/4" | VDP302D | <input type="checkbox"/> | <input type="checkbox"/> | KS | <input type="checkbox"/> | \$392 |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |

- 1**
- 2**
- 3**
- 4**
- 5**

HOW TO ORDER

Indicate the following information on the order form:
 1. Quantity of each item.
 2. Model Number, including options.
 (See "How to Build a Model Number.")
 3. Any special service required.

Note:
 The indicates that a choice is required.
 The absence of indicates that no choice is required..

HOW TO BUILD A MODEL NUMBER

- 1 Select Basic Model**
- 2 Select Color**
[See Color Addendum](#)
- 3 Select Bracket When ordering:**
 XI for System XXI
 SW for PowerWorks BYO
 LN for Legion
 PW for PowerWorks
 If ped is not replacing return, no bracket is required.

- 3 Select Bracket (Continued)**
 NB No bracket
 XI24 24" WS (For System XXI)
 XI30 30" WS (For System XXI)
 SW24 24" WS (For PowerWorks BYO)
 SW30 30" WS (For PowerWorks BYO)
 LN22 22" WS (For Legion)
 LN24 24" WS (For Legion)
 LN30 30" WS (For Legion)
 PW24 24" WS (For PowerWorks)
 PW30 30" WS (For PowerWorks)






- 4 Key Option**
 KS Key Standard
- 5 Select Pull Option**
 USP Vini pull (standard)
 CZP StyleLinks pull

INFORMATION **+**

FOLDER BARS
 Files are configured for side-to-side media storage.

HEIGHT
 All dimensions shown include 1/8" allowance for glides in recessed position.

WEIGHTS
 Figures provided are approximate and reflect packaged product without additional accessories

| | W x D x H | FEATURES | BASIC MODEL | NET PRICE |
|---|-----------------------|----------------|-------------|-----------|
|  <p>Counterbalance Weight <ul style="list-style-type: none"> Required for conversion of worksurface supporting pedestals going from a box-box- file to file-file configuration </p> | 9-1/2 x 1/2 x 15-1/2" | 20"D Units | VSPCBW21 | \$44 |
| | | | | |
| | | | | |
|  <p>Counterbalance Weight <ul style="list-style-type: none"> Required for conversion of 24" deep mobile pedestal going from a box-box-file to file-file configuration </p> | 12-1/2 x 2 x 12-1/2" | 24"D Units | VSPCBW25 | \$52 |
| | | | | |
| | | | | |
|  <p>Counterbalance Weight <ul style="list-style-type: none"> Required for conversion of 20" deep mobile and freestanding pedestals going from a box-box-file to file-file configuration Two required, sold in pairs </p> | 7-1/2" x 3/4" x 16" | For 20"D Units | VSPCBW36 | \$66 |
| | | | | |
| | | | | |
|  <p>Caster Kit <ul style="list-style-type: none"> Converts freestanding pedestals to mobile units Finished height consistent with freestanding pedestal File/file units require counterbalance weights 4 casters and a 5th wheel per kit </p> | 2-5/8" | | VSPCK | \$9 |
| | | | | |
| | | | | |
|  <p>Glide Kit <ul style="list-style-type: none"> Converts freestanding pedestals to mobile units Finished height consistent with mobile pedestal File/file units require counterbalance weights 4 glides and a center wheel per kit </p> | 2-5/8" | | VSPGK | \$9 |
| | | | | |
| | | | | |

1

HOW TO ORDER

Indicate the following information on the order form:

- Quantity of each item.
- Model Number, including options.
(See "How to Build a Model Number.")
- Any special service required.

Note:

The indicates that a choice is required.


The absence of indicates that no choice is required..

HOW TO BUILD A MODEL NUMBER

1 Select Basic Model

INFORMATION





Pedestal Bracket

- Graphic represents bracket used with a 24" deep pedestal on a 24" deep worksurface
- Bracket is intended to fill the space between back of pedestal and panel
- Bracket provides support for extended runs and screws with trim to outside back of pedestal for added support on extended panel runs
- Bracket depth varies by pedestal model

24" worksurface
-20" pedestal approx. 6-1/4"
-24" pedestal approx. 2-1/4"

30" worksurface
-20" pedestal approx. 12-1/4"
-24" pedestal approx. 6-1/4"

| FEATURES | BASIC MODEL | PAINT COLOR | NET PRICE |
|----------------------------------|-------------|--------------------------|-----------|
| System XXI® 24" deep worksurface | XI24 | <input type="checkbox"/> | \$43 |
| System XXI® 30" deep worksurface | XI30 | <input type="checkbox"/> | \$43 |
| Powerworks® 24" deep worksurface | SW24 | <input type="checkbox"/> | \$30 |
| Powerworks® 30" deep worksurface | SW30 | <input type="checkbox"/> | \$30 |
| Legion® 22" deep worksurface | LN22 | <input type="checkbox"/> | \$30 |
| Legion® 24" deep worksurface | LN24 | <input type="checkbox"/> | \$30 |
| Legion® 30" deep worksurface | LN30 | <input type="checkbox"/> | \$30 |
| Powerworks® 24" deep worksurface | PW24 | <input type="checkbox"/> | \$30 |
| Powerworks® 30" deep worksurface | PW30 | <input type="checkbox"/> | \$30 |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |

1

2

HOW TO ORDER

- Indicate the following information on the order form:
1. Quantity of each item.
 2. Model Number, including options.
(See "How to Build a Model Number.")
 3. Any special service required.

Note:
The indicates that a choice is required.


The absence of indicates that no choice is required..

HOW TO BUILD A MODEL NUMBER

- 1 Select Basic Model
- 2 Select Color
[See Color Addendum](#)

INFORMATION






left shown

Wardrobe/Cabinet - File/File

- Wardrobe, cabinet and pedestal lock independently of each other
- All tower components to be keyed alike from factory
- Pedestal features two 12" drawers and locks independently of wardrobe
- Includes four leveling glides
- Cabinet features adjustable shelf
- Units ship fully assembled

| FEATURE | W | D | H | BASIC MODEL | COLOR | LOCK OPTION | PULL OPTION | NET PRICE |
|---------|-----|-----|-----|-------------|--------------------------|-------------|--------------------------|-----------|
| Left | 24" | 22" | 48" | VWFFC48L | <input type="checkbox"/> | KS | <input type="checkbox"/> | \$798 |
| Right | 24" | 22" | 48" | VWFFC48R | <input type="checkbox"/> | KS | <input type="checkbox"/> | \$798 |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |



left shown

Wardrobe/Cabinet - Box/Box/File

- Wardrobe, cabinet and pedestal lock independently of each other
- All tower components to be keyed alike from factory
- Pedestal features two 6" box drawers and one 12" file drawer
- Includes four leveling glides
- Cabinet features adjustable shelf
- Units ship fully assembled

| | | | | | | | | |
|-------|-----|-----|-----|-----------|--------------------------|----|--------------------------|-------|
| Left | 24" | 22" | 48" | VWBBFC48L | <input type="checkbox"/> | KS | <input type="checkbox"/> | \$832 |
| Right | 24" | 22" | 48" | VWBBFC48R | <input type="checkbox"/> | KS | <input type="checkbox"/> | \$832 |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |

① ② ③ ④

HOW TO ORDER

- Indicate the following information on the order form:
1. Quantity of each item.
 2. Model Number, including options. (See "How to Build a Model Number.")
 3. Any special service required.

Note:
The indicates that a choice is required.

The absence of indicates that no choice is required..


HOW TO BUILD A MODEL NUMBER

- 1 Select Basic Model
- 2 Select Color
[See Color Addendum](#)
- 3 Select Lock Option
KS Key Standardl


- 4 Select Pull Option
USP Vini pull (Standard)
CZP StyleLinks pull

INFORMATION





left shown



left shown

Wardrobe/Cabinet - File/File

- Wardrobe, cabinet and pedestal lock independently of each other
- All tower components to be keyed alike from factory
- Pedestal features two 12" drawers and locks independently of wardrobe
- Includes four leveling glides
- Cabinet features adjustable shelf
- Units ship fully assembled

| FEATURE | W | D | H | BASIC MODEL | COLOR | LOCK OPTION | PULL OPTION | NET PRICE |
|---------|-----|-----|-----|-------------|--------------------------|-------------|--------------------------|-----------|
| Left | 24" | 22" | 64" | VWFFC64L | <input type="checkbox"/> | KS | <input type="checkbox"/> | \$845 |
| Right | 24" | 22" | 64" | VWFFC64R | <input type="checkbox"/> | KS | <input type="checkbox"/> | \$845 |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |

Wardrobe/Cabinet - Box/Box/File

- Wardrobe, cabinet and pedestal lock independently of each other
- All tower components to be keyed alike from factory
- Pedestal features two 6" box drawers and one 12" file drawer
- Includes four leveling glides
- Cabinet features adjustable shelf
- Units ship fully assembled

| FEATURE | W | D | H | BASIC MODEL | COLOR | LOCK OPTION | PULL OPTION | NET PRICE |
|---------|-----|-----|-----|-------------|--------------------------|-------------|--------------------------|-----------|
| Left | 24" | 22" | 64" | VWBBFC64L | <input type="checkbox"/> | KS | <input type="checkbox"/> | \$877 |
| Right | 24" | 22" | 64" | VWBBFC64R | <input type="checkbox"/> | KS | <input type="checkbox"/> | \$877 |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |

- 1**
- 2**
- 3**
- 4**

HOW TO ORDER

Indicate the following information on the order form:

1. Quantity of each item.
2. Model Number, including options.
(See "How to Build a Model Number.")
3. Any special service required.

Note:

The indicates that a choice is required.

The absence of indicates that no choice is required..

HOW TO BUILD A MODEL NUMBER

1 Select Basic Model


2 Select Color
[See Color Addendum](#)

3 Select Lock Option
KS Key Standardl


4 Select Pull Option
USP Vini pull (Standard)
CZP StyleLinks pull

INFORMATION





left shown



left shown

Wardrobe/Side Access Bookcase - File/

File

- Wardrobe and pedestal lock independent of each other
- All tower components to be keyed alike from factory
- Pedestal features two 12" drawers and locks independently of wardrobe
- Includes four leveling glides
- Bookcase features adjustable shelf
- Units ship fully assembled

Wardrobe/Side Access Bookcase - Box/

Box/File

- Wardrobe and pedestal lock independent of each other
- All tower components to be keyed alike from factory
- Pedestal features two 6" box drawers and one 12" file drawer
- Includes four leveling glides
- Bookcase features adjustable shelf
- Units ship fully assembled

| FEATURE | W | D | H | BASIC MODEL | COLOR | LOCK OPTION | PULL OPTION | NET PRICE |
|---------|-----|-----|-----|-------------|--------------------------|-------------|--------------------------|-----------|
| Left | 24" | 22" | 48" | VWFFB48L | <input type="checkbox"/> | KS | <input type="checkbox"/> | \$778 |
| Right | 24" | 22" | 48" | VWFFB48R | <input type="checkbox"/> | KS | <input type="checkbox"/> | \$778 |
| <hr/> | | | | | | | | |
| Left | 24" | 22" | 48" | VWBBFB48L | <input type="checkbox"/> | KS | <input type="checkbox"/> | \$788 |
| Right | 24" | 22" | 48" | VWBBFB48R | <input type="checkbox"/> | KS | <input type="checkbox"/> | \$788 |

- 1
- 2
- 3
- 4

HOW TO ORDER

Indicate the following information on the order form:

1. Quantity of each item.
2. Model Number, including options.
(See "How to Build a Model Number.")
3. Any special service required.

Note:

The indicates that a choice is required.

The absence of indicates that no choice is required.

HOW TO BUILD A MODEL NUMBER

1 Select Basic Model


2 Select Color
[See Color Addendum](#)

3 Select Lock Option
KS Key Standard


4 Select Pull Option
USP Vini pull (Standard)
CZP StyleLinks pull

INFORMATION





left shown



left shown

Wardrobe/Side Access Bookcase - File/

File

- Wardrobe and pedestal lock independent of each other
- All tower components to be keyed alike from factory
- Pedestal features two 12" drawers and locks independently of wardrobe
- Includes four leveling glides
- Bookcase features adjustable shelf
- Units ship fully assembled

Wardrobe/Side Access Bookcase - Box/

Box/File

- Wardrobe and pedestal lock independent of each other
- All tower components to be keyed alike from factory
- Pedestal features two 6" box drawers and one 12" file drawer
- Includes four leveling glides
- Bookcase features adjustable shelf
- Units ship fully assembled

| FEATURE | W | D | H | BASIC MODEL | COLOR | LOCK OPTION | PULL OPTION | NET PRICE |
|---------|-----|-----|-----|-------------|--------------------------|-------------|--------------------------|-----------|
| Left | 24" | 22" | 64" | VWFFB64L | <input type="checkbox"/> | KS | <input type="checkbox"/> | \$858 |
| Right | 24" | 22" | 64" | VWFFB64R | <input type="checkbox"/> | KS | <input type="checkbox"/> | \$858 |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| Left | 24" | 22" | 64" | VWBBFB64L | <input type="checkbox"/> | KS | <input type="checkbox"/> | \$858 |
| Right | 24" | 22" | 64" | VWBBFB64R | <input type="checkbox"/> | KS | <input type="checkbox"/> | \$858 |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |

- 1
- 2
- 3
- 4

HOW TO ORDER

Indicate the following information on the order form:

1. Quantity of each item.
2. Model Number, including options.
(See "How to Build a Model Number.")
3. Any special service required.

Note:

The indicates that a choice is required.


The absence of indicates that no choice is required.

HOW TO BUILD A MODEL NUMBER

- 1 Select Basic Model
- 2 Select Color
[See Color Addendum](#)
- 3 Select Lock Option
KS Key Standard
- 4 Select Pull Option
USP Vini pull (Standard)
CZP StyleLinks pull

INFORMATION





Sliding Door Overhead

- Lockable sliding door extends slightly beyond the center of overhead
- Overhead accommodates standard binders

| | W x H x D | BASIC MODEL | BRACKET | UNIT COLOR | KEY OPTION | NET PRICE |
|--|------------------------------|-------------|---|--------------------------|------------|-----------|
| | 35-3/4" x 14-3/8" x 14-7/16" | VSSDH36 | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> | KS | \$402 |
| | 41-3/4" x 14-3/8" x 14-7/16" | VSSDH42 | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> | KS | \$417 |
| | 47-3/4" x 14-3/8" x 14-7/16" | VSSDH48 | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> | KS | \$431 |
| | 53-3/4" x 14-3/8" x 14-7/16" | VSSDH54 | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> | KS | \$442 |
| | 59-3/4" x 14-3/8" x 14-7/16" | VSSDH60 | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | <input type="checkbox"/> | KS | \$450 |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |

- ①
- ②
- ③
- ④

HOW TO ORDER

Indicate the following information on the order form:
 1. Quantity of each item.
 2. Model Number, including options.
 (See "How to Build a Model Number.")
 3. Any special service required.

Note:
 The indicates that a choice is required.




The absence of indicates that no choice is required.

HOW TO BUILD A MODEL NUMBER

- ① **Select Basic Model.**
- ② **Select Bracket Type.**
 LN - Legion mounted
 LN-UM - Legion upmount
 XI - System XXI mounted
 PW-LB - PowerWorks mounted on load bar
 PW-OM12 - PowerWorks off module mount w/ 12" high top tile
 PW-OM18 - PowerWorks off module mount w/ 18" high top tile
 PW-PM - PowerWorks standard on-module panel-mount in post
 PW-UM - PowerWorks up-mount brackets

INFORMATION +

- ③ **Select Unit Color.**
[See Color Addendum](#)
- ④ **Select Lock Option**
 KS Key StandardI

| | BASIC MODEL | NET PRICE |
|--|-------------|-----------|
|  <p>Vini Overhead On-Module Mounting Bracket for System XXI</p> <ul style="list-style-type: none"> • Sold in pairs • Mounts into slots in vertical frame posts • Black only • Allows for vertical adjustment in 1" increments | 46-8177-SET | \$95 |
| | | |
| | | |
| | | |
|  <p>Vini Overhead On-Module Mounting Bracket for Legion</p> <ul style="list-style-type: none"> • Sold in pairs • Mounts into slots in vertical posts • Black only • Allows for vertical adjustment in 1" increments | 48-0222-SET | \$50 |
| | | |
| | | |
| | | |
|  <p>Vini Overhead On-Module Mounting Bracket in Post for Powerworks</p> <ul style="list-style-type: none"> • Sold in pairs • Mounts into slots in vertical posts • Black only • Allows for vertical adjustment in 1" increments | 46-8179-SET | \$38 |
| | | |
| | | |
| | | |

1

HOW TO ORDER

Indicate the following information on the order form:

1. Quantity of each item.
2. Model Number, including options.
(See "How to Build a Model Number.")
3. Any special service required.

Note:

The indicates that a choice is required.


The absence of indicates that no choice is required..

HOW TO BUILD A MODEL NUMBER

1 Select Basic Model

INFORMATION





Vini Overhead Off-Module Mounting Bracket with 12" High Top Tile for PowerWorks

PowerWorks


- Sold in pairs
- Black only
- Attaches to horizontal rail between tiles or top cap

BASIC MODEL

NET PRICE

46-8181-SET

\$88



Vini Overhead Off-Module Mounting Bracket with 18" High Top Tile for PowerWorks

PowerWorks

- Sold in pairs
- Black only
- Attaches to horizontal rail between tiles or top cap

46-8183-SET

\$135

1

HOW TO ORDER

HOW TO BUILD A MODEL NUMBER

INFORMATION



Indicate the following information on the order form:


1. Quantity of each item.
2. Model Number, including options.
(See "How to Build a Model Number.")
3. Any special service required.

1 Select Basic Model

Note:

The indicates that a choice is required.

The absence of indicates that no choice is required..




Vini Overhead Upmount Brackets for Legion or PowerWorks

- Sold in pairs
- Mounts into slots in vertical posts
- Uses 8" of slot space at top of panel
- Overhead extends 15" above top cap
- Fasteners and allen wrench included

| LENGTH | BASIC MODEL | COLOR | NET PRICE |
|--------|-------------|-------|-----------|
|--------|-------------|-------|-----------|

48-0236-12-S

\$57



Vini Overhead Load Bar Brackets for Legion or PowerWorks


- Sold in pairs
- Load Bar mounted overheads hang from an externally mounted load bar
- Load Bar purchased separately

46-8186-SET

\$106

Wall Mounted Load Bar for Legion or PowerWorks

- Supports overhead storage on drywall or other non-panel application
- Requires Load Bar Brackets to support overhead - sold separately




| | | | |
|-----|---------|----|-------|
| 24" | SWLB-24 | □□ | \$64 |
| 30" | SWLB-30 | □□ | \$72 |
| 36" | SWLB-36 | □□ | \$75 |
| 42" | SWLB-42 | □□ | \$82 |
| 48" | SWLB-48 | □□ | \$86 |
| 60" | SWLB-60 | □□ | \$93 |
| 66" | SWLB-66 | □□ | \$96 |
| 72" | SWLB-72 | □□ | \$100 |
| 84" | SWLB-84 | □□ | \$108 |
| 96" | SWLB-96 | □□ | \$134 |

1

2


+



Underhead Storage

- Underheads used only with Legion Panels
- Underhead storage units mount below worksurface
- Underhead accommodates standard binders
- Storage units include holes in top and bottom for cord drop in conjunction with grommets
- Includes brackets for attachment; legs may be specified separately if desired
- Lockable sliding door extends slightly beyond the center of storage unit

| D x W x H | BASIC MODEL | DIRECTION | COLOR | KEY OPTION | NET PRICE |
|-----------------------------|-------------|-----------|--------------------------|------------|-----------|
| 35-3/4" x 14-3/8" x 14-7/8" | VHS36 | | <input type="checkbox"/> | KS | \$385 |
| 41-3/4" x 14-3/8" x 14-7/8" | VHS42 | | <input type="checkbox"/> | KS | \$399 |
| 47-3/4" x 14-3/8" x 14-7/8" | VHS48 | | <input type="checkbox"/> | KS | \$414 |
| 59-3/4" x 14-3/8" x 14-7/8" | VHS60 | | <input type="checkbox"/> | KS | \$449 |
| 71-3/4" x 14-3/8" x 14-7/8" | VHS72 | | <input type="checkbox"/> | KS | \$481 |



Underhead Storage Support Leg

- May be used in place of return
- Size noted does not reflect attachment brackets

| | | | | | |
|-----------------------------|------|--------------------------|--------------------------|--|------|
| 1-1/2" x 13-7/8" x 13-5/16" | VHSL | <input type="checkbox"/> | <input type="checkbox"/> | | \$91 |
|-----------------------------|------|--------------------------|--------------------------|--|------|

1 **2** **3** **4**

HOW TO ORDER

Indicate the following information on the order form:

1. Quantity of each item.
2. Model Number, including options.
(See "How to Build a Model Number.")
3. Any special service required.

Note:
The indicates that a choice is required.

The absence of indicates that no choice is required..

HOW TO BUILD A MODEL NUMBER

- 1 Select Basic Model**
- 2 Select Placement of Leg**
(for support leg only)
L - Left
R - Right

- 3 Select Color**
[See Color Addendum](#)
- 4 Select Lock Option**
KS Key Standard

INFORMATION



State of Wisconsin Bureau of Correctional Enterprises

Business Office and Showroom
3099 East Washington Avenue
Madison, WI 53704

608.240.5200

shopbce.com

BCE Product Development Center
Design. Support. Promote.



Industries