
STYLELINKS

FURNITURE

Price List Quarter 2

(April - July 2024)

Revised - April 12, 2024



Color Options	2	Electrical: For Unframed or Supporting Privacy Screens	58
Paint Swatches.....	4	Activ8® System	59
Molded Edge Colors	5	Above Worksurface Privacy Screen	63
Laminate Swatches.....	6	Above Worksurface Divider Screen	82
General Information	8	Accessories	89
Single-Sided Rectilinear Worksurfaces 29" Height	9	Single-Sided Rectilinear Worksurfaces 42" Height	101
Dual-Sided Rectilinear Worksurfaces 29" Height	25	Teaming Rectilinear Worksurfaces 42" Height	107
Extended Corner Worksurfaces 29" Height.....	33	24" Fixed 42" Height Frame.....	115
Adjoining Worksurfaces 29" Height.....	34	30" Fixed 42" Height Frame.....	116
Return Worksurfaces 29" Height.....	35	Infeeds for Cafe Height Applications	117
Peninsula Worksurfaces 29" Height	36	Base Wire Enclosure/Data Infeeds for Cafe Height Applications.....	118
Conference End Worksurfaces 29" Height	37	General Information / Workrail Planning	120
Single-Sided Frames - 24" Fixed 29" Height	38	Frameless Center Privacy Screen.....	121
Single-Sided Frames - 24" Fixed with Conference Ends 29" Height....	39	Above Worksurface Supporting Privacy Screen.....	123
Single-Sided Frames - 30" Fixed 29" Height	40	Laminate Counter Shelf	126
Single Sided Support Frames 29" Height.....	41	Upmount Storage Cubby	127
Dual-Sided Frames - 48" Fixed 29" Height.....	42	General Information / Storage	128
Dual-Sided Frames - 48" Sliding 29" Height	43	Credenzas with Elevated Bases	129
Dual-Sided Frames - 60" Fixed 29" Height.....	44	Credenza Tops	136
Dual-Sided Frames - 60" Sliding 29" Height	45	Credenza Pads	137
Dual-Sided Frame - 48" Fixed with Conference Ends 29" Height	46	Personal Lockers	138
Dual-Sided Frame - 60" Fixed with Conference Ends 29" Height	47	Locker Accessories.....	143
Dual-Sided Frame - 48" Sliding with Conference Ends 29" Height	48	Pedestals	144
Dual-Sided Frame - 60" Sliding with Conference Ends 29" Height	49	General Information / Mobile Screens	146
Dual Sided Support Frames 29" Height	50	Mobile Screens.....	147
Electrical.....	51		

Worksurfaces

Edge Color For 74P

Biltmore Cherry	EBT
Black	EBL
Blue Grey	EGR
Brighton Walnut	EBW
Castle Oak	ECO
Flannel	EFN
Kensington Maple	EKM
Light Tone	ELG
Monticello Maple	EMT
River Cherry	ERY
Sand	ESA
Sterling Ash	EAZ
Warm Grey	EWG
Wild Cherry	EWK
Windsor Mahogany	EWY

Grommet Color

Black	GBL
Blue Grey	GGR
Cool Grey	GCG
Flannel	GFN
Misty Brown	GMY
Sand	GSA
Warm Grey	GWG

Laminate Color

Biltmore Cherry	LBT
Black	LBK
Brighton Walnut	LBW
Canyon Zephyr	LCA
Castle Oak	LCO
Casual Linen	LCU
Cherry Storm	LXN
Classic Linen	LCI
Cloud Zephyr	LCL
Cocobala	LCC
Coffee Bean	LCB
Crisp Linen	LRI
Desert Zephyr	LDZ
Dove Grey	LDG
Fired Steel	LIL
Flax Linen	LXF
Florence Walnut	LFC
Forged Steel	LOL
Frosty White	LFW
Graphite Nebula	LGN
Grey	LGE
High Rise	LHE
Hollyberry	LHY
Irish Linen	LIH
Island	LID
Italian Silver Ash	LIT
Kensington Maple	LKM
Lapis Blue	LLB
Markerboard White	LMK
Misted Zephyr	LMR
Monticello Maple	LMT
Nickel Evolv	LNV
North Sea	LNA

Ocean	LON
Orange Grove	LOE
Pearl Bisque	LPB
Pearl Silver	LPS
Pressed Linen	LPR
River Cherry	LRY
Rugged Linen	LGR
Satin Stainless	LSS
Shadow Zephyr	LSR
Silicon Evolv	LSV
Sprout	LZP
Sterling Ash	LAZ
Tailored Linen	LTL
Titanium Evolv	LTV
White Nebula	LWL
White Sand	LWN
Windsor Mahogany	LWY

Steel Frames, Modesty Panels, Cable Tray Assemblies, Top Infeeds and Accessories Finish

Paint Color

Black	BL
Blue Grey	GR
Bronze Metallic	ZM
Cayenne	CY
Champagne Metallic	CM
Cool Grey	CG
Cottonwood	CO
Earthen Clay	EY
Espresso Metallic	EX
Everglade Shade	EV
Flannel	FN
Hazy Jade	HJ
Light Tone	LG
Mardi Gras	MG
Misty Brown	MY
Nemo	NE
Nordic	ND
Purple Haze	PH
Rubber Ducky	RK
Sand	SA
Starlight Silver Metallic	SX
Surf's Up	SP
Twilight Shadow	TI
Ultra Blue	UB
Warm Grey	WG
Zesty Lime	ZL

Task Light

Black	BL
Silver	SV
White	WH

Electrical Floor Infeeds

Black	BL
Blue Grey	GR
Cottonwood	CO
Sand	SA
Warm Grey	WG

Above Worksurface Privacy Screens and Dividers

Paint Color

Black	BL
Blue Grey	GR
Bronze Metallic	ZM
Cayenne	CY
Champagne Metallic	CM
Cool Grey	CG
Cottonwood	CO
Earthen Clay	EY
Espresso Metallic	EX
Everglade Shade	EV
Flannel	FN
Hazy Jade	HJ
Light Tone	LG
Mardi Gras	MG
Misty Brown	MY
Nemo	NE
Nordic	ND
Purple Haze	PH
Rubber Ducky	RK
Sand	SA
Starlight Silver Metallic	SX
Surf's Up	SP
Twilight Shadow	TI
Ultra Blue	UB
Warm Grey	WG
Zesty Lime	ZL

End Cap Color

Black	CBL
Cottonwood	CCO
Shadow	CSW
Starlight Silver	CSX

Framed Screen Inserts

Translucent Crystal Acrylic	ACS
Kiwi Acrylic	AKI
Laguna Acrylic	ALA
Pumpkin Acrylic	APU
Sunshine Acrylic	ASE
Tomato Acrylic	ATT
White Markerboard Acrylic	AWH

Note: ACS is consistent with CRYSTAL - Translucent Crystal Acrylic option for StyleLinks™ Mobile Screens. AWH is consistent with WHITE - Solid White Acrylic option for StyleLinks™ Mobile Screens.

Frameless Privacy Screen Inserts

Clear Glass	GLA
Colorless Acrylic	ACS
Glass, Satin Etch Both Sides	GL2
Kiwi Acrylic	AKI
Laguna Acrylic	ALA
Pumpkin Acrylic	APU
Sunshine Acrylic	ASE
Tomato Acrylic	ATT

Credenza/Lockers

Shell Color (Includes Legs)

Black	BL
Blue Grey	GR
Bronze Metallic	ZM
Cayenne	CY
Champagne Metallic	CM
Cool Grey	CG
Cottonwood	CO
Earthen Clay	EY
Espresso Metallic	EX
Everglade Shade	EV
Flannel	FN
Hazy Jade	HJ
Light Tone	LG
Mardi Gras	MG
Misty Brown	MY
Nemo	NE
Nordic	ND
Purple Haze	PH
Rubber Ducky	RK
Sand	SA
Starlight Silver Metallic	SX
Surf's Up	SP
Twilight Shadow	TI
Ultra Blue	UB
Warm Grey	WG
Zesty Lime	ZL

Steel Door/Door Color

Black	FBL
Blue Grey	FGR
Bronze Metallic	FZM
Cayenne	FCY
Champagne Metallic	FCM
Cool Grey	FCG
Cottonwood	FCO
Earthen Clay	EY
Espresso Metallic	EX
Everglade Shade	EV
Flannel	FFN
Hazy Jade	HJ
Light Tone	FLG
Mardi Gras	FMG
Misty Brown	FMY
Nemo	FNE
Nordic	FND
Purple Haze	FPH
Rubber Ducky	FRK
Sand	FSA
Starlight Silver Metallic	FSX
Surf's Up	FSP
Twilight Shadow	FTI
Ultra Blue	FUB
Warm Grey	FWG
Zesty Lime	FZL

Laminate Drawer/Surface Color

Biltmore Cherry	LBT
Black	LBK
Brighton Walnut	LBW
Canyon Zephyr	LCA
Castle Oak	LCO
Casual Linen	LCU
Cherry Storm	LCH
Classic Linen	LCL
Cloud Zephyr	LCL
Cocobala	LCC
Coffee Bean	LCB
Crisp Linen	LRI
Desert Zephyr	LDZ
Dove Grey	LDG
Fired Steel	LIL
Flax Linen	LXF
Florence Walnut	LFC
Forged Steel	LOL
Frosty White	LFW
Graphite Nebula	LGN
Grey	LGE
High Rise	LHE
Hollyberry	LHY
Irish Linen	LIH
Island	LID
Italian Silver Ash	LIT
Kensington Maple	LKM
Lapis Blue	LLB
Markerboard White	LMK
Misted Zephyr	LMR
Monticello Maple	LMT
Nickel Evolv	LNV
North Sea	LNA
Ocean	LON
Orange Grove	LOE
Pearl Bisque	LPB
Pearl Silver	LPS
Pressed Linen	LPR
River Cherry	LRY
Rugged Linen	LGR
Satin Stainless	LSS
Shadow Zephyr	LSR
Silicon Evolv	LSV
Sprout	LZP
Sterling Ash	LAZ
Tailored Linen	LTL
Titanium Evolv	LTV
White Nebula	LWL
White Sand	LWN
Windsor Mahogany	LWY

Laminate Drawer/Credenza Top Edge Color

Biltmore Cherry	EBT
Black	EBL
Blue Grey	EGR
Brighton Walnut	EBW
Castle Oak	ECO
Cayenne	ECY
Cherry Storm	ECX
Cocobala	ECC
Cool Grey	ECG
Earthen Clay	EY
Everglade Shade	EV
Flannel	EFN
Frosty White	EFW
Kensington Maple	EKM
Hazy Jade	HJ
Light Tone	ELG
Mardi Gras	EMG
Misty Brown	EMY
Monticello Maple	EMT
Multiplex	EMB
Nemo	ENE
Nordic	END
Purple Haze	EPH
River Cherry	ERY
Rubber Ducky	ERK
Sand	ESA
Sterling Ash	EAZ
Surf's Up	ESP
Twilight Shadow	ETI
Ultra Blue	EUB
Warm Grey	EWG
Windsor Mahogany	EWY
Zesty Lime	EZL

Mobile Screens

Frame Color	
Silver Dry Erase	SLDE
White Dry Erase	WDHE
Acrylic Insert Color	
Gradient Markerboard	AGRA
Grid Markerboard	AGRD
Translucent Crystal Markerboard	CRYS
Solid White Markerboard	WHTE


Note: Steel insert is white dry erase finish.

Actual Samples and Replacement Cards

Contact your Sales or Customer Service Representative.

- Not all colors are available on all products.
- There will be slight variations in color, texture and finish.
- Swatches are provided as a preliminary color reference and should not be used for a final color selection.
- Please refer to the Color Addendum for product line details and options.

METALLIC POWDERCOAT & CHROME PLATED



POWDERCOAT & MOLDED PLASTIC





74P
1 - 1/4" STRAIGHT

MOLDED EDGE COLOR OPTIONS (74P EDGE)




ACRYLIC COLOR OPTIONS (GRADE 1 & GRADE 2)




STANDARD LAMINATES

SOLIDS



MISCELLANEOUS



WOODGRAIN LAMINATES



* Consider factory lead time when ordering

LINEN



ZEPHYR



EVOLV



PREMIUM LAMINATES (UPCHARGE APPLIES TO ALL SURFACE TEXTURES)

SOLIDS

WOODGRAIN LAMINATES

METALLICS




Select Laminate Surface Textures (excluding for MARKERBOARD WHITE)



LAMINATE SURFACE TEXTURES





#01 HIGH GLOSS - PREMIUM
 A mirror sheen finish, which gives a smooth, brilliant appearance. Recommended for horizontal applications such as countertops and light-to medium commercial applications. Excellent for vertical application.




#07 TEXTURED GLOSS - PREMIUM
 A textured finish which reproduces the high sheen of waxed wood furniture. Recommended for horizontal and vertical application.



#12 SOFTGRAIN - PREMIUM
 A dense, woodgrain structure that is low gloss and soft to the touch. Subtle highlights of reflectivity randomly occur within the embossed grains, creating a sophisticated raw wood look. Recommended for horizontal and vertical application.



#16 CASUAL RUSTIC - PREMIUM
 A woodgrain texture with a blend of grain variations ranging from linear to subtle movement with random, irregular features. The overall low gloss surface is accented with higher sheen woodgrain ticking and random highlights. Recommended for horizontal and vertical application.




#18 LINEARITY - PREMIUM
 A directional texture running the length of the sheet, having a narrow, random, matte-gloss linear quality. It is complementary to linear woodgrains, and linear patterns and provides dimension and visual movement to solid colors. Recommended for horizontal and vertical application.

#19 LENO WEAVE* - PREMIUM
 NEW Random intersecting horizontal and vertical lines create a geometric weave with a matte-gloss mix. Recommended for horizontal and vertical application.

#22 ANTIQUE - PREMIUM
 A mixture of varying low gloss features combined with organic movement, indicative of the surface of an aged stone or an antique metal. Recommended for horizontal and vertical application.

#28 GLOSS LINE - PREMIUM
 A linear woodgrain texture with varied widths of narrow grain structures in an alternating mix of matte and gloss surface areas. Recommended for horizontal and vertical application.




#35 MIRAGE - HD PREMIUM
 Subtle variations in matte and gloss finish connect to nature's own finishes: rough and weathered, smooth and polished. Recommended for horizontal and vertical application.



#38 FINE VELVET TEXTURE - STANDARD
 A smooth textured finish with moderate reflective value. Recommended for horizontal and vertical application.




#52 QUARRY - PREMIUM
 Premium finish emulating the "pitted" look of polished natural stone. Recommended for horizontal and vertical application.



#55 GLAZE - HD PREMIUM
 A layering of matte features over a glaze of semi-gloss, creates this timeworn effect. Recommended for horizontal and vertical application.



#57 ALIGNED OAK* - HD PREMIUM
 NEW Authentic realism is brought to the surface using synchronized texture as each elegantly aged oak design exhibits the natural dimension and feel of real wood. Recommended for horizontal and vertical application.



#60 MATTE - STANDARD
 Textured finish with a moderate reflective quality. Recommended for horizontal and vertical application.



#78 FINEGRAIN - PREMIUM
 This premium finish features the polish and luster of a real wood veneer, with a subtle, narrow grain structure that runs the length of the sheet. Recommended for horizontal and vertical application.

* Not available in Textured Solids

Finish features AEON™ Enhanced Performance Technology, providing 3x industry standard wear resistance, improved scratch, scuff and mar performance, versus comparable competitive finishes.

ANTIMICROBIAL PROTECTION is built into the laminate to protect the surface against damaging microbes. Antimicrobial agents protect the surface from the growth of mold and mildew that cause odors when used for countertops and work surfaces.

StyleLinks Benching General Information

The StyleLinks Collection offers well-designed efficiency in space planning, supporting the focused work of an individual, the collaborative process of a group interaction, or the temporary needs of a touch-down space.

StyleLinks Benching is ideal for high density planning. Smaller footprints bring more users into a space and reduce per-user costs, while its simple design supports multiple planning styles. Privacy screens, dividers and optional modesty panels enable users to define personal space and establish a higher degree of privacy while maintaining an open, collaborative environment.

StyleLinks Benching is designed to withstand the rigors of all markets. From its frame to screens, to storage, it is built to last.

StyleLinks Benching offers three distinct planning styles:

- Basic workstations, with 29" nominal finished height, for traditional benching applications in single- and dual-sided planning styles
- Café height (42" nominal finished height) single-sided and teaming tables
- Work rail-based planning that allows for the attachment of supporting privacy screens, shelves, and storage elements

Worksurfaces

StyleLinks Benching can support a variety of worksurface shapes designed for flexible workstation planning. All are available in a wide range of sizes. Worksurfaces shall be 1-1/8" thick high density particle board core with high pressure laminate top and phenolic backing sheet. Tops to be predrilled to accept bases and standard components. Total dimension is 1-1/4" thick. When attached to frames, worksurfaces will "float" above the frame.

Dual-sided applications feature two worksurfaces. When no screen is specified, worksurfaces abut one another. Optional Framed Privacy Screens are inserted between worksurfaces and are attached to the legs. Frameless Privacy Screens and Supporting Privacy Screens utilize a center work rail that separates the worksurfaces. Overhang of worksurface will vary by configuration and screen use.

Worksurface options for 29" finished height applications include:

- Rectilinear
- Peninsula
- Extended Corner
- Return
- Adjoining
- Conference End

Rectilinear worksurfaces for 29" finished height dual-sided applications may be specified with an optional sliding feature. Rectilinear worksurfaces for 29" finished height dual-sided applications may be specified with an optional sliding feature.

Worksurface options for 42" finished height applications include single-sided rectilinear tops and teaming rectilinear tops. Sliding worksurfaces are not available on 42" units.

Frames for 29" Finished Assemblies

Single- & dual-sided support frames provide structural support for the worksurfaces. They are available in single-sided (24" & 30" depths), and dual-

sided (48" & 60" depths) applications. Frames are specified as "starter" or "adder," depending upon their placement in a row. Single Sided frames support fixed worksurfaces only, while dual-sided frames support either fixed or sliding worksurfaces. All StyleLinks support beams are telescopic to allow for support of multiple worksurface widths. Telescopic range varies by frame size; consult price list for details. Base support profile is 1-1/2" x 2-3/8", and a gap of 1-5/8" will be present between base structure and worksurface when assembled.

Starter models contain a set of end frames along with the necessary worksurface brackets and beam(s). These units are used as standalone by themselves or in conjunction with adder models to create rows of workstations. Adder models contain a single Intermediate frame support and the necessary worksurface brackets and beam(s) to be used along with a starter model number to create rows. A typical row would contain (1) starter model and any number of adder models.

Perpendicular Support Frames are a group of parts that provide structural support for worksurfaces that are configured perpendicular to the main frame supported beams. Frames are available for support of single worksurface depths of 24" and 30" or for support of dual worksurface depths of 48" and 60". Perpendicular support frames can also be ordered as needed for reconfigurations.

Frames for 42" Café Height Finished Assemblies

Frames for 42"H assemblies are offered in 24" and 30" worksurface depths on single sided rows, and in 42" and 48" worksurface depths for teaming tables. Frames are specified as "starter" or "adder," depending upon their placement in a row. Starter legs for 42" H assemblies are inset from the edge of the worksurface, and adder legs span two worksurfaces. Frames include integral modesty panels which are all specified separately. Consult the Planning Guide are attached to the legs for support. Modesty panels extend beyond the legs to the table edge.

Note: Fixed worksurfaces only should be specified for 42"H assemblies.

Above Worksurface Framed Screens and Dividers

Framed Screens and Dividers are constructed with an aluminum frame that provides superior strength and can be powder coated in frame matching or accent colors. The standard top rail provides a single slot that may be used to hang accessories; alternately an optional tool rail containing three slots may be specified. Insert material options include acrylic, acrylic markerboard, and tackable fabric.

Framed Screens and Dividers are offered in heights of 13" and 19" for all insert materials and in a 31" height with fabric only inserts. Single, uninterrupted screens are available in 6" increments from 24" to 78". 60", 64", 72" and 84" screens are offered with center segmentation, and 90" and 96" units are available in two or three equal segments. Privacy Screens are located flush with the bottom of the worksurfaces, run parallel with the support beam, and do not require the use of a work rail. On single-sided applications, mounting brackets are attached directly to the bottom of the worksurfaces. On dual-sided applications, mounting brackets are attached to the support frames.

Divider Screens rest on top of the worksurface and run perpendicular to Privacy Screens. When used with a Privacy Screen, the Divider attaches to one end and is supported by a sliding or fixed worksurface attachment bracket on the other end. Divider screens may also be specified without Privacy Screens.

Modesty Panels

All modesty panels are 10" tall and constructed of 14 gauge steel with 1/4" diameter holes on 3/4" centers. They are available in standard powder coat colors and are supported by brackets that attach to the underside of a worksurface.

Modesty panels for use on single-sided frames for 29" high assemblies are located flush to and inset of the frame legs. These modesty panels do not attach to the legs and are not required for structural integrity.

Modesty panels for use on single-sided or teaming table frames for 42" high assemblies are attached to the legs and span the entire width of the worksurface with a 1/4" reveal.

One modesty panel is included and required for structural integrity on single-sided applications and two modesty panels are included and required for teaming table applications.

Electrical Components

The prewired electrical is a 10-Wire 6 Circuit/6-2-2 system(UL183): (6) hot wires, (2) shared oversized neutral wires, (2) ground wires ((1) isolated ground, and (1) building ground). The 6-2-2 system allows more workstations to feed from one power supply point. Each wireway is designed to accept one duplex receptacle per side on each end, for a total of four. Table-to-table electrical is accomplished by jumpers. The system is energized by either a Base Infeed (liquid tight covered flexible conduit) or a Top Infeed (metal flexible conduit housed by an extruded aluminum pole). Hardwire electrical is also offered.

For ease of specification, some rectilinear and teaming worksurface models include preconfigured electrical harnesses. Peninsula worksurfaces, returns, and all assemblies that feature a "center work rail" do not include any electrical components. Supporting privacy screens or frameless privacy screens require the use of specific electrical components for attachment below the center work rail. Infeeds, receptacles, cable risers and jumpers for rules and specific models as they relate to Electrical Planning.

Special Services


Shipping:

Add 5% of Net for shipping.

Installation:

Add 8% of Net for Installation.



Specifications and prices subject to change without prior notice.



Single-Sided Applications with One

Cutout Option

- Support frames are specified separately
- Center grommet option only
- Intended for installation where non-user side abuts a wall
- Trim is metal and includes top cap, bottom trim channel, and base raceway
- Unpowered
- See grommet locations below



Single-Sided Applications with One or

Two Cutout Options

- Support frames are specified separately
- L and R grommet locations are centered for two users
- Intended for installation where non-user side abuts a wall
- Unpowered
- See grommet locations below

D x W	Basic Model	Grommet Location	Grommet Color	Approx. Packaged Weight	Net Price
24 x 36"	SKBWR24361NM	C	□□□	1.0#	\$146
24 x 42"	SKBWR24421NM	C	□□□	2.0#	\$151
24 x 48"	SKBWR24481NM	C	□□□	2.0#	\$187
24 x 54"	SKBWR24541NM	C	□□□	2.0#	\$228
24 x 60"	SKBWR24601NM	□□□	□□□	2.0#	\$231
24 x 64"	SKBWR24641NM	□□□	□□□	2.0#	\$236
24 x 66"	SKBWR24661NM	□□□	□□□	2.0#	\$256
24 x 72"	SKBWR24721NM	□□□	□□□	2.0#	\$261
24 x 78"	SKBWR24781NM	□□□	□□□	2.0#	\$277
24 x 84"	SKBWR24841NM	□□□	□□□	2.0#	\$282

1

2

3

HOW TO ORDER

Indicate the following information on the order form:

1. Quantity of each item.
2. Model Number, including options.
See "How to Build a Model Number."
3. Any special service required.

Note:

The □ indicates that a choice is required.
The absence of □ indicates that no choice is required

HOW TO BUILD A MODEL NUMBER

1 Select Basic Model.


2 Select Grommet Location.

- N - No Grommet
- L - Grommet:Left; **add \$12**
- C - Grommet:Center; **add \$12**
- R - Grommet:Right; **add \$12**
- LR - Grommet:Left/right; **add \$24**
- LCR - Grommet:Left/center/right; **add \$36**

- N - Pick for all models
- C - Pick for all models
- L - Pick only for models 60" and longer
- R - Pick only for models 60" and longer
- LR - Pick only for models 60" and longer
- LCR - Pick only for models 90" and longer

3 Select Grommet Color.


Refer to [Color Options](#)



Single-Sided Applications with One

Cutout Option

- Support frames are specified separately
- Center grommet option only
- Features perforated steel modesty panel
- Unpowered
- See grommet locations below



Single-Sided Applications with One or

Two Cutout Options

- Support frames are specified separately
- L and R grommet locations are centered for two users
- Unpowered
- Features perforated steel modesty panel
- See grommet locations below

D x W	Basic Model	Grommet Location	Grommet Color	Powdercoat Color	Approx. Packaged Weight	Net Price
24 x 36"	SKBWR24361MP	C	□□□	□□	9.0#	\$243
24 x 42"	SKBWR24421MP	C	□□□	□□	12.0#	\$251
24 x 48"	SKBWR24481MP	C	□□□	□□	15.0#	\$306
24 x 54"	SKBWR24541MP	C	□□□	□□	18.0#	\$356
24 x 60"	SKBWR24601MP	□□□	□□□	□□	19.0#	\$367
24 x 64"	SKBWR24641MP	□□□	□□□	□□	20.0#	\$386
24 x 66"	SKBWR24661MP	□□□	□□□	□□	20.0#	\$408
24 x 72"	SKBWR24721MP	□□□	□□□	□□	22.0#	\$418
24 x 78"	SKBWR24781MP	□□□	□□□	□□	23.0#	\$445
24 x 84"	SKBWR24841MP	□□□	□□□	□□	25.0#	\$453

- 1
- 2
- 3
- 4

HOW TO ORDER

Indicate the following information on the order form:

1. Quantity of each item.
2. Model Number, including options.
See "How to Build a Model Number."
3. Any special service required.

Note:


The □ indicates that a choice is required.
The absence of □ indicates that no choice is required

HOW TO BUILD A MODEL NUMBER

- 1 **Select Basic Model.**
 - 2 **Select Grommet Location.**
 - N - No Grommet
 - L - Grommet:Left; **add \$12**
 - C - Grommet:Center; **add \$12**
 - R - Grommet:Right; **add \$12**
 - LR - Grommet:Left/right; **add \$24**
 - LCR - Grommet:Left/center/right; **add \$36**
 - 3 **Select Grommet Color.**
Refer to [Color Options](#)
 - 4 **Select Modesty Panel & Wire Access Cover Powdercoat Finish.**
Refer to [Color Options](#)
- N - Pick for all models
C - Pick for all models
L - Pick only for models 60" and longer
R - Pick only for models 60" and longer
LR - Pick only for models 60" and longer
LCR - Pick only for models 90" and longer

Single-Sided Rectilinear Worksurfaces 29" Height



24" Deep, 6-2-2 Powered, No Modesty Panel with Single Power Harness



Single-Sided Applications with One

Cutout Option

- Support frames are specified separately
- Center grommet option only
- Intended for installation where non-user side abuts a wall
- Single power harness included; receptacles, infeeds and table-to-table jumpers must be specified separately
- Single power harness accommodates up to two receptacles
- See grommet locations below
- Villa Power Module cannot be installed in LH or RH cutouts of StyleLinks power single-sided tables



Single-Sided Applications with One or Two Cutout Option

- Support frames are specified separately
- L and R grommet locations are centered for two users
- Intended for installation where non-user side abuts a wall
- Single power harness included; receptacles, infeeds and table-to-table jumpers must be specified separately
- Single power harness accommodates up to two receptacles
- See grommet locations below
- Villa Power Module cannot be installed in LH or RH cutouts of StyleLinks power single-sided tables

D x W	Basic Model	Grommet Location	Grommet Color	Powdercoat Color	Approx. Packaged Weight	Net Price
24 x 36"	SKBWR2436S1NM	C	□□□	□□	11.0#	\$257
24 x 42"	SKBWR2442S1NM	C	□□□	□□	11.0#	\$267
24 x 48"	SKBWR2448S1NM	C	□□□	□□	13.0#	\$367
24 x 54"	SKBWR2454S1NM	C	□□□	□□	15.0#	\$412
24 x 60"	SKBWR2460S1NM	□□□	□□□	□□	19.0#	\$448
24 x 72"	SKBWR2472S1NM	□□□	□□□	□□	20.0#	\$506

- 1
- 2
- 3
- 4

HOW TO ORDER

Indicate the following information on the order form:
 1. Quantity of each item.
 2. Model Number, including options.
 See "How to Build a Model Number."
 3. Any special service required.


Note:
 The □ indicates that a choice is required.
 The absence of □ indicates that no choice is required

HOW TO BUILD A MODEL NUMBER

- 1 Select Basic Model.**
- 2 Select Grommet Location.**
 N - No Grommet
 L - Grommet:Left; **add \$12**
 C - Grommet:Center; **add \$12**
 R - Grommet:Right; **add \$12**
 LR - Grommet:Left/right; **add \$24**
 LCR - Grommet:Left/center/right; **add \$36**
 N - Pick for all models
 C - Pick for all models
 L - Pick only for models 60" and longer
 R - Pick only for models 60" and longer
 LR - Pick only for models 60" and longer
 LCR - Pick only for models 90" and longer
- 3 Select Grommet Color.**
 Refer to [Color Options](#)
- 4 Select Modesty Panel & Wire Access Cover Powdercoat Finish.**
 Refer to [Color Options](#)


Single-Sided Rectilinear Worksurfaces 29" Height

24" Deep, 6-2-2 Powered, No Modesty Panel with Double Power Harness



Single-Sided Applications with One or Two Cutout Options

- Support frames are specified separately
- L and R grommet locations are centered for two users
- Intended for installation where non-user side abuts a wall
- Double power harness included; receptacles, infeeds and table-to-table jumpers are specified separately
- Double power harness accommodates up to four receptacles
- See grommet locations below
- Villa Power Module cannot be installed in LH or RH cutouts of StyleLinks powered single-sided tables



Single-Sided Applications with One, Two or Three Cutout Options

- Support frames are specified separately
- C and LCR grommet locations are centered for three users
- L, R and LR grommet locations are centered for two users
- Intended for installation where non-user side abuts a wall
- Double power harness included; receptacles, infeeds and table-to-table jumpers are specified separately
- Double power harness accommodates up to four receptacles
- See grommet locations below
- Villa Power Module cannot be installed in LH or RH cutouts of StyleLinks powered single-sided tables

D x W	Basic Model	Grommet Location	Grommet Color	Powdercoat Color	Approx. Packaged Weight	Net Price
24 x 60"	SKBWR2460D1NM	□□□	□□□	□□	16.0#	\$550
24 x 64"	SKBWR2464D1NM	□□□	□□□	□□	17.0#	\$572
24 x 66"	SKBWR2466D1NM	□□□	□□□	□□	17.0#	\$597
24 x 72"	SKBWR2472D1NM	□□□	□□□	□□	17.0#	\$602
24 x 78"	SKBWR2478D1NM	□□□	□□□	□□	18.0#	\$627
24 x 84"	SKBWR2484D1NM	□□□	□□□	□□	19.0#	\$631
24 x 90"	SKBWR2490D1NM	□□□	□□□	□□	22.0#	\$655
24 x 96"	SKBWR2496D1NM	□□□	□□□	□□	22.0#	\$659

- 1
- 2
- 3
- 4

HOW TO ORDER

Indicate the following information on the order form:


1. Quantity of each item.
2. Model Number, including options.
See "How to Build a Model Number."
3. Any special service required.

Note:

The □ indicates that a choice is required.
The absence of □ indicates that no choice is required

HOW TO BUILD A MODEL NUMBER



- 1 **Select Basic Model.**
 - 2 **Select Grommet Location.**
 - N - No Grommet
 - L - Grommet:Left; **add \$12**
 - C - Grommet:Center; **add \$12**
 - R - Grommet:Right; **add \$12**
 - LR - Grommet:Left/right; **add \$24**
 - LCR - Grommet:Left/center/right; **add \$36**
 - 3 **Select Grommet Color.**
Refer to [Color Options](#)
 - 4 **Select Modesty Panel & Wire Access Cover Powdercoat Finish.**
Refer to [Color Options](#)
- N - Pick for all models
C - Pick for all models
L - Pick only for models 60" and longer
R - Pick only for models 60" and longer
LR - Pick only for models 60" and longer
LCR - Pick only for models 90" and longer



Single-Sided Applications with One

Cutout Option

- Support frames are specified separately
- Center grommet option only
- Features perforated steel modesty panel
- Single power harness included; receptacles, infeeds and table-to-table jumpers must be specified separately
- Single power harness accommodates up to two receptacles
- See grommet locations below
- Villa Power Module cannot be installed in LH or RH cutouts of StyleLinks powered single-sided tables



Single-Sided Applications with One or Two Cutout Options

- Support frames are specified separately
- L and R grommet locations are centered for two users
- Features perforated steel modesty panel
- Single power harness included; receptacles, infeeds and table-to-table jumpers must be specified separately
- Single power harness accommodates up to two receptacles
- See grommet locations below
- Villa Power Module cannot be installed in LH or RH cutouts of StyleLinks powered single-sided tables

D x W	Basic Model	Grommet Location	Grommet Color	Powdercoat Color	Approx. Packaged Weight	Net Price
24 x 36"	SKBWR2436S1MP	C	□□□	□□	16.0#	\$338
24 x 42"	SKBWR2442S1MP	C	□□□	□□	19.0#	\$351
24 x 48"	SKBWR2448S1MP	C	□□□	□□	21.0#	\$410
24 x 54"	SKBWR2454S1MP	C	□□□	□□	28.0#	\$466
24 x 60"	SKBWR2460S1MP	□□□	□□□	□□	30.0#	\$486
24 x 72"	SKBWR2472S1MP	□□□	□□□	□□	34.0#	\$568

- 1
- 2
- 3
- 4


HOW TO ORDER

Indicate the following information on the order form:
 1. Quantity of each item.
 2. Model Number, including options.
 See "How to Build a Model Number."
 3. Any special service required.

Note:
 The □ indicates that a choice is required.
 The absence of □ indicates that no choice is required


HOW TO BUILD A MODEL NUMBER

- 1 Select Basic Model.**
- 2 Select Grommet Location.**
 N - No Grommet
 L - Grommet:Left; **add \$12**
 C - Grommet:Center; **add \$12**
 R - Grommet:Right; **add \$12**
 LR - Grommet:Left/right; **add \$24**
 LCR - Grommet:Left/center/right; **add \$36**
 N - Pick for all models
 C - Pick for all models
 L - Pick only for models 60" and longer
 R - Pick only for models 60" and longer
 LR - Pick only for models 60" and longer
 LCR - Pick only for models 90" and longer
- 3 Select Grommet Color.**
 Refer to [Color Options](#)
- 4 Select Modesty Panel & Wire Access Cover Powdercoat Finish.**
 Refer to [Color Options](#)



Single-Sided Applications with One or Two Cutout Options

- Support frames are specified separately
- L and R grommet locations are center for two users
- Features perforated steel modesty panel
- Double power harness included; receptacles, infeeds and table-to-table jumpers must be specified separately
- Double power harness accommodates up to four receptacles
- See grommet locations below
- Villa Power Module cannot be installed in LH or RH cutouts of StyleLinks powered single-sided tables



Single-Sided Applications with One, Two or Three Cutout Options

- Support frames are specified separately
- C and LCR grommet locations are centered for three users
- L, R and LR grommet locations are centered for two users
- Features perforated steel modesty panel
- Double power harness included; receptacles, infeeds and table-to-table jumpers must be specified separately
- Double power harness accommodates up to four receptacles
- See grommet locations below
- Villa Power Module cannot be installed in LH or RH cutouts of StyleLinks powered single-sided tables

D x W	Basic Model	Grommet Location	Grommet Color	Powdercoat Color	Approx. Packaged Weight	Net Price
24 x 60"	SKBWR2460D1MP	C	□□□	□□	30.0#	\$590
24 x 64"	SKBWR2464D1MP	C	□□□	□□	31.0#	\$617
24 x 66"	SKBWR2466D1MP	C	□□□	□□	31.0#	\$653
24 x 72"	SKBWR2472D1MP	C	□□□	□□	34.0#	\$674
24 x 78"	SKBWR2478D1MP	C	□□□	□□	36.0#	\$688
24 x 84"	SKBWR2484D1MP	C	□□□	□□	38.0#	\$701
24 x 90"	SKBWR2490D1MP	□□□	□□□	□□	41.0#	\$715
24 x 96"	SKBWR2496D1MP	□□□	□□□	□□	42.0#	\$730

- 1
- 2
- 3
- 4


HOW TO ORDER

Indicate the following information on the order form:
 1. Quantity of each item.
 2. Model Number, including options.
 See "How to Build a Model Number."
 3. Any special service required.

Note:
 The □ indicates that a choice is required.
 The absence of □ indicates that no choice is required

HOW TO BUILD A MODEL NUMBER



- 1 **Select Basic Model.**
- 2 **Select Grommet Location.**
 N - No Grommet
 L - Grommet:Left; **add \$12**
 C - Grommet:Center; **add \$12**
 R - Grommet:Right; **add \$12**
 LR - Grommet:Left/right; **add \$24**
 LCR - Grommet:Left/center/right; **add \$36**
 N - Pick for all models
 C - Pick for all models
 L - Pick only for models 60" and longer
 R - Pick only for models 60" and longer
 LR - Pick only for models 60" and longer
 LCR - Pick only for models 90" and longer
- 3 **Select Grommet Color.**
 Refer to [Color Options](#)
- 4 **Select Modesty Panel & Wire Access Cover Powdercoat Finish.**
 Refer to [Color Options](#)



Single-Sided Applications with One

Cutout Option

- Support frames are specified separately
- Center grommet option only
- Intended for installation where non-user side abuts a wall
- Unpowered
- See grommet locations below



Single-Sided Applications with One or

Two Cutout Options

- Support frames are specified separately
- L and R grommet locations are centered for two users
- Intended for installation where non-user side abuts a wall
- Unpowered
- See grommet locations below

D x W	Basic Model	Grommet Location	Grommet Color	Approx. Packaged Weight	List Price
30 x 36"	SKBWR30361NM	C	□□□	3.0#	\$152
30 x 42"	SKBWR30421NM	C	□□□	4.0#	\$190
30 x 48"	SKBWR30481NM	C	□□□	5.0#	\$211
30 x 54"	SKBWR30541NM	C	□□□	5.0#	\$247
30 x 60"	SKBWR30601NM	□□□	□□□	5.0#	\$251
30 x 64"	SKBWR30641NM	□□□	□□□	6.0#	\$284
30 x 66"	SKBWR30661NM	□□□	□□□	6.0#	\$307
30 x 72"	SKBWR30721NM	□□□	□□□	6.0#	\$311
30 x 78"	SKBWR30781NM	□□□	□□□	6.0#	\$336
30 x 84"	SKBWR30841NM	□□□	□□□	6.0#	\$340

1

2

3

HOW TO ORDER

Indicate the following information on the order form:

1. Quantity of each item.
2. Model Number, including options.
See "How to Build a Model Number."
3. Any special service required.

Note:

The □ indicates that a choice is required.
The absence of □ indicates that no choice is required

HOW TO BUILD A MODEL NUMBER

1 Select Basic Model.


2 Select Grommet Location.

- N - No Grommet
- L - Grommet:Left; **add \$12**
- C - Grommet:Center; **add \$12**
- R - Grommet:Right; **add \$12**
- LR - Grommet:Left/right; **add \$24**
- LCR - Grommet:Left/center/right; **add \$36**

- N - Pick for all models
- C - Pick for all models
- L - Pick only for models 60" and longer
- R - Pick only for models 60" and longer
- LR - Pick only for models 60" and longer
- LCR - Pick only for models 90" and longer

3 Select Grommet Color.


Refer to [Color Options](#)



Single-Sided Applications with One

Cutout Option

- Support frames are specified separately
- Center grommet option only
- Features perforated steel modesty panel
- Unpowered
- See grommet locations below



Single-Sided Applications with One or

Two Cutout Options

- Support frames are specified separately
- L and R grommet locations are centered for two users
- Unpowered
- Features perforated steel modesty panel
- See grommet locations below

D x W	Basic Model	Grommet Location	Grommet Color	Powdercoat Color	Approx. Packaged Weight	Net Price
30 X 36"	SKBWR30361MP	C	□□□	□□	10.0#	\$249
30 x 42"	SKBWR30421MP	C	□□□	□□	13.0#	\$289
30 x 48"	SKBWR30481MP	C	□□□	□□	16.0#	\$329
30 x 54"	SKBWR30541MP	C	□□□	□□	18.0#	\$374
30 X 60"	SKBWR30601MP	□□□	□□□	□□	19.0#	\$385
30 x 64"	SKBWR30641MP	□□□	□□□	□□	20.0#	\$424
30 x 66"	SKBWR30661MP	□□□	□□□	□□	21.0#	\$459
30 x 72"	SKBWR30721MP	□□□	□□□	□□	23.0#	\$467
30 x 78"	SKBWR30781MP	□□□	□□□	□□	24.0#	\$502
30 x 84"	SKBWR30841MP	□□□	□□□	□□	25.0#	\$511

- 1
- 2
- 3
- 4

HOW TO ORDER

Indicate the following information on the order form:

1. Quantity of each item.
2. Model Number, including options.
See "How to Build a Model Number."
3. Any special service required.

Note:


The □ indicates that a choice is required.
The absence of □ indicates that no choice is required

HOW TO BUILD A MODEL NUMBER

- 1 **Select Basic Model.**
 - 2 **Select Grommet Location.**
 - N - No Grommet
 - L - Grommet: Left; **add \$12**
 - C - Grommet: Center; **add \$12**
 - R - Grommet: Right; **add \$12**
 - LR - Grommet: Left/right; **add \$24**
 - LCR - Grommet: Left/center/right; **add \$36**
 - 3 **Select Grommet Color.**
Refer to [Color Options](#)
 - 4 **Select Modesty Panel Powdercoat Finish.**
Refer to [Color Options](#)
- N - Pick for all models
C - Pick for all models
L - Pick only for models 60" and longer
R - Pick only for models 60" and longer
LR - Pick only for models 60" and longer
LCR - Pick only for models 90" and longer

Single-Sided Rectilinear Worksurfaces 29" Height



30" Deep, 6-2-2 Powered, No Modesty Panel with Single Power Harness



Single-Sided Applications with One

Cutout Option

- Support frames are specified separately
- Center grommet option only
- Intended for installation where non-user side abuts a wall
- Single power harness included; receptacles, infeeds and table-to-table jumpers must be specified separately
- Single power harness accommodates up to two receptacles
- See grommet locations below
- Villa Power Module cannot be installed in LH or RH cutouts of StyleLinks powered single-sided tables



Single-Sided Applications with One or Two Cutout Options

- Support frames are specified separately
- L and R grommet locations are centered for two users
- Intended for installation where non-user side abuts a wall
- Single power harness included; receptacles, infeeds and table-to-table jumpers must be specified separately
- Single power harness accommodates up to two receptacles
- See grommet locations below
- Villa Power Module cannot be installed in LH or RH cutouts of StyleLinks powered single-sided tables

D x W	Basic Model	Grommet Location	Grommet Color	Powdercoat Color	Approx. Packaged Weight	Net Price
30 X 36"	SKBWR3036S1NM	C	□□□	□□	4.0#	\$262
30 x 42"	SKBWR3042S1NM	C	□□□	□□	8.0#	\$306
30 x 48"	SKBWR3048S1NM	C	□□□	□□	12.0#	\$389
30 x 54"	SKBWR3054S1NM	C	□□□	□□	15.0#	\$431
30 X 60"	SKBWR3060S1NM	□□□	□□□	□□	16.0#	\$466
30 x 72"	SKBWR3072S1NM	□□□	□□□	□□	18.0#	\$556

- 1
- 2
- 3
- 4


HOW TO ORDER

- Indicate the following information on the order form:
1. Quantity of each item.
 2. Model Number, including options.
See "How to Build a Model Number."
 3. Any special service required.

Note:
The □ indicates that a choice is required.
The absence of □ indicates that no choice is required


HOW TO BUILD A MODEL NUMBER

- 1 **Select Basic Model.**
- 2 **Select Grommet Location.**
 N - No Grommet
 L - Grommet:Left; **add \$12**
 C - Grommet:Center; **add \$12**
 R - Grommet:Right; **add \$12**
 LR - Grommet:Left/right; **add \$24**
 LCR - Grommet:Left/center/right; **add \$36**
 N - Pick for all models
 C - Pick for all models
 L - Pick only for models 60" and longer
 R - Pick only for models 60" and longer
 LR - Pick only for models 60" and longer
 LCR - Pick only for models 90" and longer
- 3 **Select Grommet Color.**
Refer to [Color Options](#)
- 4 **Select Wire Access Cover Powdercoat.**
Refer to [Color Options](#)



Single-Sided Applications with One or Two Cutout Options

- Support frames are specified separately
- L and R grommet locations are centered for two users
- Intended for installation where non-user side abuts a wall
- Double power harness included; receptacles, infeeds and table-to-table jumpers must be specified separately
- Double power harness accommodates up to four receptacles
- See grommet locations below
- Villa Power Module cannot be installed in LH or RH cutouts of StyleLinks powered single-sided tables



Single-Sided Applications with One, Two or Three Cutout Options

- Support frames are specified separately
- C and LCR grommet locations are centered for three users
- L, R and LR grommet locations are centered for two users
- Intended for installation where non-user side abuts a wall
- Double power harness included; receptacles, infeeds and table-to-table jumpers are specified separately
- Double power harness accommodates up to four receptacles
- See grommet locations below
- Villa Power Module cannot be installed in LH or RH cutouts of StyleLinks powered single-sided tables

D x W	Basic Model	Grommet Location	Grommet Color	Powdercoat Color	Approx. Packaged Weight	Net Price
30 X 60"	SKBWR3060D1NM	C	□□□	□□	16.0#	\$569
30 x 64"	SKBWR3064D1NM	C	□□□	□□	17.0#	\$608
30 x 66"	SKBWR3066D1NM	C	□□□	□□	17.0#	\$646
30 x 72"	SKBWR3072D1NM	C	□□□	□□	18.0#	\$650
30 X 78"	SKBWR3078D1NM	C	□□□	□□	19.0#	\$684
30 x 84"	SKBWR3084D1NM	C	□□□	□□	19.0#	\$689
30 x 90"	SKBWR3090D1NM	□□□	□□□	□□	22.0#	\$703
30 x 96"	SKBWR3096D1NM	□□□	□□□	□□	23.0#	\$706

- 1
- 2
- 3
- 4

HOW TO ORDER

Indicate the following information on the order form:


1. Quantity of each item.
2. Model Number, including options.
See "How to Build a Model Number."
3. Any special service required.

Note:

The □ indicates that a choice is required.
The absence of □ indicates that no choice is required


HOW TO BUILD A MODEL NUMBER

- 1 Select Basic Model.**
 - 2 Select Grommet Location.**
 - N - No Grommet
 - L - Grommet:Left; **add \$12**
 - C - Grommet:Center; **add \$12**
 - R - Grommet:Right; **add \$12**
 - LR - Grommet:Left/right; **add \$24**
 - LCR - Grommet:Left/center/right; **add \$36**
 - 3 Select Grommet Color.**
Refer to [Color Options](#)
 - 4 Select Wire Access Cover Powdercoat.**
Refer to [Color Options](#)
- N - Pick for all models
C - Pick for all models
L - Pick only for models 60" and longer
R - Pick only for models 60" and longer
LR - Pick only for models 60" and longer
LCR - Pick only for models 90" and longer



Dual-Sided Applications with One or Two Cutout Options

- Support frames are specified separately
- L and R grommet locations are centered for two users
- Features perforated steel modesty panel
- Double power harness is included; receptacles, infeeds and table-to-table jumpers must be specified separately
- Double power harness accommodates up to four receptacles
- See grommet locations below
- Villa Power Module cannot be installed in LH or RH cutouts of StyleLinks powered single-sided tables



Single-Sided Applications with One, Two or Three Cutout Options

- Support frames are specified separately
- C and LCR grommet locations are centered for three users
- L, R and LR grommet locations are centered for two users
- Features perforated steel modesty panel
- Double power harness included; receptacles, infeeds and table-to-table jumpers must be specified separately
- Double power harness accommodates up to four receptacles
- See grommet locations below
- Villa Power Module cannot be installed in LH or RH cutouts of StyleLinks powered single-sided tables

D x W	Basic Model	Grommet Location	Grommet Color	Powdercoat Color	Approx. Packaged Weight	Net Price
30 X 60"	SKBWR3060D1MP	□□□	□□□	□□	32.0#	\$610
30 x 64"	SKBWR3064D1MP	□□□	□□□	□□	32.0#	\$666
30 x 66"	SKBWR3066D1MP	□□□	□□□	□□	32.0#	\$703
30 x 72"	SKBWR3072D1MP	□□□	□□□	□□	35.0#	\$713
30 x 78"	SKBWR3078D1MP	□□□	□□□	□□	38.0#	\$754
30 x 84"	SKBWR3084D1MP	□□□	□□□	□□	39.0#	\$767
30 x 90"	SKBWR3090D1MP	□□□	□□□	□□	42.0#	\$784
30 x 96"	SKBWR3096D1MP	□□□	□□□	□□	45.0#	\$800

1 2 3 4

HOW TO ORDER

Indicate the following information on the order form:


1. Quantity of each item.
2. Model Number, including options.
See "How to Build a Model Number."
3. Any special service required.

Note:

The □ indicates that a choice is required.
The absence of □ indicates that no choice is required

HOW TO BUILD A MODEL NUMBER


- 1 Select Basic Model.
 - 2 Select Grommet Location.
 - N - No Grommet
 - L - Grommet:Left; **add \$12**
 - C - Grommet:Center; **add \$12**
 - R - Grommet:Right; **add \$12**
 - LR - Grommet:Left/right; **add \$24**
 - LCR - Grommet:Left/center/right; **add \$36**
 - 3 Select Grommet Color.
Refer to [Color Options](#)
 - 4 Select Modesty Panel & Wire Access Cover
Powdercoat Finish.
Refer to [Color Options](#)
- N - Pick for all models
C - Pick for all models
L - Pick only for models 60" and longer
R - Pick only for models 60" and longer
LR - Pick only for models 60" and longer
LCR - Pick only for models 90" and longer



Dual-Sided Applications with One Cutout


Option

- Support frames are specified separately
- Center grommet option only
- Unpowered
- See grommet locations below



Dual-Sided Applications with One or Two Cutout Options

- Support frames are specified separately
- LR grommet locations are centered for two users
- Unpowered
- See grommet locations below



D x W	Basic Model	Grommet Location	Grommet Color	Powdercoat Color	Approx. Packaged Weight	Net Price
24 X 36"	SKBWR24362	C	□□□	□□	42.0#	\$368
24 x 42"	SKBWR24422	C	□□□	□□	49.0#	\$386
24 x 48"	SKBWR24482	C	□□□	□□	58.0#	\$471
24 x 54"	SKBWR24542	C	□□□	□□	66.0#	\$553
24 X 60"	SKBWR24602	□□□	□□□	□□	72.0#	\$581
24 x 64"	SKBWR24642	□□□	□□□	□□	77.0#	\$679
24 x 66"	SKBWR24662	□□□	□□□	□□	79.0#	\$639
24 x 72"	SKBWR24722	□□□	□□□	□□	85.0#	\$642
24 X 78"	SKBWR24782	□□□	□□□	□□	92.0#	\$732
24 x 84"	SKBWR24842	□□□	□□□	□□	100.0#	\$741

- 1
- 2
- 3
- 4

HOW TO ORDER

Indicate the following information on the order form:





1. Quantity of each item.
2. Model Number, including options.
See "How to Build a Model Number."
3. Any special service required.

Note:

The □ indicates that a choice is required.
The absence of □ indicates that no choice is required

HOW TO BUILD A MODEL NUMBER

- 1 **Select Basic Model.**
 - 2 **Select Grommet Location.**
 - N - No Grommet
 - L - Grommet:Left; **add \$12**
 - C - Grommet:Center; **add \$12**
 - R - Grommet:Right; **add \$12**
 - LR - Grommet:Left/right; **add \$24**
 - LCR - Grommet:Left/center/right; **add \$36**
 - 3 **Select Grommet Color.**
Refer to [Color Options](#)
 - 4 **Select Modesty Panel & Wire Access Cover Powdercoat Finish.**
Refer to [Color Options](#)
- N - Pick for all models
C - Pick for all models
L - Pick only for models 60" and longer
R - Pick only for models 60" and longer
LR - Pick only for models 60" and longer
LCR - Pick only for models 90" and longer



Dual-Sided Applications with One or Two Cutout Options

- Support frames are specified separately
- LR grommet locations are centered for two users
- Double power harness is suspended between worksurfaces; receptacles, infeeds and table-to-table jumpers must be specified separately
- Double power harness accommodates up to eight receptacles
- See grommet locations below
- Not for use with Workrail planning, Activ8 or hardwire

Dual-Sided Applications with One, Two or Three Cutout Options

- Support frames are specified separately
- C and LCR grommet locations are centered for three users
- LR grommet locations are centered for two users
- Double power harness is suspended between worksurfaces; receptacles, infeeds and table-to-table jumpers must be specified separately
- Double power harness accommodates up to eight receptacles
- See grommet locations below
- Not for use with Workrail planning, Activ8 or hardwire

D x W	Basic Model	Grommet Location	Grommet Color	Powdercoat Color	Approx. Packaged Weight	Net Price
24 X 60"	SKBWR2460D2	C	□□□	□□	83.0#	\$804
24 x 64"	SKBWR2464D2	C	□□□	□□	89.0#	\$833
24 x 66"	SKBWR2466D2	C	□□□	□□	91.0#	\$864
24 x 72"	SKBWR2472D2	C	□□□	□□	97.0#	\$873
24 x 78"	SKBWR2478D2	C	□□□	□□	106.0#	\$924
24 x 84"	SKBWR2484D2	C	□□□	□□	114.0#	\$936
24 X 60"	SKBWR2490D2	□□□	□□□	□□	122.0#	\$988
24 x 64"	SKBWR2496D2	□□□	□□□	□□	126.0#	\$1001

- 1
- 2
- 3
- 4

HOW TO ORDER

Indicate the following information on the order form:

1. Quantity of each item.
2. Model Number, including options.
See "How to Build a Model Number."
3. Any special service required.


Note:

The □ indicates that a choice is required.
The absence of □ indicates that no choice is required

HOW TO BUILD A MODEL NUMBER

- 1 Select Basic Model.**
- 2 Select Grommet Location.**
 - N - No Grommet
 - L - Grommet:Left; **add \$12**
 - C - Grommet:Center; **add \$12**
 - R - Grommet:Right; **add \$12**
 - LR - Grommet:Left/right; **add \$24**
 - LCR - Grommet:Left/center/right; **add \$36**


N - Pick for all models
C - Pick for all models
L - Pick only for models 60" and longer
R - Pick only for models 60" and longer
LR - Pick only for models 60" and longer
LCR - Pick only for models 90" and longer
- 3 Select Grommet Color.**
Refer to [Color Options](#)
- 4 Select Power Channel & Cable Tray Powdercoat Finish.**
Refer to [Color Options](#)



Dual-Sided Applications with One Cutout


Options

- Support frames are specified separately
- Center grommet option only
- Unpowered
- See grommet locations below



Dual-Sided Applications with One or Two Cutout Options

- Support frames are specified separately
- LR grommet locations are centered for two users
- Unpowered
- See grommet locations below



D x W	Basic Model	Grommet Location	Grommet Color	Powdercoat Color	Approx. Packaged Weight	Net Price
30 X 36"	SKBWR30362	C	□□□	□□	52.0#	\$380
30 x 42"	SKBWR30422	C	□□□	□□	61.0#	\$461
30 x 48"	SKBWR30482	C	□□□	□□	70.0#	\$517
30 x 54"	SKBWR30542	C	□□□	□□	78.0#	\$591
30 X 60"	SKBWR30602	□□□	□□□	□□	85.0#	\$618
30 x 64"	SKBWR30642	□□□	□□□	□□	92.0#	\$688
30 x 66"	SKBWR30662	□□□	□□□	□□	95.0#	\$737
30 x 72"	SKBWR30722	□□□	□□□	□□	102.0#	\$741
30 x 78"	SKBWR30782	□□□	□□□	□□	111.0#	\$849
30 x 84"	SKBWR30842	□□□	□□□	□□	118.0#	\$856

- 1
- 2
- 3
- 4

HOW TO ORDER

Indicate the following information on the order form:





1. Quantity of each item.
2. Model Number, including options.
See "How to Build a Model Number."
3. Any special service required.

Note:

The □ indicates that a choice is required.
The absence of □ indicates that no choice is required

HOW TO BUILD A MODEL NUMBER

- 1 **Select Basic Model.**
 - 2 **Select Grommet Location.**
 - N - No Grommet
 - L - Grommet:Left; **add \$12**
 - C - Grommet:Center; **add \$12**
 - R - Grommet:Right; **add \$12**
 - LR - Grommet:Left/right; **add \$24**
 - LCR - Grommet:Left/center/right; **add \$36**
 - 3 **Select Grommet Color.**
Refer to [Color Options](#)
 - 4 **Select Cable Tray Powdercoat Finish.**
Refer to [Color Options](#)
- N - Pick for all models
C - Pick for all models
L - Pick only for models 60" and longer
R - Pick only for models 60" and longer
LR - Pick only for models 60" and longer
LCR - Pick only for models 90" and longer



Dual-Sided Applications with One or Two Cutout Options

- Support frames are specified separately
- LR grommet locations are centered for two users
- Double power harness is suspended between worksurfaces; receptacles, infeeds and table-to-table jumpers are specified separately
- Double power harness accommodates up to eight receptacles
- See grommet locations below
- Not for use with Workrail planning, Activ8 or hardwire

Dual-Sided Applications with One, Two or Three Cutout Options

- Support frames are specified separately
- C and LCR grommet locations are centered for three users
- LR grommet locations are centered for two users
- Double power harness accommodates up to eight receptacles
- See grommet locations below
- Not for use with Workrail planning, Activ8 or hardwire

D x W	Basic Model	Grommet Location	Grommet Color	Powdercoat Color	Approx. Packaged Weight	Net Price
30 X 60"	SKBWR3060D2	□□□	□□□	□□	96.0#	\$924
30 x 64"	SKBWR3064D2	□□□	□□□	□□	104.0#	\$938
30 x 66"	SKBWR3066D2	□□□	□□□	□□	107.0#	\$948
30 x 72"	SKBWR3072D2	□□□	□□□	□□	114.0#	\$964
30 x 78"	SKBWR3078D2	□□□	□□□	□□	125.0#	\$1078
30 x 84"	SKBWR3084D2	□□□	□□□	□□	132.0#	\$1089
30 X 90"	SKBWR3090D2	□□□	□□□	□□	143.0#	\$1121
30 x 96"	SKBWR3096D2	□□□	□□□	□□	150.0#	\$1135

1 2 3 4

HOW TO ORDER

Indicate the following information on the order form:


1. Quantity of each item.
2. Model Number, including options.
See "How to Build a Model Number."
3. Any special service required.

Note:

The □ indicates that a choice is required.
The absence of □ indicates that no choice is required

HOW TO BUILD A MODEL NUMBER

- 1 Select Basic Model.
 - 2 Select Grommet Location.
 - N - No Grommet
 - L - Grommet:Left; **add \$12**
 - C - Grommet:Center; **add \$12**
 - R - Grommet:Right; **add \$12**
 - LR - Grommet:Left/right; **add \$24**
 - LCR - Grommet:Left/center/right; **add \$36**
 - 3 Select Grommet Color.
Refer to [Color Options](#)
 - 4 Select Cable Tray Powdercoat Finish.
Refer to [Color Options](#)
- N - Pick for all models
C - Pick for all models
L - Pick only for models 60" and longer
R - Pick only for models 60" and longer
LR - Pick only for models 60" and longer
LCR - Pick only for models 90" and longer




24" and 30" Deep Extended Corner

Worksurfaces

- 48" side always runs in line with center beam
- Adjacent work surface width always runs in line with 48" side
- Grommets along extended edge will be centered on extended portion only
- L grommet is on B dimension
- R grommet is on C dimension
- Requires perpendicular frame support for non-attached end, specified separately

A x B x C x D	Basic Model	Grommet Location	Grommet Color	Approx. Packaged Weight	Net Price
24 x 60 x 48 x 24"	SKBWEC24604824	□□	□□□	8.0#	\$331
24 x 72 x 48 x 24"	SKBWEC24724824	□□	□□□	6.0#	\$345
30 x 72 x 48 x 30"	SKBWEC30724830	□□	□□□	8.0#	\$350



24" and 30" Deep Extended Corner

Worksurfaces

- 48" side always runs in line with center beam
- Adjacent work surface width always runs in line with 48" side
- Grommets along extended edge will be centered on extended portion only
- L grommet is on B dimension
- R grommet is on C dimension
- Requires perpendicular frame support for non-attached end, specified separately

24 x 48 x 60 x 24"	SKBWEC24486024	□□	□□□	28.0#	\$331
24 x 48 x 72 x 24"	SKBWEC24487224	□□	□□□	26.0#	\$345
30 x 48 x 72 x 30"	SKBWEC30487230	□□	□□□	33.0#	\$350

1

2

3

HOW TO ORDER

Indicate the following information on the order form:

1. Quantity of each item.
2. Model Number, including options.
See "How to Build a Model Number."
3. Any special service required.

Note:

The □ indicates that a choice is required.
The absence of □ indicates that no choice is required

HOW TO BUILD A MODEL NUMBER

1 Select Basic Model.


2 Select Grommet Location.

- N - No Grommet
- L - Grommet:Left; **add \$12**
- C - Grommet:Center; **add \$12**
- R - Grommet:Right; **add \$12**
- LR - Grommet:Left/right; **add \$24**
- LCR - Grommet:Left/center/right; **add \$36**

- N - Pick for all models
- C - Pick for all models
- L - Pick only for models 60" and longer
- R - Pick only for models 60" and longer
- LR - Pick only for models 60" and longer
- LCR - Pick only for models 90" and longer


3 Select Grommet Color.

Refer to [Color Options](#)



Adjoining Worksurfaces 24"D

- For use adjacent to Extended Corners and Peninsula Worksurfaces
- Support frames are specified separately
- When used adjacent to Extended Corner Worksurfaces, the maximum width allowed is 48"
- Includes two splice plates
- Does not include electrical components
- Does not include modesty panel
- See grommet locations below



Adjoining Worksurfaces 30"D

- For use adjacent to Extended Corners and Peninsula Worksurfaces
- Support frames are specified separately
- When used adjacent to Extended Corner Worksurfaces, the maximum width allowed is 48"
- Includes two splice plates
- Does not include electrical components
- Does not include modesty panel
- See grommet locations below

D x W	Basic Model	Grommet Location	Grommet Color	Approx. Packaged Weight	Net Price
24 x 24"	SKBWR24241	□□□	□□□	4.0#	\$133
24 x 30"	SKBWR24301	□□□	□□□	5.0#	\$137
24 x 36"	SKBWR24361	□□□	□□□	5.0#	\$147
24 x 42"	SKBWR24421	□□□	□□□	4.0#	\$153
24 x 48"	SKBWR24481	□□□	□□□	5.0#	\$158
24 x 54"	SKBWR24541	□□□	□□□	6.0#	\$209
24 x 60"	SKBWR24601	□□□	□□□	6.0#	\$212
24 x 66"	SKBWR24661	□□□	□□□	6.0#	\$237
24 x 72"	SKBWR24721	□□□	□□□	6.0#	\$241
30 x 24"	SKBWR30241	□□□	□□□	5.0#	\$144
30 x 30"	SKBWR30301	□□□	□□□	4.0#	\$149
30 x 36"	SKBWR30361	□□□	□□□	5.0#	\$162
30 x 42"	SKBWR30421	□□□	□□□	5.0#	\$191
30 x 48"	SKBWR30481	□□□	□□□	6.0#	\$195
30 x 54"	SKBWR30541	□□□	□□□	6.0#	\$249
30 x 60"	SKBWR30601	□□□	□□□	6.0#	\$252
30 x 66"	SKBWR30661	□□□	□□□	7.0#	\$308
30 x 72"	SKBWR30721	□□□	□□□	7.0#	\$312

1

2

3

HOW TO ORDER

Indicate the following information on the order form:

1. Quantity of each item.
2. Model Number, including options.
See "How to Build a Model Number."
3. Any special service required.

Note:

The □ indicates that a choice is required.
The absence of □ indicates that no choice is required

HOW TO BUILD A MODEL NUMBER

1 Select Basic Model.


2 Select Grommet Location.

- N - No Grommet
- L - Grommet:Left; **add \$12**
- C - Grommet:Center; **add \$12**
- R - Grommet:Right; **add \$12**
- LR - Grommet:Left/right; **add \$24**
- LCR - Grommet:Left/center/right; **add \$36**

- N - Pick for all models
- C - Pick for all models
- L - Pick only for models 60" and longer
- R - Pick only for models 60" and longer
- LR - Pick only for models 60" and longer
- LCR - Pick only for models 90" and longer

3 Select Grommet Color.

Refer to [Color Options](#)



24" and 30" Deep Unpowered Returns

- Intended for placement perpendicular to beam supported rectangle worksurfaces
- Return includes splice plates for attachment to adjacent work surface
- Requires perpendicular frame support for non-attached end, specified separately
- Includes two splice plates

D x W	Basic Model	Grommet Location	Grommet Color	Approx. Packaged Weight	Net Price
24 x 24"	SKBWRT2424	□	□□□	4.0#	\$119
24 x 30"	SKBWRT2430	□	□□□	5.0#	\$124
24 x 36"	SKBWRT2436	□	□□□	5.0#	\$134
24 x 42"	SKBWRT2442	□	□□□	4.0#	\$139
24 x 48"	SKBWRT2448	□	□□□	5.0#	\$143
24 x 54"	SKBWRT2454	□	□□□	6.0#	\$190
30 x 24"	SKBWRT3024	□	□□□	5.0#	\$132
30 x 30"	SKBWRT3030	□	□□□	4.0#	\$136
30 x 36"	SKBWRT3036	□	□□□	5.0#	\$149
30 x 42"	SKBWRT3042	□	□□□	5.0#	\$175
30 x 48"	SKBWRT3048	□	□□□	6.0#	\$176
30 x 54"	SKBWRT3054	□	□□□	6.0#	\$228

1

2

3

HOW TO ORDER

Indicate the following information on the order form:

1. Quantity of each item.
2. Model Number, including options.
See "How to Build a Model Number."
3. Any special service required.

Note:

The □ indicates that a choice is required.
The absence of □ indicates that no choice is required

HOW TO BUILD A MODEL NUMBER

1 Select Basic Model.




2 Select Grommet Location.

- N - No Grommet
- L - Grommet:Left; **add \$12**
- C - Grommet:Center; **add \$12**
- R - Grommet:Right; **add \$12**
- LR - Grommet:Left/right; **add \$24**
- LCR - Grommet:Left/center/right; **add \$36**

- N - Pick for all models
- C - Pick for all models
- L - Pick only for models 60" and longer
- R - Pick only for models 60" and longer
- LR - Pick only for models 60" and longer
- LCR - Pick only for models 90" and longer

3 Select Grommet Color.

Refer to [Color Options](#)

	Basic Model	Paint Color	Glide Color	Approx. Packaged Weight	Net Price
 <p>Single Side Support Frame</p> <ul style="list-style-type: none"> Supports peninsula, return or extended corner worksurfaces For use with fixed applications only 	CZBLS24	<input type="checkbox"/>	GCL	17.0#	\$182
	CZBLS30	<input type="checkbox"/>	GCL	18.0#	\$207
 <p>Single Adder End Frame</p> <ul style="list-style-type: none"> Supports peninsula, return or extended corner worksurfaces For use with fixed applications only Includes one 24" fixed end leg that is non-handed and integrated telescopic beam 	CZBSAE243642-F	<input type="checkbox"/>	GCL	24.0#	\$257
	CZBSAE244872-F	<input type="checkbox"/>	GCL	28.0#	\$262
	CZBSAE247296-F	<input type="checkbox"/>	GCL	32.0#	\$283
 <p>Post Leg Support</p> <ul style="list-style-type: none"> Two post legs are required for conference end support Includes one splice plate Leg profile is 1-1/2 x 2-3/8" For use with fixed applications only 	CZBLP	<input type="checkbox"/>	GCL	10.0#	\$57
		1	2	3	

HOW TO ORDER

Indicate the following information on the order form:


- Quantity of each item.
- Model Number, including options.
See "How to Build a Model Number."
- Any special service required.

Note:

The indicates that a choice is required.
The absence of indicates that no choice is required

HOW TO BUILD A MODEL NUMBER

- Select Basic Model.**
- Select Powdercoat.**
Refer to [Color Options](#)
- Select Glide Color.**
GCL -Clear




Electrical Assembly; Single-Sided

Applications with Single Rigid Wireway

- 810 power provides continuous non-directional power from table-to-table in a 6-2-2 configuration (if 4-4-2 configuration, sales to specify per order)
- Assembly includes single rigid wireway and access cover
- Single-sided application provides access to two receptacles on user side of beam
- Receptacles, infeeds and jumpers are specified separately
- Rigid Wireway need only be specified to retrofit an existing non-powered worksurface

W	Basic Model	Paint Color	Approx. Packaged Weight	Net Price
30"	CZBE1S30	<input type="checkbox"/>	5.0#	\$101
36"	CZBE1S36	<input type="checkbox"/>	6.0#	\$108
42"	CZBE1S42	<input type="checkbox"/>	7.0#	\$111
48"	CZBE1S48	<input type="checkbox"/>	8.0#	\$113
54"	CZBE1S54	<input type="checkbox"/>	9.0#	\$118
60"	CZBE1S60	<input type="checkbox"/>	10.0#	\$129
72"	CZBE1S72	<input type="checkbox"/>	11.0#	\$159



Electrical Assembly; Single-Sided

Applications with Double Rigid Wireway

- 810 power provides continuous non-directional power from table-to-table in a 6-2-2 configuration (if 4-4-2 configuration, sales to specify per order)
- Assembly includes double rigid wireway with jumper, and access cover
- Single-sided application provides access to four receptacles on user side of beam
- Receptacles, infeeds and table-to-table jumpers are specified separately
- Rigid Wireway need only be specified to retrofit an existing non-powered worksurface

60"	CZBE1D60	<input type="checkbox"/>	11.0#	\$232
64"	CZBE1D64	<input type="checkbox"/>	11.0#	\$246
66"	CZBE1D66	<input type="checkbox"/>	11.0#	\$251
72"	CZBE1D72	<input type="checkbox"/>	12.0#	\$255
78"	CZBE1D78	<input type="checkbox"/>	13.0#	\$259
84"	CZBE1D84	<input type="checkbox"/>	13.0#	\$263
90"	CZBE1D90	<input type="checkbox"/>	15.0#	\$267
96"	CZBE1D96	<input type="checkbox"/>	16.0#	\$270

①

②

HOW TO ORDER

Indicate the following information on the order form:


1. Quantity of each item.
2. Model Number, including options.
See "How to Build a Model Number."
3. Any special service required.

Note:

The indicates that a choice is required.
The absence of indicates that no choice is required

HOW TO BUILD A MODEL NUMBER


- ① **Select Basic Model.**
- ② **Select Wire Access Cover Powdercoat.**
Refer to [Color Options](#)



Electrical Assembly; Dual-Sided

Applications with Single Rigid Wireway

- 810 power provides continuous non-directional power from table-to-table in a 6-2-2 configuration (if 4-4-2 configuration, sales to specify per order)
- Assembly includes single rigid wireway
- Dual-sided application provides access to two receptacles per side
- Receptacles, infeeds and jumpers are specified separately
- Rigid Wireway need only be specified to retrofit an existing non-powered worksurface



Electrical Assembly; Dual-Sided

Applications with Double Rigid Wireway

- 810 power provides continuous non-directional power from table-to-table in a 6-2-2 configuration (if 4-4-2 configuration, sales to specify per order)
- Assembly includes double rigid wireway with jumper
- Dual-sided application provides access to four receptacles per side
- Receptacles, infeeds and table-to-table jumpers are specified separately
- Rigid Wireway need only be specified to retrofit an existing non-powered worksurface

W	Basic Model	Paint Color	Approx. Packaged Weight	Net Price
36"	CZBE2S36	□□	8.0#	\$117
42"	CZBE2S42	□□	8.0#	\$119
48"	CZBE2S48	□□	8.0#	\$116
54"	CZBE2S54	□□	9.0#	\$118
60"	CZBE2S60	□□	10.0#	\$130
72"	CZBE2S72	□□	11.0#	\$158
60"	CZBE2D60	□□	11.0#	\$231
64"	CZBE2D64	□□	11.0#	\$232
66"	CZBE2D66	□□	12.0#	\$235
72"	CZBE2D72	□□	12.0#	\$238
78"	CZBE2D78	□□	14.0#	\$242
84"	CZBE2D84	□□	14.0#	\$244
90"	CZBE2D90	□□	16.0#	\$249
96"	CZBE2D96	□□	16.0#	\$252

①

②

HOW TO ORDER

Indicate the following information on the order form:


1. Quantity of each item.
2. Model Number, including options.
See "How to Build a Model Number."
3. Any special service required.

Note:

The □ indicates that a choice is required.
The absence of □ indicates that no choice is required

HOW TO BUILD A MODEL NUMBER

- ① **Select Basic Model.**
- ② **Select Power Channel Powdercoat.**
Refer to [Color Options](#)



15-Amp Duplex Receptacle for Raceway

Use: 6 Circuit

- Snaps to rigid wireway
- Receptacle color is black for circuits 1, 2 and 3
- Receptacle color is orange with white lettering for circuits 4I, 5I and 6I

Features	Basic Model	Approx. Packaged Weight	Net Price
Circuit 1	46-2880-1-BL	1.0#	\$16
Circuit 2	46-2880-2-BL	1.0#	\$16
Circuit 3	46-2880-3-BL	1.0#	\$16
Circuit 4	46-2880-4I	1.0#	\$16
Circuit 5	46-2880-5I	1.0#	\$16
Circuit 6	46-2880-6I	1.0#	\$16

1

HOW TO ORDER

Indicate the following information on the order form:
 1. Quantity of each item.
 2. Model Number, including options.
 See "How to Build a Model Number."
 3. Any special service required.

Note:
 The indicates that a choice is required.
 The absence of indicates that no choice is required


HOW TO BUILD A MODEL NUMBER

1 Select Basic Model.



Standard Height Base Infeed 10-Wire

- Provides power from fixed floor or wall sources to table power distribution system
- Must be hard-wired to the building power source by a licensed electrician
- 96" length liquid tight conduit
- Includes (2) mounting clips



Top Infeed 10-Wire for Single-Sided Applications

- Provides power from ceiling source to Single-sided table power distribution system
- Must be hard-wired to building power source by a licensed electrician
- 144" length flexible oval conduit
- Includes 10' long aluminum pole with separate channel for electrical and data entry and pre-wired harness
- Includes single mounting bracket

Features	L	Basic Model	Color	Approx. Packaged Weight	Net Price
	96"	CZBFF	<input type="checkbox"/>	5.0#	\$119
Left	120"	CZBTF1L	<input type="checkbox"/>	15.0#	\$305
Right	120"	CZBTF1R	<input type="checkbox"/>	15.0#	\$305

1

2

HOW TO ORDER

Indicate the following information on the order form:


1. Quantity of each item.
2. Model Number, including options.
See "How to Build a Model Number."
3. Any special service required.

Note:

The indicates that a choice is required.
The absence of indicates that no choice is required

HOW TO BUILD A MODEL NUMBER


- 1 Select Basic Model.
- 2 Select Color.
Refer to [Color Options](#)



Top Infeed 10-Wire for Dual-Sided

Applications

- Provides power from ceiling source to Dual-sided table power distribution system
- Must be hard-wired to the building power source by a licensed electrician
- 144" length flexible oval conduit
- Includes 10' long aluminum pole with separate channel for electrical and data entry and pre-wired harness
- Includes dual mounting bracket



Base Wire Enclosure - Steel Leg

Applications

- Conceals infeed along leg and upper frame
- 3-piece construction
- Infeed conduit is specified separately

Features	L	Basic Model	Color	Approx. Packaged Weight	Net Price
	120"	CZBTF2	<input type="checkbox"/>	5.0#	\$305
24" base		CZBIC24	<input type="checkbox"/>	4.5#	\$80
30" base		CZBIC30	<input type="checkbox"/>	5.0#	\$82
48" base		CZBIC48	<input type="checkbox"/>	6.5#	\$86
60" base		CZBIC60	<input type="checkbox"/>	7.0#	\$96

1

2

HOW TO ORDER

Indicate the following information on the order form:


1. Quantity of each item.
2. Model Number, including options.
See "How to Build a Model Number."
3. Any special service required.

Note:

The indicates that a choice is required.
The absence of indicates that no choice is required

HOW TO BUILD A MODEL NUMBER

- 1 Select Basic Model.
- 2 Select Color.
Refer to [Color Options](#)



Electrical Table-to-Table Jumpers

- Flexible metal conduit jumper
- TJ, required for standard top to top
- 24 spans 24" peninsula top
- 30 spans 30" peninsula top
- 48 spans (2) - 24" peninsula tops
- 60 spans (2) - 30" peninsula tops
- 60 spans 60" leg of extended corner top
- 72 spans 72" leg of extended corner top
- 60 & 72 include Velcro cord manager

L	Basic Model	Approx. Packaged Weight	Net Price
18-1/2"	CZBJP-TJ	3.0#	\$57
42-1/2"	CZBJP-24	3.5#	\$78
48-1/2"	CZBJP-30	4.0#	\$86
66-1/2"	CZBJP-48	5.5#	\$95
78-1/2"	CZBJP-60	6.5#	\$112
84-1/2"	CZBJP-72	7.5#	\$120

1

HOW TO ORDER

Indicate the following information on the order form:


- 1.Quantity of each item.
- 2.Model Number, including options.
See "How to Build a Model Number."
- 3.Any special service required.

Note:

The indicates that a choice is required.
The absence of indicates that no choice is required


HOW TO BUILD A MODEL NUMBER

- 1 Select Basic Model.



Electrical Assembly for Single Wireway

- Specify length by worksurface length
- For use on dual-sided applications with unframed or supporting privacy screens
- 810 power provides continuous non-directional power in a 6-2-2 configuration
- Assembly includes single power harness
- Dual-sided application provides access to two receptacles per side
- Receptacles, infeeds and jumpers are specified separately
- For attachment below center work rail only on non-powered worksurfaces



Electrical Assembly for Double Wireway

- Specify length by worksurface length
- For use on dual-sided applications only
- 810 power provides continuous non-directional power in a 6-2-2 configuration
- Assembly includes double power harness with jumper
- Dual-sided application provides access to four receptacles per side
- Receptacles, infeeds and table-to-table jumpers are specified separately
- For attachment below center work rail only on non-powered worksurfaces

Basic Model	Approx. Packaged Weight	Net Price
CZBRE2S36	6.0#	\$75
CZBRE2S42	7.0#	\$78
CZBRE2S48	8.0#	\$79
CZBRE2S54	9.0#	\$82
CZBRE2S60	10.0#	\$91
CZBRE2S72	11.0#	\$113
<hr/>		
CZBRE2D60	11.0#	\$188
CZBRE2D64	11.0#	\$189
CZBRE2D66	11.0#	\$189
CZBRE2D72	12.0#	\$191
CZBRE2D78	13.0#	\$193
CZBRE2D84	13.0#	\$196
CZBRE2D90	15.0#	\$197
CZBRE2D96	16.0#	\$201

1

HOW TO ORDER

Indicate the following information on the order form:


1. Quantity of each item.
2. Model Number, including options.
See "How to Build a Model Number."
3. Any special service required.

Note:

The indicates that a choice is required.
The absence of indicates that no choice is required


HOW TO BUILD A MODEL NUMBER

- 1 **Select Basic Model.**
Refer to [Color Options](#)



Activ8® Infeed

- 108" cord plugs into standard 15 amp outlet
- Control module is located 6" from table connection
- Diagnostic LED indicator shows power status (see details below)
- Controller automatically limits number of connections to 8
- 40 Ft maximum string, not including infeed cord
- Will not work with GFI/GCFI outlets



Activ8® Module and Attachment Bracket

- Duplex receptacles provide 2 outlets
- Power module provides 15 amp power
- Up to 8 modules may be used per infeed per UL Standard 962
- Modules may be connected (reconnected in any order without sequential keying)
- Jumpers ordered separately
- No data cord management is provided
- Attached cord is approximately 9"

Basic Model	Approx. Packaged Weight	Net Price
AC8IF-108	2.0#	\$137
AC8RPTCZB-12	1.0#	\$48

①

HOW TO ORDER

Indicate the following information on the order form:


1. Quantity of each item.
2. Model Number, including options.
See "How to Build a Model Number."
3. Any special service required.

Note:

The indicates that a choice is required.
The absence of indicates that no choice is required


HOW TO BUILD A MODEL NUMBER

- ① **Select Basic Model.**



Activ8® Power-Up Module

- Duplex receptacles provide 2 outlets
- Power module provides 15 amp power
- Up to 8 modules may be used per infeed per UL Standard 962
- Modules may be connected (reconnected in any order without sequential keying)
- Attached cord is approximately 5"
- Data tree is provided to allow data jacks to be inserted in the module
- Jumpers ordered separately



Activ8® Villa Power Module with Metal Cover

- Duplex receptacles provide 2 outlets
- Power module provides 15 amp power
- Up to 8 modules may be used per infeed per UL Standard 962
- Modules may be connected (reconnected in any order without sequential keying)
- Attached cord is approximately 5"
- Data tree is provided to allow data jacks to be inserted in the module
- Jumpers ordered separately
- Villa Power Module cannot be installed in LH or RH cutouts of StyleLinks powered single-sided tables

Basic Model	PowerUp Module Color	Approx. Packaged Weight	Net Price
AC8PUM-7	☐☐	1.0#	\$128
AC8VMC-7	☐☐	3.0#	\$270

1

2

HOW TO ORDER


Indicate the following information on the order form:
 1.Quantity of each item.
 2.Model Number, including options.
 See "How to Build a Model Number."
 3.Any special service required.

HOW TO BUILD A MODEL NUMBER

- 1 Select Basic Model.
- 2 Select Module Color.
 Refer to [Color Options](#)

Information
 Grommet location must be specified in worksurface model number for Activ8®

Note:
 The ☐ indicates that a choice is required.
 The absence of ☐ indicates that no choice is required



Activ8® Villa Power Module without Cover

- Duplex receptacles provide 2 outlets
- Power module provides 15 amp power
- Up to 8 modules may be used per infeed per UL Standard 962
- Modules may be connected (reconnected in any order without sequential keying)
- Attached cord is approximately 5"
- Data tree is provided to allow data jacks to be inserted in the module
- For use on tables with existing grommets
- Jumpers ordered separately
- Villa Power Module cannot be installed in LH or RH cutouts of StyleLinks powered single-sided tables

Basic Model	PowerUp Module Color	Approx. Packaged Weight	Net Price
AC8VMN-7	□□	2.0#	\$228

1

2


HOW TO ORDER

- Indicate the following information on the order form:
1. Quantity of each item.
 2. Model Number, including options.
See "How to Build a Model Number."
 3. Any special service required.

Note:
The □ indicates that a choice is required.
The absence of □ indicates that no choice is required

HOW TO BUILD A MODEL NUMBER

- 1 Select Basic Model.
- 2 Select Module Color.
Refer to [Color Options](#)



Activ8® Jumper

- Refer to StyleLinks Benching Planning Guide for size recommendations
- Jumpers are all keyed alike

L	Basic Model	Approx. Packaged Weight	Net Price
29"	AC8JP-29	1.0#	\$44
53"	AC8JP-53	1.0#	\$51
77"	AC8JP-77	1.0#	\$59
101"	AC8JP-101	1.0#	\$62

1

HOW TO ORDER


Indicate the following information on the order form:

- 1.Quantity of each item.
- 2.Model Number, including options.
See "How to Build a Model Number."
- 3.Any special service required.

Note:
The indicates that a choice is required.
The absence of indicates that no choice is required


HOW TO BUILD A MODEL NUMBER

1 Select Basic Model.



Single, Uninterrupted Screen Length

- Aluminum powdercoated screen runs along width of worksurface
- Standard top rail features one slot for hang-on accessories
- Integral linking strip included
- Linking posts allow for perpendicular attachment of dividers, specified separately
- Bottom of privacy screen is flush with bottom of worksurface



13" with Center Intersection

- Screen includes two equal panels
- Center intersection allows for divider screen attachment

D x W x H	Basic Model	Screen Location	Paint Color	End Cap Color	Approx. Packaged Weight	Net Price
1-3/16 x 24 x 13"	SKPSF2413-1	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	11.0#	\$216
1-3/16 x 30 x 13"	SKPSF3013-1	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	13.0#	\$235
1-3/16 x 36 x 13"	SKPSF3613-1	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	14.0#	\$249
1-3/16 x 42 x 13"	SKPSF4213-1	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	15.0#	\$257
1-3/16 x 48 x 13"	SKPSF4813-1	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	16.0#	\$265
1-3/16 x 54 x 13"	SKPSF5413-1	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	17.0#	\$301
1-3/16 x 60 x 13"	SKPSF6013-1	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	18.0#	\$315
1-3/16 x 66 x 13"	SKPSF6613-1	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	20.0#	\$321
1-3/16 x 72 x 13"	SKPSF7213-1	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	21.0#	\$329
1-3/16 x 78 x 13"	SKPSF7813-1	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	22.0#	\$345
1-3/16 x 60 x 13"	SKPSF6013-2	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	21.0#	\$457
1-3/16 x 64 x 13"	SKPSF6413-2	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	22.0#	\$467
1-3/16 x 72 x 13"	SKPSF7213-2	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	23.0#	\$484
1-3/16 x 84 x 13"	SKPSF8413-2	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	26.0#	\$500
1-3/16 x 90 x 13"	SKPSF9013-2	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	27.0#	\$517
1-3/16 x 96 x 13"	SKPSF9613-2	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	28.0#	\$517

- 1
- 2
- 3
- 4

HOW TO ORDER

Indicate the following information on the order form:

1. Quantity of each item.
2. Model Number, including options.
See "How to Build a Model Number."
3. Any special service required.

Note:


The indicates that a choice is required.
The absence of indicates that no choice is required

HOW TO BUILD A MODEL NUMBER

- 1 **Select Basic Model.**
- 2 **Select Screen Location.**
DAD -Dual Adder
DST -Dual Starter
SAD -Single Adder
SST -Single Starter
- 3 **Select Powdercoat.**
Refer to [Color Options](#)
- 4 **Select End Cap Color.**
Refer to [Color Options](#)

13" with Two Intersections

- Screen includes three equal panels
- Intersections allow for divider screen attachment



D x W x H	Basic Model	Screen Location	Paint Color	End Cap Color	Approx. Packaged Weight	Net Price
1-3/16 x 90 x 13"	SKPSF9013-3	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	30.0#	\$680
1-3/16 x 96 x 13"	SKPSF9613-3	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	31.0#	\$688

- 1
2
3
4


HOW TO ORDER

- Indicate the following information on the order form:
1. Quantity of each item.
 2. Model Number, including options.
See "How to Build a Model Number."
 3. Any special service required.

Note:
 The indicates that a choice is required.
 The absence of indicates that no choice is required


HOW TO BUILD A MODEL NUMBER

- 1 Select Basic Model.**
- 2 Select Screen Location.**
 DAD -Dual Adder
 DST -Dual Starter
 SAD -Single Adder
 SST -Single Starter
- 3 Select Powdercoat.**
 Refer to [Color Options](#)
- 4 Select End Cap Color.**
 Refer to [Color Options](#)



Single, Uninterrupted Screen Length

- Aluminum powdercoated screen runs along width of worksurface
- Standard top rail features one slot for hang-on accessories
- Integral linking strip included
- Linking posts allow for perpendicular attachment of dividers, specified separately
- Bottom of privacy screen is flush with bottom of worksurface



19" with Center Intersection

- Screen includes two equal panels
- Center intersection allows for divider screen attachment

D x W x H	Basic Model	Screen Location	Paint Color	End Cap Color	Approx. Packaged Weight	Net Price
1-3/16 x 24 x 19"	SKPSF2419-1	□□□	□□	□□□	13.0#	\$252
1-3/16 x 30 x 19"	SKPSF3019-1	□□□	□□	□□□	14.0#	\$280
1-3/16 x 36 x 19"	SKPSF3619-1	□□□	□□	□□□	16.0#	\$287
1-3/16 x 42 x 19"	SKPSF4219-1	□□□	□□	□□□	17.0#	\$301
1-3/16 x 48 x 19"	SKPSF4819-1	□□□	□□	□□□	19.0#	\$309
1-3/16 x 54 x 19"	SKPSF5419-1	□□□	□□	□□□	20.0#	\$389
1-3/16 x 60 x 19"	SKPSF6019-1	□□□	□□	□□□	22.0#	\$405
1-3/16 x 66 x 19"	SKPSF6619-1	□□□	□□	□□□	23.0#	\$408
1-3/16 x 72 x 19"	SKPSF7219-1	□□□	□□	□□□	25.0#	\$419
1-3/16 x 78 x 19"	SKPSF7819-1	□□□	□□	□□□	26.0#	\$448
1-3/16 x 60 x 19"	SKPSF6019-2	□□□	□□	□□□	25.0#	\$546
1-3/16 x 64 x 19"	SKPSF6419-2	□□□	□□	□□□	27.0#	\$552
1-3/16 x 72 x 19"	SKPSF7219-2	□□□	□□	□□□	28.0#	\$561
1-3/16 x 84 x 19"	SKPSF8419-2	□□□	□□	□□□	31.0#	\$590
1-3/16 x 90 x 19"	SKPSF9019-2	□□□	□□	□□□	32.0#	\$606
1-3/16 x 96 x 19"	SKPSF9619-2	□□□	□□	□□□	34.0#	\$611

- 1
- 2
- 3
- 4

HOW TO ORDER

Indicate the following information on the order form:


1. Quantity of each item.
2. Model Number, including options.
See "How to Build a Model Number."
3. Any special service required.

Note:

The □ indicates that a choice is required.
The absence of □ indicates that no choice is required

HOW TO BUILD A MODEL NUMBER

- 1 **Select Basic Model.**
- 2 **Select Screen Location.**
DAD -Dual Adder
DST -Dual Starter
SAD -Single Adder
SST -Single Starter
- 3 **Select Powdercoat.**
Refer to [Color Options](#)
- 4 **Select End Cap Color.**
Refer to [Color Options](#)



Single, Uninterrupted Screen Length

- Aluminum powdercoated screen runs along width of worksurface
- Tool rail features three slots for hang-on accessories
- Integral linking strip included
- Linking posts allow for perpendicular attachment of dividers, specified separately
- Bottom of privacy screen is flush with bottom of worksurface

D x W x H	Basic Model	Screen Location	Paint Color	End Cap Color	Approx. Packaged Weight	Net Price
1-3/16 x 24 x 13"	SKPSFT2413-1	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	12.0#	\$212
1-3/16 x 30 x 13"	SKPSFT3013-1	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	13.0#	\$223
1-3/16 x 36 x 13"	SKPSFT3613-1	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	15.0#	\$245
1-3/16 x 42 x 13"	SKPSFT4213-1	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	16.0#	\$257
1-3/16 x 48 x 13"	SKPSFT4813-1	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	17.0#	\$265
1-3/16 x 54 x 13"	SKPSFT5413-1	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	19.0#	\$299
1-3/16 x 60 x 13"	SKPSFT6013-1	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	20.0#	\$306
1-3/16 x 66 x 13"	SKPSFT6613-1	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	22.0#	\$322
1-3/16 x 72 x 13"	SKPSFT7213-1	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	23.0#	\$324
1-3/16 x 78 x 13"	SKPSFT7813-1	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	24.0#	\$354

- ①
②
③
④

HOW TO ORDER

Indicate the following information on the order form:


1. Quantity of each item.
2. Model Number, including options.
See "How to Build a Model Number."
3. Any special service required.

Note:

The indicates that a choice is required.
The absence of indicates that no choice is required

HOW TO BUILD A MODEL NUMBER

- ① **Select Basic Model.**
- ② **Select Screen Location.**
DAD -Dual Adder
DST -Dual Starter
SAD -Single Adder
SST -Single Starter
- ③ **Select Powdercoat.**
Refer to [Color Options](#)
- ④ **Select End Cap Color.**
Refer to [Color Options](#)



Single, Uninterrupted Screen Length

- Aluminum powdercoated screen runs along width of worksurface
- Tool rail features three slots for hang-on accessories
- Integral linking strip included
- Linking posts allow for perpendicular attachment of dividers, specified separately
- Bottom of privacy screen is flush with bottom of worksurface

D x W x H	Basic Model	Screen Location	Paint Color	End Cap Color	Approx. Packaged Weight	Net Price
1-3/16 x 24 x 19"	SKPSFT2419-1	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	14.0#	\$242
1-3/16 x 30 x 19"	SKPSFT3019-1	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	15.0#	\$253
1-3/16 x 36 x 19"	SKPSFT3619-1	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	17.0#	\$281
1-3/16 x 42 x 19"	SKPSFT4219-1	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	19.0#	\$292
1-3/16 x 48 x 19"	SKPSFT4819-1	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	20.0#	\$301
1-3/16 x 54 x 19"	SKPSFT5419-1	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	22.0#	\$349
1-3/16 x 60 x 19"	SKPSFT6019-1	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	24.0#	\$363
1-3/16 x 66 x 19"	SKPSFT6619-1	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	25.0#	\$371
1-3/16 x 72 x 19"	SKPSFT7219-1	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	27.0#	\$382
1-3/16 x 78 x 19"	SKPSFT7819-1	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	29.0#	\$404

- 1
2
3
4

HOW TO ORDER

Indicate the following information on the order form:


1. Quantity of each item.
2. Model Number, including options.
See "How to Build a Model Number."
3. Any special service required.

Note:

The indicates that a choice is required.
The absence of indicates that no choice is required

HOW TO BUILD A MODEL NUMBER

- 1 Select Basic Model.
- 2 Select Screen Location.
DAD -Dual Adder
DST -Dual Starter
SAD -Single Adder
SST -Single Starter
- 3 Select Powdercoat.
Refer to [Color Options](#)
- 4 Select End Cap Color.
Refer to [Color Options](#)



Single, Uninterrupted Screen Length

- Aluminum powdercoated screen runs along width of worksurface
- Standard top rail features one slot for hang-on accessories
- Integral linking strip included
- Linking posts allow for perpendicular attachment of dividers, specified separately
- Bottom of privacy screen is flush with bottom of worksurface

D x W x H	Basic Model	Screen Location	Paint Color	End Cap Color	Acrylic Color	Approx. Packaged Weight	Net Price Grade 1	Net Price Grade 2
1-3/16 x 24 x 13"	SKPSA2413-1	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	12.0#	\$189	\$231
1-3/16 x 30 x 13"	SKPSA3013-1	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	14.0#	\$197	\$246
1-3/16 x 36 x 13"	SKPSA3613-1	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	15.0#	\$211	\$276
1-3/16 x 42 x 13"	SKPSA4213-1	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	16.0#	\$228	\$313
1-3/16 x 48 x 13"	SKPSA4813-1	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	18.0#	\$228	\$313
1-3/16 x 54 x 13"	SKPSA5413-1	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	19.0#	\$274	\$436
1-3/16 x 60 x 13"	SKPSA6013-1	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	21.0#	\$281	\$443
1-3/16 x 66 x 13"	SKPSA6613-1	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	22.0#	\$287	\$448
1-3/16 x 72 x 13"	SKPSA7213-1	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	23.0#	\$290	\$450
1-3/16 x 78 x 13"	SKPSA7813-1	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	25.0#	\$303	\$465

- 1
- 2
- 3
- 4
- 5

HOW TO ORDER

Indicate the following information on the order form:


1. Quantity of each item.
2. Model Number, including options.
See "How to Build a Model Number."
3. Any special service required.

Note:

The indicates that a choice is required.
The absence of indicates that no choice is required

HOW TO BUILD A MODEL NUMBER

- 1 Select Basic Model.
- 2 Select Screen Location.
DAD -Dual Adder
DST -Dual Starter
SAD -Single Adder
SST -Single Starter
- 3 Select Powdercoat.
Refer to [Color Options](#)
- 4 Select End Cap Color.
Refer to [Color Options](#)
- 5 Select Acrylic Color.
Refer to [Color Options](#)



Single, Uninterrupted Screen Length

- Aluminum powdercoated screen runs along width of worksurface
- Tool rail features three slots for hang-on accessories
- Integral linking strip included
- Linking posts allow for perpendicular attachment of dividers, specified separately
- Bottom of privacy screen is flush with bottom of worksurface

D x W x H	Basic Model	Worksurface Edge	Screen Location	Paint Color	End Cap Color	Acrylic Color	Approx. Packaged Weight	Net Price Grade 1	Net Price Grade 2
1-3/16 x 24 x 13"	SKPSAT2413-1	□□□	□□□	□□	□□□	□□□	13.0#	\$212	\$253
1-3/16 x 30 x 13"	SKPSAT3013-1	□□□	□□□	□□	□□□	□□□	14.0#	\$226	\$281
1-3/16 x 36 x 13"	SKPSAT3613-1	□□□	□□□	□□	□□□	□□□	16.0#	\$232	\$305
1-3/16 x 42 x 13"	SKPSAT4213-1	□□□	□□□	□□	□□□	□□□	18.0#	\$265	\$360
1-3/16 x 48 x 13"	SKPSAT4813-1	□□□	□□□	□□	□□□	□□□	19.0#	\$267	\$361
1-3/16 x 54 x 13"	SKPSAT5413-1	□□□	□□□	□□	□□□	□□□	21.0#	\$321	\$500
1-3/16 x 60 x 13"	SKPSAT6013-1	□□□	□□□	□□	□□□	□□□	22.0#	\$328	\$510
1-3/16 x 66 x 13"	SKPSAT6613-1	□□□	□□□	□□	□□□	□□□	24.0#	\$337	\$517
1-3/16 x 72 x 13"	SKPSAT7213-1	□□□	□□□	□□	□□□	□□□	25.0#	\$341	\$520
1-3/16 x 78 x 13"	SKPSAT7813-1	□□□	□□□	□□	□□□	□□□	27.0#	\$363	\$544

- 1 2 3 4 5 6

HOW TO ORDER

Indicate the following information on the order form:


1. Quantity of each item.
2. Model Number, including options.
See "How to Build a Model Number."
3. Any special service required.

Note:

The □ indicates that a choice is required.
The absence of □ indicates that no choice is required

HOW TO BUILD A MODEL NUMBER

- 1 Select Basic Model.
- 2 Select Worksurface Edge Style.
74P -74P edge
- 3 Select Screen Location.
FLE -Fixed left end
FMI -Fixed middle
FRE -Fixed right end
- 4 Select Powdercoat.
Refer to [Color Options](#)
- 5 Select End Cap Color.
Refer to [Color Options](#)
- 6 Select Acrylic Color.
Refer to [Color Options](#)



Single, Uninterrupted Screen Length

- Aluminum powdercoated screen runs along width of worksurface
- Tool features three slots for hang-on accessories
- Integral linking strip included
- Linking posts allow for perpendicular attachment of dividers, specified separately
- Bottom of privacy screen is flush with bottom of worksurface

D x W x H	Basic Model	Screen Location	Paint Color	End Cap Color	Acrylic Color	Approx. Packaged Weight	Net Price Grade 1	Net Price Grade 2
1-3/16 x 24 x 19"	SKPSAT2419-1	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	15.0#	\$215	\$275
1-3/16 x 30 x 19"	SKPSAT3019-1	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	17.0#	\$235	\$319
1-3/16 x 36 x 19"	SKPSAT3619-1	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	19.0#	\$241	\$325
1-3/16 x 42 x 19"	SKPSAT4219-1	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	21.0#	\$275	\$406
1-3/16 x 48 x 19"	SKPSAT4819-1	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	22.0#	\$276	\$408
1-3/16 x 54 x 19"	SKPSAT5419-1	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	24.0#	\$378	\$696
1-3/16 x 60 x 19"	SKPSAT6019-1	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	26.0#	\$386	\$702
1-3/16 x 66 x 19"	SKPSAT6619-1	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	28.0#	\$394	\$710
1-3/16 x 72 x 19"	SKPSAT7219-1	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	30.0#	\$397	\$714
1-3/16 x 78 x 19"	SKPSAT7819-1	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	32.0#	\$417	\$734

- 1
2
3
4
5

HOW TO ORDER

Indicate the following information on the order form:


1. Quantity of each item.
2. Model Number, including options.
See "How to Build a Model Number."
3. Any special service required.

Note:

The indicates that a choice is required.
The absence of indicates that no choice is required

HOW TO BUILD A MODEL NUMBER

- 1 **Select Basic Model.**
- 2 **Select Screen Location.**
DAD -Dual Adder
DST -Dual Starter
SAD -Single Adder
SST -Single Starter
- 3 **Select Powdercoat.**
Refer to [Color Options](#)
- 4 **Select End Cap Color.**
Refer to [Color Options](#)
- 5 **Select Acrylic Color.**
Refer to [Color Options](#)



Single, Uninterrupted Screen Length

- Aluminum powdercoated screen runs along width of worksurface
- Standard top rail features one slot for hang-on accessories
- Integral linking strip included
- Linking posts allow for perpendicular attachment of dividers, specified separately
- Bottom of privacy screen is flush with bottom of worksurface

D x W x H	Basic Model	Screen Location	Paint Color	End Cap Color	Acrylic Color	Approx. Packaged Weight	Net Price Grade 1	Net Price Grade 2
1-3/16 x 24 x 19"	SKPSA2419-1	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	14.0#	\$239	\$316
1-3/16 x 30 x 19"	SKPSA3019-1	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	16.0#	\$252	\$346
1-3/16 x 36 x 19"	SKPSA3619-1	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	18.0#	\$284	\$430
1-3/16 x 42 x 19"	SKPSA4219-1	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	19.0#	\$292	\$438
1-3/16 x 48 x 19"	SKPSA4819-1	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	21.0#	\$293	\$438
1-3/16 x 54 x 19"	SKPSA5419-1	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	23.0#	\$404	\$756
1-3/16 x 60 x 19"	SKPSA6019-1	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	25.0#	\$412	\$762
1-3/16 x 66 x 19"	SKPSA6619-1	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	26.0#	\$418	\$769
1-3/16 x 72 x 19"	SKPSA7219-1	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	28.0#	\$420	\$773
1-3/16 x 78 x 19"	SKPSA7819-1	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	30.0#	\$435	\$787

- 1 2 3 4 5

HOW TO ORDER

Indicate the following information on the order form:

1. Quantity of each item.
2. Model Number, including options.
See "How to Build a Model Number."
3. Any special service required.

Note:


The indicates that a choice is required.
The absence of indicates that no choice is required

HOW TO BUILD A MODEL NUMBER

- 1 Select Basic Model.
- 2 Select Screen Location.
DAD -Dual Adder
DST -Dual Starter
SAD -Single Adder
SST -Single Starter
- 3 Select Powdercoat.
Refer to [Color Options](#)
- 4 Select End Cap Color.
Refer to [Color Options](#)
- 5 Select Acrylic Color.
Refer to [Color Options](#)

Above Worksurface Divider Screen

13" or 19" High w/Tool Rail and Framed Fabric Insert for Use on Perpendicular Worksurfaces



Single, Uninterrupted Screen Length

- Aluminum powdercoated screen runs perpendicular to privacy screen
- Bottom of divider screen rests on top of worksurface
- Attaches at end or intersection of privacy screen on one side and to worksurface edge on opposite side
- For use on perpendicular worksurfaces only
- Tool rail features three slots for hang-on accessories
- Integral linking strip included
- For use on Extended Corner, Return and Peninsula Worksurfaces

D x W x H	Basic Model	Worksurface Edge Style	Screen Location	Paint Color	End Cap Color	Approx. Packaged Weight	Net Price
1-3/16 x 60 x 13"	SKDSFT6013-1	□□□	□□	□□□	□□□	17.0#	\$287
1-3/16 x 66 x 13"	SKDSFT6613-1	□□□	□□	□□□	□□□	18.0#	\$306
1-3/16 x 72 x 13"	SKDSFT7213-1	□□□	□□	□□□	□□□	20.0#	\$308
1-3/16 x 78 x 13"	SKDSFT7813-1	□□□	□□	□□□	□□□	21.0#	\$336
1-3/16 x 60 x 19"	SKDSFT6019-1	□□□	□□	□□□	□□□	20.0#	\$344
1-3/16 x 66 x 19"	SKDSFT6619-1	□□□	□□	□□□	□□□	22.0#	\$355
1-3/16 x 72 x 19"	SKDSFT7219-1	□□□	□□	□□□	□□□	24.0#	\$365
1-3/16 x 78 x 19"	SKDSFT7819-1	□□□	□□	□□□	□□□	25.0#	\$385

- 1
- 2
- 3
- 4
- 5

HOW TO ORDER

Indicate the following information on the order form:
 1. Quantity of each item.
 2. Model Number, including options.
 See "How to Build a Model Number."
 3. Any special service required.


Note:
 The □ indicates that a choice is required.
 The absence of □ indicates that no choice is required

HOW TO BUILD A MODEL NUMBER

- 1 **Select Basic Model.**
- 2 **Select Worksurface Edge Style.**
74P -74P edge
- 3 **Select Screen Location.**
FLE -fixed left end
FMI -Fixed middle
FRE -Fixed right end
- 4 **Select Powdercoat.**
Refer to [Color Options](#)
- 5 **Select End Cap Color.**
Refer to [Color Options](#)

Above Worksurface Divider Screen

13" or 19" High with Framed Fabric Insert for Use on Perpendicular Worksurfaces



Single, Uninterrupted Screen Length

- Aluminum powdercoated screen runs perpendicular to privacy screen
- Bottom of divider screen rests on top of worksurface
- Attaches at end or intersection of privacy screen on one side and to worksurface edge on opposite side
- For use on perpendicular worksurfaces only
- Standard top rail features one slot for hang-on accessories
- Integral linking strip included
- For use on Extended Corner, Return and Peninsula Worksurfaces

D x W x H	Basic Model	Worksurface Edge Style	Screen Location	Paint Color	End Cap Color	Approx. Packaged Weight	Net Price
1-3/16 x 60 x 13"	SKDSF6013-1	□□□	□□□	□□	□□□	15.0#	\$296
1-3/16 x 66 x 13"	SKDSF6613-1	□□□	□□□	□□	□□□	16.0#	\$305
1-3/16 x 72 x 13"	SKDSF7213-1	□□□	□□□	□□	□□□	17.0#	\$314
1-3/16 x 78 x 13"	SKDSF7813-1	□□□	□□□	□□	□□□	18.0#	\$327
1-3/16 x 60 x 19"	SKDSF6019-1	□□□	□□□	□□	□□□	19.0#	\$384
1-3/16 x 66 x 19"	SKDSF6619-1	□□□	□□□	□□	□□□	20.0#	\$393
1-3/16 x 72 x 19"	SKDSF7219-1	□□□	□□□	□□	□□□	21.0#	\$403
1-3/16 x 78 x 19"	SKDSF7819-1	□□□	□□□	□□	□□□	23.0#	\$431

- 1
- 2
- 3
- 4
- 5

HOW TO ORDER

Indicate the following information on the order form:
 1. Quantity of each item.
 2. Model Number, including options.
 See "How to Build a Model Number."
 3. Any special service required.


Note:
 The □ indicates that a choice is required.
 The absence of □ indicates that no choice is required

HOW TO BUILD A MODEL NUMBER

- 1 **Select Basic Model.**
- 2 **Select Worksurface Edge Style.**
 74P -74P edge
- 3 **Select Screen Location.**
 FLE -Fixed left end
 FMI -Fixed middle
 FRE -Fixed right end
 SLE -Sliding left end
 SMI -Sliding middle
 SRE -Sliding right end
 FFL -Fixed freestanding left end
 FFM -Fixed freestanding middle
 FFR -Fixed freestanding right end
 Screen locations FFL, FFR and FFM are NOT available on 31" high screens.
- 4 **Select Powdercoat.**
 Refer to [Color Options](#)
- 5 **Select End Cap Color.**
 Refer to [Color Options](#)

Above Worksurface Divider Screen

13" or 19" High with Framed Acrylic Insert for Use on Perpendicular Worksurfaces



Single, Uninterrupted Screen Length

- Aluminum powdercoated screen runs perpendicular to privacy screen
- Bottom of divider screen rests on top of worksurface
- Attaches at end or intersection of privacy screen on one side and to worksurface edge on opposite side
- For use on perpendicular worksurfaces only
- Standard top rail features one slot for hang-on accessories
- Integral linking strip included
- For use on Extended Corner, Return and Peninsula Worksurfaces

D x W x H	Basic Model	Worksurface Edge Style	Screen Location	Paint Color	End Cap Color	Acrylic Color	Approx. Packaged Weight	Net Price Grade 1	Net Price Grade 2
1-3/16 x 60 x 13"	SKDSA6013-1	□□□	□□□	□□	□□□	□□□	17.0#	\$289	\$468
1-3/16 x 66 x 13"	SKDSA6613-1	□□□	□□□	□□	□□□	□□□	19.0#	\$299	\$478
1-3/16 x 72 x 13"	SKDSA7213-1	□□□	□□□	□□	□□□	□□□	20.0#	\$301	\$481
1-3/16 x 78 x 13"	SKDSA7813-1	□□□	□□□	□□	□□□	□□□	21.0#	\$314	\$495
1-3/16 x 60 x 19"	SKDSA6019-1	□□□	□□□	□□	□□□	□□□	22.0#	\$392	\$743
1-3/16 x 66 x 19"	SKDSA6619-1	□□□	□□□	□□	□□□	□□□	23.0#	\$400	\$753
1-3/16 x 72 x 19"	SKDSA7219-1	□□□	□□□	□□	□□□	□□□	25.0#	\$404	\$756
1-3/16 x 78 x 19"	SKDSA7819-1	□□□	□□□	□□	□□□	□□□	26.0#	\$418	\$769

- 1
- 2
- 3
- 4
- 5
- 6

HOW TO ORDER

Indicate the following information on the order form:

1. Quantity of each item.
2. Model Number, including options.
See "How to Build a Model Number."
3. Any special service required.

Note:


The □ indicates that a choice is required.
The absence of □ indicates that no choice is required

HOW TO BUILD A MODEL NUMBER

- 1 Select Basic Model.
- 2 Select Worksurface Edge Style.
74P -74P edge
- 3 Select Screen Location.
FLE -Fixed left end
FMI -Fixed middle
FRE -Fixed right end
- 4 Select Powdercoat.
Refer to [Color Options](#)
- 5 Select End Cap Color.
Refer to [Color Options](#)
- 6 Select Acrylic Color.
Refer to [Color Options](#)

Above Worksurface Divider Screen

13" or 19" High with Tool Rail and Framed Acrylic Insert for Use on Perpendicular Worksurfaces



Single, Uninterrupted Screen Length

- Aluminum powdercoated screen runs perpendicular to privacy screen
- Bottom of divider screen rests on top of worksurface
- Attaches at end or intersection of privacy screen on one side and to worksurface
- For use on perpendicular worksurfaces only
- Tool rail features three slots for hang-on accessories
- Integral linking strip included
- For use on Extended Corner, Return and Peninsula Worksurfaces

D x W x H	Basic Model	Worksurface Edge Style	Screen Location	Paint Color	End Cap Color	Acrylic Color	Approx. Packaged Weight	Net Price Grade 1	Net Price Grade 2
1-3/16 x 60 x 13"	SKDSAT6013-1	□□□	□□□	□□	□□□	□□□	19.0#	\$309	\$488
1-3/16 x 66 x 13"	SKDSAT6613-1	□□□	□□□	□□	□□□	□□□	20.0#	\$322	\$501
1-3/16 x 72 x 13"	SKDSAT7213-1	□□□	□□□	□□	□□□	□□□	22.0#	\$325	\$504
1-3/16 x 78 x 13"	SKDSAT7813-1	□□□	□□□	□□	□□□	□□□	23.0#	\$345	\$525
1-3/16 x 60 x 19"	SKDSAT6019-1	□□□	□□□	□□	□□□	□□□	23.0#	\$407	\$759
1-3/16 x 66 x 19"	SKDSAT6619-1	□□□	□□□	□□	□□□	□□□	25.0#	\$420	\$772
1-3/16 x 72 x 19"	SKDSAT7219-1	□□□	□□□	□□	□□□	□□□	27.0#	\$423	\$776
1-3/16 x 78 x 19"	SKDSAT7819-1	□□□	□□□	□□	□□□	□□□	29.0#	\$444	\$796

- 1
- 2
- 3
- 4
- 5
- 6

HOW TO ORDER

Indicate the following information on the order form:


1. Quantity of each item.
2. Model Number, including options.
See "How to Build a Model Number."
3. Any special service required.

Note:

The □ indicates that a choice is required.
The absence of □ indicates that no choice is required

HOW TO BUILD A MODEL NUMBER


- 1 Select Basic Model.
- 2 Select Worksurface Edge Style.
74P -74P edge
- 3 Select Screen Location.
FLE -Fixed left end
FMI -Fixed middle
FRE -Fixed right end
- 4 Select Powdercoat.
Refer to [Color Options](#)
- 5 Select End Cap Color.
Refer to [Color Options](#)
- 6 Select Acrylic Color.
Refer to [Color Options](#)



Top Data Infeed for 29" Height - Single Sided, Left

- Attaches to outer side of leg at seated user's left
- Provides distribution channel for data cables from ceiling to table
- Includes 10-foot aluminum pole
- Single mounting bracket included


W x D x H	Basic Model	Paint Color	Approx. Packaged Weight	Net Price
120"	CZBTDF1L	<input type="checkbox"/>	9.0#	\$156



Top Data Infeed for 29" Height - Single Sided, Right

- Attaches to outer side of leg at seated user's right
- Provides distribution channel for data cables from ceiling to table
- Includes 10-foot aluminum pole
- Single mounting bracket included

120"	CZBTDF1R	<input type="checkbox"/>	9.0#	\$156



Top Data Infeed for 29" Height - Dual Sided Applications

- Attaches to outer side of leg on either side of worksurface
- Provides distribution channel for data cables from ceiling to table
- Includes 10-foot aluminum pole
- Dual mounting bracket included

120"	CZBTDF2	<input type="checkbox"/>	9.0#	\$165

1

2

HOW TO ORDER

Indicate the following information on the order form:


1. Quantity of each item.
2. Model Number, including options.
See "How to Build a Model Number."
3. Any special service required.

Note:

The indicates that a choice is required.
The absence of indicates that no choice is required

HOW TO BUILD A MODEL NUMBER

- 1 **Select Basic Model.**
- 2 **Select Powdercoat.**
Refer to [Color Options](#)



Steel Modesty Panel

- Steel modesty panel features perforated pattern of 1/4" diameter holes at 3/4" center-to-center spacing
- 14 gauge powdercoated steel
- Reveal of approximately 1" is present between panel and leg
- Assembly includes panel, brackets and mounting screws
- For use on 29" assemblies

W x H	Basic Model	Paint Color	Approx. Packaged Weight	Net Price
18-1/2 x 10"	CZBMP24	<input type="checkbox"/>	6.0#	\$91
24-1/2 x 10"	CZBMP30	<input type="checkbox"/>	7.0#	\$98
30-1/2 x 10"	CZBMP36	<input type="checkbox"/>	9.0#	\$104
36-1/2 x 10"	CZBMP42	<input type="checkbox"/>	10.0#	\$110
42-1/2 x 10"	CZBMP48	<input type="checkbox"/>	11.0#	\$128
48-1/2 x 10"	CZBMP54	<input type="checkbox"/>	13.0#	\$137
54-1/2 x 10"	CZBMP60	<input type="checkbox"/>	14.0#	\$147
58-1/2 x 10"	CZBMP64	<input type="checkbox"/>	15.0#	\$149
60-1/2 x 10"	CZBMP66	<input type="checkbox"/>	16.0#	\$162
66-1/2 x 10"	CZBMP72	<input type="checkbox"/>	17.0#	\$169
72-1/2 x 10"	CZBMP78	<input type="checkbox"/>	18.0#	\$176
78-1/2 x 10"	CZBMP84	<input type="checkbox"/>	19.0#	\$184
84-1/2 x 10"	CZBMP90	<input type="checkbox"/>	20.0#	\$188
90-1/2 x 10"	CZBMP96	<input type="checkbox"/>	22.0#	\$199

1

2

HOW TO ORDER

Indicate the following information on the order form:


1. Quantity of each item.
2. Model Number, including options.
See "How to Build a Model Number."
3. Any special service required.

Note:

The indicates that a choice is required.
The absence of indicates that no choice is required

HOW TO BUILD A MODEL NUMBER

- 1 **Select Basic Model.**
- 2 **Select Powdercoat.**
Refer to [Color Options](#)



Wire Access Covers for Single-Sided 29"

High Applications

- Steel cover assembly attaches to beam for added cord management in non-powered single-sided applications
- Included in standard single-frame powered table applications
- For 29" H single-sided frame assemblies only

W	Basic Model	Paint Color	Approx. Packaged Weight	Net Price
36"	CZBWAC36	<input type="checkbox"/>	4.0#	\$36
42"	CZBWAC42	<input type="checkbox"/>	5.2#	\$45
48"	CZBWAC48	<input type="checkbox"/>	5.9#	\$39
54"	CZBWAC54	<input type="checkbox"/>	6.8#	\$46
60"	CZBWAC60	<input type="checkbox"/>	7.2#	\$45
64"	CZBWAC64	<input type="checkbox"/>	7.6#	\$62
66"	CZBWAC66	<input type="checkbox"/>	8.0#	\$62
72"	CZBWAC72	<input type="checkbox"/>	9.1#	\$47
78"	CZBWAC78	<input type="checkbox"/>	9.2#	\$71
84"	CZBWAC84	<input type="checkbox"/>	10.4#	\$78
90"	CZBWAC90	<input type="checkbox"/>	11.1#	\$72
96"	CZBWAC96	<input type="checkbox"/>	11.8#	\$66

1

2

HOW TO ORDER

Indicate the following information on the order form:


1. Quantity of each item.
2. Model Number, including options.
See "How to Build a Model Number."
3. Any special service required.

Note:

The indicates that a choice is required.
The absence of indicates that no choice is required


HOW TO BUILD A MODEL NUMBER

- 1 Select Basic Model.
- 2 Select Powdercoat.
Refer to [Color Options](#)



Cable Tray Assemblies

- Included in standard dual frame model numbers
- Cable tray assembly attaches to beams under power harness to manage cords
- For use with dual-sided applications only
- Supports hard-wired or plug-and-play applications
- 48-72" assemblies feature a single tray
- 78-96" applications feature two side-by-side trays
- Not for use on Teaming Tables



Dual Adder Leg Cable Riser

- Cable riser conceals power cords at any intermediate/adder leg location
- Riser consists of front and rear panels with support hook
- Panels fit between vertical legs and extend the entire width of leg opening extend the entire width of leg opening to create enclosure
- For use on 29" intermediate/adder leg in dual-sided applications only

W x H	Basic Model	Paint Color	Approx. Packaged Weight	Net Price
12-5/8 x 28"	CZBCT36	<input type="checkbox"/>	8.0#	\$111
12-5/8 x 34"	CZBCT42	<input type="checkbox"/>	9.0#	\$113
12-5/8 x 40"	CZBCT48	<input type="checkbox"/>	10.0#	\$114
12-5/8 x 46"	CZBCT54	<input type="checkbox"/>	11.0#	\$116
12-5/8 x 52"	CZBCT60	<input type="checkbox"/>	12.0#	\$142
12-5/8 x 58"	CZBCT64	<input type="checkbox"/>	13.0#	\$143
12-5/8 x 58"	CZBCT66	<input type="checkbox"/>	14.0#	\$143
12-5/8 x 64"	CZBCT72	<input type="checkbox"/>	15.0#	\$146
12-5/8 x 70"	CZBCT78	<input type="checkbox"/>	17.0#	\$195
12-5/8 x 76"	CZBCT84	<input type="checkbox"/>	18.0#	\$205
12-5/8 x 82"	CZBCT90	<input type="checkbox"/>	19.0#	\$212
12-5/8 x 88"	CZBCT96	<input type="checkbox"/>	20.0#	\$221
	CZBDACR	<input type="checkbox"/>	5.0#	\$119

1

2

HOW TO ORDER

Indicate the following information on the order form:

1. Quantity of each item.
2. Model Number, including options.
See "How to Build a Model Number."
3. Any special service required.

Note:

The indicates that a choice is required.
The absence of indicates that no choice is required

HOW TO BUILD A MODEL NUMBER

- 1 Select Basic Model.
- 2 Select Powdercoat.
Refer to [Color Options](#)

NO IMAGE
AVAILABLE

Freestanding Base (Retrofit or Replacement)

Basic Model	Color	Approx. Packaged Weight	Net Price
CZBTLBASE	□□	5.0#	\$57

NO IMAGE
AVAILABLE

Tool Rail Mount Base (Retrofit or Replacement)

Basic Model	Color	Approx. Packaged Weight	Net Price
CZBTLTOOL	□□	1.0#	\$53

1

2


HOW TO ORDER

Indicate the following information on the order form:
 1.Quantity of each item.
 2.Model Number, including options.
 See "How to Build a Model Number."
 3.Any special service required.

Note:
 The □ indicates that a choice is required.
 The absence of □ indicates that no choice is required


HOW TO BUILD A MODEL NUMBER

- 1 Select Basic Model.
- 2 Select Color.
 Refer to [Color Options](#)



Asymmetrical LED Task Light with Free-standing Base

- Includes light and base
- Asymmetrical illumination projects 98 foot-candles on the desktop approximately one foot in front of the light head
- Standard occupancy sensor shuts off after 30 minutes of inactivity
- 4.2 watts energy consumption
- 7 LEDs
- 13" arm
- Continuous touch and hold dimming from 100% to 15%
- Aluminum, zinc and plastic construction
- 15 watt wall transformer with 9 foot cord
- 4 foot silver cord with quick connector
- UL compliant
- 5-1/4" square base; 1" high
- 3.7 x 3.1" light paddle



Asymmetrical LED Task Light with Small Divider Mount Clamp

- Includes light and mount with 1/4" to 3/8" thickness range
- Asymmetrical illumination projects 98 foot-candles on the desktop approximately one foot in front of the light head
- Standard occupancy sensor shuts off after 30 minutes of inactivity
- 4.2 watts energy consumption
- 7 LEDs
- 10" arm
- Continuous touch and hold dimming from 100% to 15%
- Aluminum, zinc and plastic construction
- 15 watt wall transformer with 9 foot cord
- 4 foot silver cord with quick connector
- UL compliant
- 3.7 x 3.1" light paddle
- Appropriate for StyleLinks frameless privacy screens

Basic Model	Color	Approx. Packaged Weight	Net Price
LEDTL4WF	□□	6.0#	\$248
LEDTL4WDSM	□□	2.0#	\$239

1

2

HOW TO ORDER

Indicate the following information on the order form:

1. Quantity of each item.
2. Model Number, including options.
See "How to Build a Model Number."
3. Any special service required.

Note:

The □ indicates that a choice is required.
The absence of □ indicates that no choice is required

HOW TO BUILD A MODEL NUMBER

- 1 Select Basic Model.
- 2 Select Powdercoat.
Refer to [Color Options](#)

NO IMAGE
AVAILABLE

Freestanding Base

- For replacement or retrofit

NO IMAGE
AVAILABLE

Small Divider Mount

- 1/4" to 3/8" thickness range
- For replacement or retrofit

NO IMAGE
AVAILABLE

Large Divider Mount

- 1/2" to 1-1/2" thickness range
- For replacement or retrofit

Basic Model	Color	Approx. Packaged Weight	Net Price
LEDTLBASE	<input type="checkbox"/>	5.0#	\$55
LEDTLMTSM	<input type="checkbox"/>	1.0#	\$52
LEDTLMTLG	<input type="checkbox"/>	1.0#	\$52

1

2

HOW TO ORDER

Indicate the following information on the order form:




1. Quantity of each item.
2. Model Number, including options.
See "How to Build a Model Number."
3. Any special service required.

Note:

The indicates that a choice is required.
The absence of indicates that no choice is required

HOW TO BUILD A MODEL NUMBER

- 1 Select Basic Model.
- 2 Select Powdercoat.
Refer to [Color Options](#)

	W x D x H	Basic Model	Powdercoat Color	Approx. Packaged Weight	Net Price
 <p>Paper Tray</p> <ul style="list-style-type: none"> • Steel construction • Accepts letter sized papers • Suspends from screen top rail or tool rail 	11-3/8 x 8-7/8 x 1-5/8"	CZBPML	<input type="checkbox"/>	3.0#	\$34
 <p>Pencil Holder</p> <ul style="list-style-type: none"> • Steel construction • Suspends from screen top rail or tool rail 	2-1/4 X 1-5/8 X 4-3/4"	CZBPMP	<input type="checkbox"/>	0.5#	\$21
 <p>Box</p> <ul style="list-style-type: none"> • Steel construction • Suspends from screen top rail or tool rail 	3 x 3-1/2 x 3"	CZBPMB	<input type="checkbox"/>	0.5#	\$21
		1	2		

HOW TO ORDER

Indicate the following information on the order form:
 1. Quantity of each item.
 2. Model Number, including options.
 See "How to Build a Model Number."
 3. Any special service required.



Note:
 The indicates that a choice is required.
 The absence of indicates that no choice is required

HOW TO BUILD A MODEL NUMBER

- 1 Select Basic Model.**
- 2 Select Powdercoat.**
 Refer to [Color Options](#)

Single-Sided Rectilinear Worksurfaces 42" Height

24" Deep, 6-2-2 Powered, with Modesty Panel and Single Power Harness for use with Café Height Frames

	D x W	Basic Model	Grommet Location	Grommet Color	Powdercoat Color	Approx. Packaged Weight	Net Price
Single-Sided Applications with One Cutout Option <ul style="list-style-type: none"> Support frames are specified separately 42" assembled height Center grommet option only Features perforated steel modesty panel Single power harness included; receptacles, infeeds and table-to-table jumpers must be specified separately Single power harness accommodates up to two receptacles See grommet locations below Villa Power Module cannot be installed in LH or RH cutouts of StyleLinks powered single-sided tables 	24 x 48"	SKBCWR2448S1MP	C	□□□	□□	21.0#	\$417
	24 x 54"	SKBCWR2454S1MP	C	□□□	□□	28.0#	\$467
Single-Sided Applications with One or Two Cutout Options <ul style="list-style-type: none"> Support frames are specified separately 42" assembled height L and R grommet locations are centered for two users Features perforated steel modesty panel Single power harness included; receptacles, infeeds and table-to-table jumpers must be specified separately Single power harness accommodates up to two receptacles See grommet locations below Villa Power Module cannot be installed in LH or RH cutouts of StyleLinks powered single-sided tables 	24 x 60"	SKBCWR2460S1MP	□□□	□□□	□□	30.0#	\$504
	24 x 72"	SKBCWR2472S1MP	□□□	□□□	□□	34.0#	\$589
			1	2	3	4	

HOW TO ORDER

Indicate the following information on the order form:

- Quantity of each item.
- Model Number, including options.
See "How to Build a Model Number."
- Any special service required.

Note:

The □ indicates that a choice is required.
The absence of □ indicates that no choice is required

HOW TO BUILD A MODEL NUMBER


- Select Basic Model.**
- Select Grommet Location.**
 - N - No Grommet
 - L - Grommet:Left; **add \$12**
 - C - Grommet:Center; **add \$12**
 - R - Grommet:Right; **add \$12**
 - LR - Grommet:Left/right; **add \$24**
 - LCR - Grommet:Left/center/right; **add \$36**

N - Pick for all models
C - Pick for all models
L - Pick only for models 60" and longer
R - Pick only for models 60" and longer
LR - Pick only for models 60" and longer
LCR - Pick only for models 90" and longer
- Select Grommet Color.**
Refer to [Color Options](#)
- Select Modesty Panel & Wire Access Cover Powdercoat Finish.**
Refer to [Color Options](#)

Single-Sided Rectilinear Worksurfaces 42" Height


24" Deep, 6-2-2 Powered, with Modesty Panel and Double Power Harness for use with Café Height Frames

STYLELINKS®



Single-Sided Applications with One or Two Cutout Options

- Support frames are specified separately
- 42" assembled height
- L and R grommet locations are centered for two users
- Features perforated steel modesty panel
- Double power harness included; receptacles, infeeds and table-to-table jumpers are specified separately
- Double power harness accommodates up to four receptacles
- See grommet locations below
- Villa Power Module cannot be installed in LH or RH cutouts of StyleLinks powered single-sided tables



Single-Sided Applications with One, Two or Three Cutout Options

- Support frames are specified separately
- 42" assembled height
- C and LCR grommet locations are centered for three users
- L, R and LR grommet locations are centered for two users
- Features perforated steel modesty panel
- Double power harness included; receptacles, infeeds and table-to-table jumpers must be specified separately
- Double power harness accommodates up to four receptacles
- See grommet locations below
- Villa Power Module cannot be installed in LH or RH cutouts of StyleLinks powered single-sided tables

D x W	Basic Model	Grommet Location	Grommet Color	Powdercoat Color	Approx. Packaged Weight	Net Price
24 x 60"	SKBCWR2460D1MP	□□□	□□□	□□	30.0#	\$600
24 x 64"	SKBCWR2464D1MP	□□□	□□□	□□	31.0#	\$625
24 x 66"	SKBCWR2466D1MP	□□□	□□□	□□	31.0#	\$643
24 x 72"	SKBCWR2472D1MP	□□□	□□□	□□	34.0#	\$664
24 x 78"	SKBCWR2478D1MP	□□□	□□□	□□	36.0#	\$687
24 x 84"	SKBCWR2484D1MP	□□□	□□□	□□	38.0#	\$702
24 x 90"	SKBCWR2490D1MP	□□□	□□□	□□	41.0#	\$727
24 x 96"	SKBCWR2496D1MP	□□□	□□□	□□	42.0#	\$745

1 2 3 4

HOW TO ORDER

Indicate the following information on the order form:




1. Quantity of each item.
2. Model Number, including options.
See "How to Build a Model Number."
3. Any special service required.

Note:

The □ indicates that a choice is required.
The absence of □ indicates that no choice is required

HOW TO BUILD A MODEL NUMBER

- 1 Select Basic Model.
- 2 Select Grommet Location.
N - No Grommet
L - Grommet: Left; add \$12
C - Grommet: Center; add \$12
R - Grommet: Right; add \$12
LR - Grommet: Left/right; add \$24
LCR - Grommet: Left/center/right; add \$36
N - Pick for all models
C - Pick for all models
L - Pick only for models 60" and longer
R - Pick only for models 60" and longer
LR - Pick only for models 60" and longer
LCR - Pick only for models 90" and longer
- 3 Select Grommet Color.
Refer to [Color Options](#)
- 4 Select Modesty Panel & Wire Access Cover
Powdercoat Finish.
Refer to [Color Options](#)

	D x W	Basic Model	Grommet Location	Grommet Color	Powdercoat Color	Approx. Packaged Weight	Net Price
 <p>Single-Sided Applications with One Cutout Option</p> <ul style="list-style-type: none"> Support frames are specified separately 42" assembled height C grommet option only Features perforated steel modesty panel Unpowered See grommet locations below 	30 x 48	SKBCWR30481MP	C	□□□	□□	16.0#	\$340
	30 x 54	SKBCWR30541MP	C	□□□	□□	18.0#	\$380
 <p>Single-Sided Applications with One or Two Cutout Options</p> <ul style="list-style-type: none"> Support frames are specified separately 42" assembled height L and R grommet locations are centered for two users Unpowered Features perforated steel modesty panel See grommet locations below 	30 x 60	SKBCWR30601MP	□□□	□□□	□□	19.0#	\$392
	30 x 64	SKBCWR30641MP	□□□	□□□	□□	20.0#	\$436
	30 x 66	SKBCWR30661MP	□□□	□□□	□□	21.0#	\$465
	30 x 72	SKBCWR30721MP	□□□	□□□	□□	23.0#	\$474
	30 x 78	SKBCWR30781MP	□□□	□□□	□□	24.0#	\$516
	30 x 84	SKBCWR30841MP	□□□	□□□	□□	25.0#	\$525
 <p>Single-Sided Applications with One, Two or Three Cutout Options</p> <ul style="list-style-type: none"> Support frames are specified separately 42" assembled height C and LCR grommet locations are centered for three users L, R and LR grommet locations are centered for two users Unpowered Features perforated steel modesty panel See grommet locations below 	30 x 90	SKBCWR30901MP	□□□	□□□	□□	27.0#	\$531
	30 x 96	SKBCWR30961MP	□□□	□□□	□□	29.0#	\$544

1

2

3

4

HOW TO ORDER

Indicate the following information on the order form:

- Quantity of each item.
- Model Number, including options.
See "How to Build a Model Number."
- Any special service required.

Note:

The □ indicates that a choice is required.
The absence of □ indicates that no choice is required


HOW TO BUILD A MODEL NUMBER

- Select Basic Model.**
- Select Grommet Location.**
 - N - No Grommet
 - L - Grommet:Left; **add \$12**
 - C - Grommet:Center; **add \$12**
 - R - Grommet:Right; **add \$12**
 - LR - Grommet:Left/right; **add \$24**
 - LCR - Grommet:Left/center/right; **add \$36**

N - Pick for all models
C - Pick for all models
L - Pick only for models 60" and longer
R - Pick only for models 60" and longer
LR - Pick only for models 60" and longer
LCR - Pick only for models 90" and longer
- Select Grommet Color.**
Refer to [Color Options](#)
- Select Modesty Panel Powdercoat Finish.**
Refer to [Color Options](#)

Single-Sided Rectilinear Worksurfaces 42" Height


30" Deep, 6-2-2 Powered, with Modesty Panel and Single Power Harness for use with Café Height Frames



Single-Sided Applications with One

Cutout Option

- Support frames are specified separately
- 42" assembled height
- Center grommet option only
- Features perforated steel modesty panel
- Single power harness included; receptacles, infeeds and table-to-table jumpers must be specified separately
- Single power harness accommodates up to two receptacles
- See grommet locations below
- Villa Power Module cannot be installed in LH or RH cutouts of StyleLinks powered single-sided tables



Single-Sided Applications with One or Two Cutout Options

- Support frames are specified separately
- 42" assembled height
- L and R grommet locations are centered for two users
- Features perforated steel modesty panel
- Single power harness included; receptacles, infeeds and table-to-table jumpers must be specified separately
- Single power harness accommodates up to two receptacles
- See grommet locations below
- Villa Power Module cannot be installed in LH or RH cutouts of StyleLinks powered single-sided tables

D x W	Basic Model	Grommet Location	Grommet Color	Powdercoat Color	Approx. Packaged Weight	Net Price
30 x 48"	SKBCWR3048S1MP	C	□□□	□□	25.0#	\$440
30 x 54"	SKBCWR3054S1MP	C	□□□	□□	28.0#	\$485
30 x 60"	SKBCWR3060S1MP	□□□	□□□	□□	30.0#	\$523
30 x 72"	SKBCWR3072S1MP	□□□	□□□	□□	35.0#	\$636

- 1
- 2
- 3
- 4

HOW TO ORDER

Indicate the following information on the order form:

1. Quantity of each item.
2. Model Number, including options.
See "How to Build a Model Number."
3. Any special service required.

Note:

The □ indicates that a choice is required.
The absence of □ indicates that no choice is required


HOW TO BUILD A MODEL NUMBER

- 1 **Select Basic Model.**
- 2 **Select Grommet Location.**
 N - No Grommet
 L - Grommet:Left; **add \$12**
 C - Grommet:Center; **add \$12**
 R - Grommet:Right; **add \$12**
 LR - Grommet:Left/right; **add \$24**
 LCR - Grommet:Left/center/right; **add \$36**
 N - Pick for all models
 C - Pick for all models
 L - Pick only for models 60" and longer
 R - Pick only for models 60" and longer
 LR - Pick only for models 60" and longer
 LCR - Pick only for models 90" and longer
- 3 **Select Grommet Color.**
Refer to [Color Options](#)
- 4 **Select Modesty Panel & Wire Access Cover Powdercoat Finish.**
Refer to [Color Options](#)

Single-Sided Rectilinear Worksurfaces 42" Height


30" Deep, 6-2-2 Powered, with Modesty Panel and Single Power Harness for use with Café Height Frames

STYLELINKS®



Single-Sided Applications with One or Two Cutout Options

- Support frames are specified separately
- 42" assembled height
- L and R grommet locations are centered for two users
- Features perforated steel modesty panel
- Double power harness included; receptacles, infeeds and table-to-table jumpers must be specified separately
- Double power harness accommodates up to four receptacles
- See grommet locations below
- Villa Power Module cannot be installed in LH or RH cutouts of StyleLinks powered single-sided tables



Single-Sided Applications with One, Two or Three Cutout Options

- Support frames are specified separately
- 42" assembled height
- C and LCR grommet locations are centered for three users
- L, R and LR grommet locations are centered for two users
- Features perforated steel modesty panel
- Single power harness accommodates up to two receptacles
- Double power harness included; receptacles, infeeds and table-to-table jumpers are specified separately
- Double power harness accommodates up to four receptacles
- See grommet locations below
- Villa Power Module cannot be installed in LH or RH cutouts of StyleLinks powered single-sided tables

D x W	Basic Model	Grommet Location	Grommet Color	Powdercoat Color	Approx. Packaged Weight	Net Price
30 x 60"	SKBCWR3060D1MP	□□□	□□□	□□	30.0#	\$618
30 x 64"	SKBCWR3064D1MP	□□□	□□□	□□	32.0#	\$653
30 x 66"	SKBCWR3066D1MP	□□□	□□□	□□	32.0#	\$684
30 x 72"	SKBCWR3072D1MP	□□□	□□□	□□	35.0#	\$713
30 x 78"	SKBCWR3078D1MP	□□□	□□□	□□	37.0#	\$745
30 x 84"	SKCBWR3084D1MP	□□□	□□□	□□	38.0#	\$760
30 x 90"	SKBCWR3090D1MP	□□□	□□□	□□	42.0#	\$774
30 x 92"	SKBCWR3096D1MP	□□□	□□□	□□	45.0#	\$792

1 2 3 4

HOW TO ORDER

Indicate the following information on the order form:


1. Quantity of each item.
2. Model Number, including options.
See "How to Build a Model Number."
3. Any special service required.

Note:

The □ indicates that a choice is required.
The absence of □ indicates that no choice is required


HOW TO BUILD A MODEL NUMBER

- 1 Select Basic Model.
- 2 Select Grommet Location.
N - No Grommet
L - Grommet:Left; add \$12
C - Grommet:Center; add \$12
R - Grommet:Right; add \$12
LR - Grommet:Left/right; add \$24
LCR - Grommet:Left/center/right; add \$36
N - Pick for all models
C - Pick for all models
L - Pick only for models 60" and longer
R - Pick only for models 60" and longer
LR - Pick only for models 60" and longer
LCR - Pick only for models 90" and longer
- 3 Select Grommet Color.
Refer to [Color Options](#)
- 4 Select Modesty Panel & Wire Access Cover
Powdercoat Finish.
Refer to [Color Options](#)



One Cutout Option

- Specify only with 24" fixed café height frames, specified separately
- 9" clearance between modesty panel and edge of worksurface and is intended for standing approach only
- Features modesty panels along width dimensions on both sides
- Center grommet option only
- Unpowered
- See grommet locations below



One or Two Cutout Options

- Specify only with 24" fixed café height frames, specified separately
- 9" clearance between modesty panel and edge of worksurface and is intended for standing approach only
- Features modesty panels along width dimensions on both sides
- LR grommet locations are centered for two users
- Unpowered
- See grommet locations below

D x W	Basic Model	Grommet Location	Grommet Color	Powdercoat Color	Approx. Packaged Weight	Net Price
42 x 48"	SKBCWR4248TMP	C	□□□	□□	28.0#	\$500
42 x 54"	SKBCWR4254TMP	C	□□□	□□	32.0#	\$551
42 x 60"	SKBCWR4260TMP	□□□	□□□	□□	34.0#	\$578
42 x 66"	SKBCWR4266TMP	□□□	□□□	□□	37.0#	\$667
42 x 72"	SKBCWR4272TMP	□□□	□□□	□□	40.0#	\$687
42 x 78"	SKBCWR4278TMP	□□□	□□□	□□	43.0#	\$741
42 x 84"	SKBCWR4284TMP	□□□	□□□	□□	47.0#	\$759

- ① ② ③ ④

HOW TO ORDER


Indicate the following information on the order form:
 1. Quantity of each item.
 2. Model Number, including options.
 See "How to Build a Model Number."
 3. Any special service required.

Note:
 The □ indicates that a choice is required.
 The absence of □ indicates that no choice is required

HOW TO BUILD A MODEL NUMBER

- Select Basic Model.**
- Select Grommet Location.**
 N - No Grommet
 L - Grommet:Left; **add \$12**
 C - Grommet:Center; **add \$12**
 R - Grommet:Right; **add \$12**
 LR - Grommet:Left/right; **add \$24**
 LCR - Grommet:Left/center/right; **add \$36**
 N - Pick for all models
 C - Pick for all models
 L - Pick only for models 60" and longer
 R - Pick only for models 60" and longer
 LR - Pick only for models 60" and longer
 LCR - Pick only for models 90" and longer

- Select Grommet Color.**
 Refer to [Color Options](#)
- Select Cable Tray Powdercoat Finish.**
 Refer to [Color Options](#)



One, Two or Three Cutout Options

- Specify only with 24" fixed café height frames, specified separately
- 9" clearance between modesty panel and edge of worksurface and is intended for standing approach only
- Features modesty panels along width dimensions on both sides
- C and LCR grommet locations are centered for three users
- LR grommet locations are centered for two users
- Unpowered
- See grommet locations below

D x W	Basic Model	Grommet Location	Grommet Color	Powdercoat Color	Approx. Packaged Weight	Net Price
42 x 90"	SKBCWR4290TMP	□□□	□□□	□□	49.0#	\$769
42 x 96"	SKBCWR4296TMP	□□□	□□□	□□	52.0#	\$792

1 2 3 4

HOW TO ORDER

Indicate the following information on the order form:
 1. Quantity of each item.
 2. Model Number, including options.
 See "How to Build a Model Number."
 3. Any special service required.

Note:
 The □ indicates that a choice is required.
 The absence of □ indicates that no choice is required



HOW TO BUILD A MODEL NUMBER

- Select Basic Model.**
 - Select Grommet Location.**
 - N - No Grommet
 - L - Grommet: Left; **add \$12**
 - C - Grommet: Center; **add \$12**
 - R - Grommet: Right; **add \$12**
 - LR - Grommet: Left/right; **add \$24**
 - LCR - Grommet: Left/center/right; **add \$36**
- N - Pick for all models
 C - Pick for all models
 L - Pick only for models 60" and longer
 R - Pick only for models 60" and longer
 LR - Pick only for models 60" and longer
 LCR - Pick only for models 90" and longer

- Select Grommet Color.**
 Refer to [Color Options](#)
- Select Cable Tray Powdercoat Finish.**
 Refer to [Color Options](#)

Teaming Rectilinear Worksurfaces 42" Height

42" Deep, 6-2-2 Powered with Single Power Harness and Two Modesty Panels for use with Café Height Frames

	D x W	Basic Model	Grommet Location	Grommet Color	Powdercoat Color	Approx. Packaged Weight	Net Price	
 <p>One Cutout Options</p> <ul style="list-style-type: none"> Specify only with 24" fixed café height frames, specified separately 9" clearance between modesty panel and edge of worksurface and is intended for standing approach only Features modesty panels along width dimensions on both sides Single power harness included; receptacles, infeeds and table-to-table jumpers are specified separately Single power harness accommodates up to two receptacles Center grommet option only See grommet locations below 	42 x 48"	SKBCWR4248STMP	C	□□□	□□	35.0#	\$601	
	42 x 54"	SKBCWR4254STMP	C	□□□	□□	40.0#	\$657	
 <p>One or Two Cutout Options</p> <ul style="list-style-type: none"> Specify only with 24" fixed café height frames, specified separately 9" clearance between modesty panel and edge of worksurface and is intended for standing approach only Features modesty panels along width dimensions on both sides Single power harness included; receptacles, infeeds and table-to-table jumpers are specified separately Single power harness accommodates up to two receptacles LR grommet locations are centered for two users See grommet locations below 	42 x 60"	SKBCWR4260STMP	□□□	□□□	□□	43.0#	\$708	
	42 x 72"	SKBCWR4272STMP	□□□	□□□	□□	50.0#	\$849	

- 1
- 2
- 3
- 4

HOW TO ORDER

Indicate the following information on the order form:

- Quantity of each item.
- Model Number, including options.
See "How to Build a Model Number."
- Any special service required.

Note:

The □ indicates that a choice is required.
The absence of □ indicates that no choice is required



HOW TO BUILD A MODEL NUMBER

- Select Basic Model.**
 - Select Grommet Location.**
 - N - No Grommet
 - L - Grommet:Left; **add \$12**
 - C - Grommet:Center; **add \$12**
 - R - Grommet:Right; **add \$12**
 - LR - Grommet:Left/right; **add \$24**
 - LCR - Grommet:Left/center/right; **add \$36**
 - Select Grommet Color.**
Refer to [Color Options](#)
 - Select Power Channel & Cable Tray Powdercoat Finish.**
Refer to [Color Options](#)
- N - Pick for all models
C - Pick for all models
L - Pick only for models 60" and longer
R - Pick only for models 60" and longer
LR - Pick only for models 60" and longer
LCR - Pick only for models 90" and longer

Teaming Rectilinear Worksurfaces 42" Height

42" Deep, 6-2-2 Powered with Double Power Harness and Two Modesty Panels for use with Café Height Frames

STYLELINKS[®]



One or Two Cutout Options

- Specify only with 24" fixed cafe height frames, specified separately
- 9" clearance between modesty panel and edge of work surface and is intended for standing approach only
- Features modesty panels along width dimensions front and back
- Double power harness included; receptacles, infeeds and table-to-table jumpers are specified separately
- Double power harness accommodates up to four receptacles
- LR grommet locations are centered for two users
- See grommet locations below

One, Two or Three Cutout Options

- Specify only with 24" fixed cafe height frames, specified separately
- 9" clearance between modesty panel and edge of work surface and is intended for standing approach only
- Features modesty panels along width dimensions front and back
- Double power harness included; receptacles, infeeds and table-to-table jumpers are specified separately
- Double power harness accommodates up to four receptacles
- LR grommet locations are centered for two users
- See grommet locations below

D x W	Basic Model	Grommet Location	Grommet Color	Powdercoat Color	Approx. Packaged Weight	Net Price
42 x 60"	SKBCWR4260DTMP	□□□	□□□	□□	45.0#	\$804
42 x 66"	SKBCWR4266DTMP	□□□	□□□	□□	49.0#	\$886
42 x 72"	SKBCWR4272DTMP	□□□	□□□	□□	52.0#	\$925
42 x 78"	SKBCWR4278DTMP	□□□	□□□	□□	43.0#	\$969
42 x 84"	SKBCWR4284DTMP	□□□	□□□	□□	61.0#	\$996
42 x 90"	SKBCWR4290DTMP	□□□	□□□	□□	65.0#	\$1011
42 x 96"	SKBCWR4296DTMP	□□□	□□□	□□	68.0#	\$1041

1

2

3

4

HOW TO ORDER


Indicate the following information on the order form:
 1. Quantity of each item.
 2. Model Number, including options.
 See "How to Build a Model Number."
 3. Any special service required.

Note:
 The □ indicates that a choice is required.
 The absence of □ indicates that no choice is required

HOW TO BUILD A MODEL NUMBER


- Select Basic Model.**
- Select Grommet Location.**
 - N - No Grommet
 - L - Grommet: Left; add \$12
 - C - Grommet: Center; add \$12
 - R - Grommet: Right; add \$12
 - LR - Grommet: Left/right; add \$24
 - LCR - Grommet: Left/center/right; add \$36

N - Pick for all models
 C - Pick for all models
 L - Pick only for models 60" and longer
 R - Pick only for models 60" and longer
 LR - Pick only for models 60" and longer
 LCR - Pick only for models 90" and longer
- Select Grommet Color.**
 Refer to [Color Options](#)
- Select Power Channel & Cable Tray Powdercoat Finish.**
 Refer to [Color Options](#)



One Cutout Option

- Specify only with 24" fixed café height frames, specified separately
- 12" clearance between modesty panel & edge of worksurface offers stool seating
- Features modesty panels along width dimensions front and back
- C grommet option only
- Unpowered
- See grommet locations below



One or Two Cutout Options

- Specify only with 24" fixed café height frames, specified separately
- 12" clearance between modesty panel & edge of worksurface offers stool seating
- Features modesty panels along width dimensions front and back
- LR grommet locations are centered for two users
- Unpowered
- See grommet locations below

D x W	Basic Model	Grommet Location	Grommet Color	Powdercoat Color	Approx. Packaged Weight	Net Price
48 x 48"	SKBCWR4848TMP	C	□□□	□□	18.0#	\$501
48 x 54"	SKBCWR4854TMP	C	□□□	□□	21.0#	\$551
48 x 60"	SKBCWR4860TMP	□□□	□□□	□□	22.0#	\$579
48 x 66"	SKBCWR4866TMP	□□□	□□□	□□	24.0#	\$668
48 x 72"	SKBCWR4872TMP	□□□	□□□	□□	25.0#	\$688
48 x 78"	SKBCWR4878TMP	□□□	□□□	□□	27.0#	\$741
48 x 84"	SKBCWR4884TMP	□□□	□□□	□□	30.0#	\$759

1 2 3 4

HOW TO ORDER


Indicate the following information on the order form:
 1. Quantity of each item.
 2. Model Number, including options.
 See "How to Build a Model Number."
 3. Any special service required.

Note:
 The □ indicates that a choice is required.
 The absence of □ indicates that no choice is required

HOW TO BUILD A MODEL NUMBER

- Select Basic Model.**
- Select Grommet Location.**
 N - No Grommet
 L - Grommet:Left; **add \$12**
 C - Grommet:Center; **add \$12**
 R - Grommet:Right; **add \$12**
 LR - Grommet:Left/right; **add \$24**
 LCR - Grommet:Left/center/right; **add \$36**
 N - Pick for all models
 C - Pick for all models
 L - Pick only for models 60" and longer
 R - Pick only for models 60" and longer
 LR - Pick only for models 60" and longer
 LCR - Pick only for models 90" and longer

- Select Grommet Color.**
 Refer to [Color Options](#)
- Select Cable Tray Powdercoat Finish.**
 Refer to [Color Options](#)



One, Two or Three Cutout Options

- Specify only with 24" fixed café height frames, specified separately
- 12" clearance between modesty panel & edge of worksurface offers stool seating
- Features modesty panels along width dimensions front and back
- C and LCR grommet locations are centered for three users
- LR grommet locations are centered for two users
- Unpowered
- See grommet locations below

D x W	Basic Model	Grommet Location	Grommet Color	Powdercoat Color	Approx. Packaged Weight	Net Price
48 x 90"	SKBCWR4890TMP	□□□	□□□	□□	31.0#	\$770
48 x 96"	SKBCWR4896TMP	□□□	□□□	□□	32.0#	\$792

- 1
2
3
4

HOW TO ORDER

Indicate the following information on the order form:
 1. Quantity of each item.
 2. Model Number, including options.
 See "How to Build a Model Number."
 3. Any special service required.

Note:
 The □ indicates that a choice is required.
 The absence of □ indicates that no choice is required


HOW TO BUILD A MODEL NUMBER

- 1 Select Basic Model.**
- 2 Select Grommet Location.**
 - N - No Grommet
 - L - Grommet:Left; **add \$12**
 - C - Grommet:Center; **add \$12**
 - R - Grommet:Right; **add \$12**
 - LR - Grommet:Left/right; **add \$24**
 - LCR - Grommet:Left/center/right; **add \$36**
- N - Pick for all models
 C - Pick for all models
 L - Pick only for models 60" and longer
 R - Pick only for models 60" and longer
 LR - Pick only for models 60" and longer
 LCR - Pick only for models 90" and longer

- 3 Select Grommet Color.**
 Refer to [Color Options](#)
- 4 Select Cable Tray Powdercoat Finish.**
 Refer to [Color Options](#)


Teaming Rectilinear Worksurfaces 42" Height

48" Deep, 6-2-2 Powered with Single Power Harness and Two Modesty Panels for use with Café Height Frames



One Cutout Option

- Specify only with 24" fixed cafe height frames, specified separately
- 12" clearance between modesty panel & edge of worksurface offers stool seating
- Features modesty panels along width dimensions front and back
- Single power harness included; receptacles, infeeds and table-to-table jumpers are specified separately
- Single power harness accommodates up to two receptacles
- Center grommet option only
- See grommet locations below



One or Two Cutout Options

- Specify only with 24" fixed cafe height frames, specified separately
- 12" clearance between modesty panel & edge of worksurface offers stool seating
- Features modesty panels along width dimensions front and back
- Single power harness included; receptacles, infeeds and table-to-table jumpers are specified separately
- Single power harness accommodates up to two receptacles
- LR grommet locations are centered for two users
- See grommet locations below

D x W	Basic Model	Grommet Location	Grommet Color	Powdercoat Color	Approx. Packaged Weight	Net Price
48 x 48"	SKBCWR4848STMP	C	□□□	□□	25.0#	\$601
48 x 54"	SKBCWR4854STMP	C	□□□	□□	29.0#	\$658
48 x 60"	SKBCWR4860STMP	□□□	□□□	□□	31.0#	\$711
48 x 72"	SKBCWR4872STMP	□□□	□□□	□□	35.0#	\$852

- 1
- 2
- 3
- 4




HOW TO ORDER

Indicate the following information on the order form:
 1. Quantity of each item.
 2. Model Number, including options.
 See "How to Build a Model Number."
 3. Any special service required.

Note:
 The □ indicates that a choice is required.
 The absence of □ indicates that no choice is required

HOW TO BUILD A MODEL NUMBER

- 1 **Select Basic Model.**
- 2 **Select Grommet Location.**
 N - No Grommet
 L - Grommet:Left; **add \$12**
 C - Grommet:Center; **add \$12**
 R - Grommet:Right; **add \$12**
 LR - Grommet:Left/right; **add \$24**
 LCR - Grommet:Left/center/right; **add \$36**
 N - Pick for all models
 C - Pick for all models
 L - Pick only for models 60" and longer
 R - Pick only for models 60" and longer
 LR - Pick only for models 60" and longer
 LCR - Pick only for models 90" and longer
- 3 **Select Grommet Color.**
 Refer to [Color Options](#)
- 4 **Select Power Channel & Cable Tray Powdercoat Finish.**
 Refer to [Color Options](#)

	Features	L	Basic Model	Color	Approx. Packaged Weight	Net Price
 <p>Floor Infeed for Café Height - 10 Wire</p> <ul style="list-style-type: none"> Provides power from fixed floor or wall sources to table power distribution system Must be hard-wired to the building power source by a licensed electrician 108" length liquid tight conduit Includes (2) mounting clips 		108"	CZBCFF	<input type="checkbox"/>	5.0#	\$126
 <p>Top Infeed for Cafe Height - 10 Wire - Left</p> <ul style="list-style-type: none"> For use on café height bases only Attaches to outer side of leg at seated user's left Provides power from ceiling to table power distribution system Must be hardwired to the building power source by a licensed electrician 120" length liquid tight conduit Includes 10 foot aluminum pole with separate channel for electrical and data entry, and prewired harness Single mounting bracket included 	Left	120"	CZBCTF1L	<input type="checkbox"/>	15.0#	\$290
 <p>Top Infeed for Cafe Height -10 Wire - Right</p> <ul style="list-style-type: none"> For use on café height bases only Attaches to outer side of leg at seated user's right Provides power from ceiling to table power distribution system Must be hardwired to the building power source by a licensed electrician 120" length liquid tight conduit Includes 10 foot aluminum pole with separate channel for electrical and data entry, and prewired harness Single mounting bracket included 	Right	120"	CZBCTF1R	<input type="checkbox"/>	15.0#	\$290

1

2

HOW TO ORDER

Indicate the following information on the order form:

- Quantity of each item.
- Model Number, including options.
See "How to Build a Model Number."
- Any special service required.

Note:

The indicates that a choice is required.
The absence of indicates that no choice is required

HOW TO BUILD A MODEL NUMBER

- Select Basic Model.**
- Select Color.**
Refer to [Color Options](#)

Frameless Privacy Screens

Frameless Privacy Screens feature the option of either acrylic or glass inserts fitted into an aluminum work rail whose top rests flush with the top of the worksurface. Screens are offered in 13" and 19" heights and in widths of 6" increments from 36-96" (64" is also available).

Frameless Privacy Screens are offered on dual-sided benching assemblies only. Corresponding worksurfaces must be specified as non-powered, and must utilize "Rail Supported" electrical components.

Note: Dividers cannot be attached to Frameless Privacy Screens.


Supporting Privacy Screens

Supporting privacy screens feature an aluminum work rail whose top rests flush with the top of the worksurface. Vertical aluminum posts and a single top rail enclose insert panels offered in steel dry erase markerboard, acrylic, or tackable fabric options. Screens are 19" high and are available in widths of 6" increments from 36-96" (64" is also available). Supporting Privacy Screens require the attachment of a Laminate Counter Shelf or Upmount Storage Cubby, specified separately, to complete the assembly.

Supporting Privacy Screens are offered on dual-sided benching assemblies only. Corresponding worksurfaces must be specified as non-powered, and must utilize "Rail Supported" electrical components. Dividers may be attached to Supporting Privacy Screens at intersection locations.

Shelves and Upmount Storage Cubbies

Designed to complete a Supporting Privacy Screen assembly, Laminate Counter Shelves and Upmount Storage Cubbies expand storage options within Benching applications. Shelves are 15-3/4" deep, and overhang each side by approximately 7". Widths range from 36-96" in 6" increments. Upmount Storage Cubbies are split (open on the right hand side) to provide each of two facing users equal storage space. Open laminate with steel partition or steel with sliding/locking doors are available in 6" increments from 36-72".



Frameless Center Privacy Screen with Rail - 13" High

- 13" finished height above work surface
- Width dimension is actual
- 1/2" radius top corners
- Center work rail is 2-1/2" wide; insert is 1/4" thick
- Electrical components are attached to the bottom of the work rail; specified separately
- Insert is inset 1" from table edge

D x W x H	Basic Model	Paint Color	Insert	Approx. Packaged Weight	Net Price
2-1/2 x 36 x 13"	SKPSU3613-1	<input type="checkbox"/>	<input type="checkbox"/>	14.0#	\$367
2-1/2 x 42 x 13"	SKPSU4213-1	<input type="checkbox"/>	<input type="checkbox"/>	16.0#	\$392
2-1/2 x 48 x 13"	SKPSU4813-1	<input type="checkbox"/>	<input type="checkbox"/>	18.0#	\$421
2-1/2 x 54 x 13"	SKPSU5413-1	<input type="checkbox"/>	<input type="checkbox"/>	20.5#	\$471
2-1/2 x 60 x 13"	SKPSU6013-1	<input type="checkbox"/>	<input type="checkbox"/>	22.5#	\$503
2-1/2 x 64 x 13"	SKPSU6413-1	<input type="checkbox"/>	<input type="checkbox"/>	24.0#	\$517
2-1/2 x 66 x 13"	SKPSU6613-1	<input type="checkbox"/>	<input type="checkbox"/>	24.5#	\$525
2-1/2 x 72 x 13"	SKPSU7213-1	<input type="checkbox"/>	<input type="checkbox"/>	27.0#	\$544
2-1/2 x 78 x 13"	SKPSU7813-1	<input type="checkbox"/>	<input type="checkbox"/>	29.0#	\$592
2-1/2 x 84 x 13"	SKPSU8413-1	<input type="checkbox"/>	<input type="checkbox"/>	31.0#	\$611
2-1/2 x 90 x 13"	SKPSU9013-1	<input type="checkbox"/>	<input type="checkbox"/>	33.0#	\$632
2-1/2 x 96 x 13"	SKPSU9613-1	<input type="checkbox"/>	<input type="checkbox"/>	35.5#	\$653

1

2

3

HOW TO ORDER

Indicate the following information on the order form:


1. Quantity of each item.
2. Model Number, including options.
See "How to Build a Model Number."
3. Any special service required.

Note:

The indicates that a choice is required.
The absence of indicates that no choice is required

HOW TO BUILD A MODEL NUMBER

- 1 Select Basic Model.
- 2 Select Powdercoat.
Refer to [Color Options](#)
- 3 Select Insert And Finish.
Refer to [Color Options](#)



Frameless Center Privacy Screen with Rail - 19" High

- 19" finished height above worksurface
- Width dimension is actual
- 1/2" radius top corners
- Center work rail is 2-1/2" wide; insert is 1/4" thick
- Electrical components are attached to the bottom of the work rail; specified separately
- Insert is inset 1" from table edge

D x W x H	Basic Model	Paint Color	Insert	Approx. Packaged Weight	Net Price
2-1/2 x 36 x 19"	SKPSU3619-1	<input type="checkbox"/>	<input type="checkbox"/>	16.0#	\$405
2-1/2 x 42 x 19"	SKPSU4219-1	<input type="checkbox"/>	<input type="checkbox"/>	18.5#	\$432
2-1/2 x 48 x 19"	SKPSU4819-1	<input type="checkbox"/>	<input type="checkbox"/>	21.0#	\$473
2-1/2 x 54 x 19"	SKPSU5419-1	<input type="checkbox"/>	<input type="checkbox"/>	23.5#	\$528
2-1/2 x 60 x 19"	SKPSU6019-1	<input type="checkbox"/>	<input type="checkbox"/>	26.0#	\$567
2-1/2 x 64 x 19"	SKPSU6419-1	<input type="checkbox"/>	<input type="checkbox"/>	28.0#	\$584
2-1/2 x 66 x 19"	SKPSU6619-1	<input type="checkbox"/>	<input type="checkbox"/>	28.5#	\$595
2-1/2 x 72 x 19"	SKPSU7219-1	<input type="checkbox"/>	<input type="checkbox"/>	31.5#	\$621
2-1/2 x 78 x 19"	SKPSU7819-1	<input type="checkbox"/>	<input type="checkbox"/>	33.5#	\$674
2-1/2 x 84 x 19"	SKPSU8419-1	<input type="checkbox"/>	<input type="checkbox"/>	36.0#	\$702
2-1/2 x 90 x 19"	SKPSU9019-1	<input type="checkbox"/>	<input type="checkbox"/>	38.5#	\$728
2-1/2 x 96 x 19"	SKPSU9619-1	<input type="checkbox"/>	<input type="checkbox"/>	41.5#	\$756

1

2

3

HOW TO ORDER

Indicate the following information on the order form:


1. Quantity of each item.
2. Model Number, including options.
See "How to Build a Model Number."
3. Any special service required.

Note:

The indicates that a choice is required.
The absence of indicates that no choice is required


HOW TO BUILD A MODEL NUMBER

- 1 Select Basic Model.
- 2 Select Powdercoat.
Refer to [Color Options](#)
- 3 Select Insert And Finish.
Refer to [Color Options](#)



19" Supporting Privacy Screen with Work Rail

- 19" finished height above worksurface
- Single, uninterrupted screen
- Complete assembly requires addition of either storage cubby or shelf, specified separately
- Electrical components are attached to the bottom of the work rail; specified separately



19" Supporting Privacy Screen with Center Intersection and Work Rail

- 19" finished height above worksurface
- Screen includes two equal panels
- Complete assembly requires addition of either storage cubby or shelf, specified separately
- Electrical components are attached to the bottom of the work rail; specified separately

D x W x H	Basic Model	Paint Color	Approx. Packaged Weight	Net Price
2-1/2 x 36 x 19"	SKSPF3619-1	<input type="checkbox"/>	35.5#	\$402
2-1/2 x 42 x 19"	SKSPF4219-1	<input type="checkbox"/>	38.5#	\$419
2-1/2 x 48 x 19"	SKSPF4819-1	<input type="checkbox"/>	40.5#	\$430
2-1/2 x 54 x 19"	SKSPF5419-1	<input type="checkbox"/>	43.5#	\$531
2-1/2 x 60 x 19"	SKSPF6019-1	<input type="checkbox"/>	45.5#	\$574
2-1/2 x 72 x 19"	SKSPF7219-1	<input type="checkbox"/>	49.5#	\$589
2-1/2 x 60 x 19"	SKSPF6019-2	<input type="checkbox"/>	56.5#	\$654
2-1/2 x 72 x 19"	SKSPF7219-2	<input type="checkbox"/>	61.5#	\$690
2-1/2 x 84 x 19"	SKSPF8419-2	<input type="checkbox"/>	66.5#	\$727
2-1/2 x 96 x 19"	SKSPF9619-2	<input type="checkbox"/>	71.5#	\$745

1

2

HOW TO ORDER

Indicate the following information on the order form:


1. Quantity of each item.
2. Model Number, including options.
See "How to Build a Model Number."
3. Any special service required.

Note:

The indicates that a choice is required.
The absence of indicates that no choice is required


HOW TO BUILD A MODEL NUMBER

- 1 Select Basic Model.
- 2 Select Powdercoat.
Refer to [Color Options](#)



19" Supporting Privacy Screen with Work Rail

- 19" finished height above worksurface
- Single, uninterrupted screen
- Complete assembly requires addition of either storage cubby or shelf, specified separately
- Electrical components are attached to the bottom of the work rail; specified separately



19" Supporting Privacy Screen with Center Intersection and Work Rail

- 19" finished height above worksurface
- Screen includes two equal panels
- Complete assembly requires addition of either storage cubby or shelf, specified separately
- Electrical components are attached to the bottom of the work rail; specified separately

D x W x H	Basic Model	Paint Color	Acrylic Color	Approx. Packaged Weight	Net Price Acrylic Grade 1 Color Option	Net Price Acrylic Grade 2 Color Option
2-1/2 x 36 x 19"	SKSPA3619-1	□□	□□□	36.5#	\$393	\$531
2-1/2 x 42 x 19"	SKSPA4219-1	□□	□□□	39.5#	\$412	\$596
2-1/2 x 48 x 19"	SKSPA4819-1	□□	□□□	42.5#	\$413	\$680
2-1/2 x 54 x 19"	SKSPA5419-1	□□	□□□	45.5#	\$542	\$729
2-1/2 x 60 x 19"	SKSPA6019-1	□□	□□□	48.5#	\$579	\$782
2-1/2 x 72 x 19"	SKSPA7219-1	□□	□□□	52.5#	\$589	\$819
2-1/2 x 60 x 19"	SKSPA6019-2	□□	□□□	58.5#	\$669	\$994
2-1/2 x 72 x 19"	SKSPA7219-2	□□	□□□	64.5#	\$727	\$1003
2-1/2 x 84 x 19"	SKSPA8419-2	□□	□□□	69.5#	\$762	\$1135
2-1/2 x 96 x 19"	SKSPA9619-2	□□	□□□	75.5#	\$768	\$1301

1

2

3

HOW TO ORDER

Indicate the following information on the order form:

1. Quantity of each item.
2. Model Number, including options. See "How to Build a Model Number."
3. Any special service required.

Note:

The □ indicates that a choice is required.
The absence of □ indicates that no choice is required

HOW TO BUILD A MODEL NUMBER

1 Select Basic Model.

2 Select Powdercoat.
Refer to [Color Options](#)


3 Select Acrylic Color.
Refer to [Color Options](#)

GRADE 1

ACS - Colorless

GRADE 2


AK - Kiwi
ALA - Laguna
APU - Pumpkin
ASE - Sunshine
ATT - Tomato



19" Supporting Privacy Screen with Work Rail

- 19" finished height above worksurface
- Single, uninterrupted screen
- Complete assembly requires addition of either storage cubby or shelf, specified separately
- Framed steel inserts are markerable and magnetic
- Electrical components are attached to the bottom of the work rail; specified separately

D x W x H	Basic Model	Paint Color	Approx. Packaged Weight	Net Price
2-1/2 x 36 x 19"	SKSPM3619-1	<input type="checkbox"/>	36.5#	\$373
2-1/2 x 42 x 19"	SKSPM4219-1	<input type="checkbox"/>	39.5#	\$392
2-1/2 x 48 x 19"	SKSPM4819-1	<input type="checkbox"/>	42.5#	\$432
2-1/2 x 54 x 19"	SKSPM5419-1	<input type="checkbox"/>	45.5#	\$463
2-1/2 x 60 x 19"	SKSPM6019-1	<input type="checkbox"/>	48.5#	\$503
2-1/2 x 72 x 19"	SKSPM7219-1	<input type="checkbox"/>	52.5#	\$622



19" Supporting Privacy Screen with Center Intersection and Work Rail

- 19" finished height above worksurface
- Screen includes two equal panels
- Complete assembly requires addition of either storage cubby or shelf, specified separately
- Framed steel inserts are markerable and magnetic
- Electrical components are attached to the bottom of the work rail; specified separately

2-1/2 x 60 x 19"	SKSPM6019-2	<input type="checkbox"/>	58.5#	\$609
2-1/2 x 72 x 19"	SKSPM7219-2	<input type="checkbox"/>	64.5#	\$694
2-1/2 x 84 x 19"	SKSPM8419-2	<input type="checkbox"/>	69.5#	\$775
2-1/2 x 96 x 19"	SKSPM9619-2	<input type="checkbox"/>	75.5#	\$698

1

2

HOW TO ORDER

Indicate the following information on the order form:

1. Quantity of each item.
2. Model Number, including options.
See "How to Build a Model Number."
3. Any special service required.


Note:

The indicates that a choice is required.
The absence of indicates that no choice is required

HOW TO BUILD A MODEL NUMBER

1 Select Basic Model.

2 Select Powdercoat.
Refer to [Color Options](#)



Laminate Counter Shelf

- For attachment to supporting privacy screen frame, specified separately
- 15-3/4" deep shelf provides approximately 7" overhang per side
- Includes mounting hardware
- 74P edge

D x W x H	Basic Model	Surface Finish	Edge Color	Approx. Packaged Weight	Net Price
15-3/4 x 36 x 3/4"	CZBSH36	□□□	□□□	13.0#	\$158
15-3/4 x 42 x 3/4"	CZBSH42	□□□	□□□	15.5#	\$159
15-3/4 x 48 x 3/4"	CZBSH48	□□□	□□□	17.5#	\$159
15-3/4 x 54 x 3/4"	CZBSH54	□□□	□□□	19.5#	\$159
15-3/4 x 60 x 3/4"	CZBSH60	□□□	□□□	22.0#	\$160
15-3/4 x 72 x 3/4"	CZBSH72	□□□	□□□	26.0#	\$205
15-3/4 x 84 x 3/4"	CZBSH84	□□□	□□□	30.5#	\$206
15-3/4 x 96 x 3/4"	CZBSH96	□□□	□□□	35.0#	\$207

1

2

3

HOW TO ORDER

Indicate the following information on the order form:

1. Quantity of each item.
2. Model Number, including options. See "How to Build a Model Number."
3. Any special service required.

Note:


The □ indicates that a choice is required.

The absence of □ indicates that no choice is required.

Alpha-Numeric characters in place of □ indicates that no other alternatives are available.


HOW TO BUILD A MODEL NUMBER

- 1 Select Basic Model.
- 2 Select Surface Finish.
Refer to [Color Options](#)
- 3 Select Edge Color.
Refer to [Color Options](#)



Laminate Storage Cubby with Steel Partition - Open

- For attachment to supporting privacy screen frame, specified separately
- Open area is half the width of the unit on each side
- Includes mounting hardware
- Laminate outer, steel inner divider
- Inner height clearance 11-3/4"
- Divider is magnetic
- Usable side of cubby is on left side when viewed by user



Steel Storage Cubby - Sliding Door

- For attachment to supporting privacy screen frame, specified separately
- Open area is half the width of the unit on each side
- Includes mounting hardware
- Steel construction with sliding locking door on each side
- Inner height clearance 12-1/2"
- Metal surfaces are magnetic
- Usable side of cubby is on right side when viewed by user

D x W x H	Basic Model	Partition Color	Surface Finish	Edge Color	Shell Color	Door Color	Key Option	Approx. Packaged Weight	Net Price
15-3/4 x 36 x 13-3/16"	CZBSU36	□□	□□□	□□□				35.0#	\$487
15-3/4 x 42 x 13-3/16"	CZBSU42	□□	□□□	□□□				42.0#	\$520
15-3/4 x 48 x 13-3/16"	CZBSU48	□□	□□□	□□□				49.0#	\$533
15-3/4 x 54 x 13-3/16"	CZBSU54	□□	□□□	□□□				56.0#	\$581
15-3/4 x 60 x 13-3/16"	CZBSU60	□□	□□□	□□□				70.0#	\$592
15-3/4 x 72 x 13-3/16"	CZBSU72	□□	□□□	□□□				84.0#	\$709
13-1/2 x 36 x 14-1/4"	SKBMSUSD36				□□	□□	□□	36.0#	\$585
13-1/2 x 42 x 14-1/4"	SKBMSUSD42				□□	□□	□□	42.0#	\$636
13-1/2 x 48 x 14-1/4"	SKBMSUSD48				□□	□□	□□	48.0#	\$682
13-1/2 x 54 x 14-1/4"	SKBMSUSD54				□□	□□	□□	54.0#	\$727
13-1/2 x 60 x 14-1/4"	SKBMSUSD60				□□	□□	□□	60.0#	\$825
13-1/2 x 72 x 14-1/4"	SKBMSUSD72				□□	□□	□□	72.0#	\$895

- 1 2 3 4 5 6 7

HOW TO ORDER

Indicate the following information on the order form:
 1.Quantity of each item.
 2.Model Number, including options.
 See "How to Build a Model Number."
 3.Any special service required.

Note:
 The □ indicates that a choice is required.
 The absence of □ indicates that no choice is required

HOW TO BUILD A MODEL NUMBER

- 1 Select Basic Model.**
- 2 Select Partition Finish.**
Refer to [Color Options](#)
- 4 Select Edge Color.**
Refer to [Color Options](#)
- 5 Select Shell Finish.**
Refer to [Color Options](#)
- 6 Select Door Finish.**
Refer to [Color Options](#)
- 7 Select Key Option.**
KS - Key standard - M - Series
NLC - No lock core

GENERAL INFORMATION

The StyleLinks Storage offering is a collection of elements created for space efficiency within open environments. The collection consists of shared lockers and individual Credenzas and Pedestals.

CONSTRUCTION AND STANDARD FEATURES

Shared Lockers

Standard size and large lockers are sized to accommodate binders, bags and other personal items. A coat hook is standard and an optional fixed blank shelf (which divides the compartment vertically in two) is available for the large lockers. Large lockers are double the height of standard lockers. Both the standard and large locker shells are available in 30" & 36" widths. The standard locker is available in 3 heights: 33-1/8", 48-7/16" & 63-3/4" and large locker is available in 2 heights: 33-1/8" & 63-3/4".

Interior Clearance:

Single Module: 13-1/2 & 16-1/2W x 16-7/8D x 14-1/2H
Double Module: 13-1/2 & 16-1/2W x 16-7/8D x 30-1/8H

Shell:

StyleLinks locker shells are formed of 18 gauge, uprights, top and bottom reinforcements welded together to create a rigid box frame. The outer skin is constructed of 19 and 20 gauge CRS with a seamless back detail. Lockers feature leveling glides with a 1" adjustment range. Shell is common to the 700 Series lateral storage units.

Partitions:

A 1-1/2" thick double wall hidden partition divides the locker shell in half running from top to bottom into which the cupboard doors lock.

Shelves:

1" thick shelves with front and back flanges screw into the upright members of the case and center partition to create separation between modules.

Doors:

Locker doors are single-wall construction with a structural hinge channel running the length of the door. Self-closing European style hinges with 110 degree opening provide 3 way adjustment of door to ensure consistent gapping and operation.

Locker Locks

There are four locking options for StyleLinks lockers:

Standard key lock

Requires key for operation
Best suited for dedicated user who will not lose the key

Pad lock

Pad lock must be supplied by user
Best suited for extended use by either temporary or dedicated users

Combination lock

Requires no physical implement to lock or unlock
Best suited for dedicated use
Each user sets unique code for use

Digital lock

Requires battery to operate (battery lasts approximately 4 years)
Requires no physical implement to lock or unlock
Well suited for regular turnover of lockers throughout day
Each user sets unique code for use
Master override key required to reset dead batteries; lock remains locked when battery is dead

Credenzas:

StyleLinks credenza shells are constructed of 18 and 20 gauge steel components with 18 gauge structural top and bottom reinforcements and vertical uprights. Credenzas are available in 60" & 72" widths and feature variations of open bookcase and drawer sections. Credenzas are available in heights of 17-11/16", 20-3/4" and 23-13/16".

Interior Configuration & Clearance:

17-11/16" high unit:
Bookcase section – 12-3/8" H x 28-1/2" & 34-1/5" W x 18" D

Drawer Section – A) 12" Drawer with 27 & 33 lineal inches of filing side to side. Unit standard with side to side folder bars, optional plate dividers (sold separately).
B) Qty, 2 6" box drawers that will accept plate dividers (sold separately).

20-3/4" high unit:
Bookcase section – 15-7/16" H x 28-1/2" & 34-1/5" W x 18"D
Drawer Section – 3" Pencil Drawer & 12" Drawer with 27 & 33 lineal inches of filing side to side. Unit standard with side to side folder bars, optional plate dividers (sold separately).
23-13/16" high unit:
Bookcase section – 18-1/2" H x 28-1/2" & 34-1/5" W x 18"D with 1 adjustable blank shelf
Drawer Section – 6" Drawer that will accept plate dividers (sold separately), 12" Drawer with 27 & 33 lineal inches of filing side to side. Unit standard with side to side folder bars, optional plate dividers (sold separately).

Drawers:

Steel and laminate drawer fronts that accept exterior pulls are available as standard. Fronts are screw-mounted to roll-out shelves to build drawers. All drawers feature smooth riding, full-extension, ball bearing slides. Pull options include ADA-compliant nickel plated loop pulls or nickel-plated rectangular pulls. Key lock is standard on 12" drawers.

Testing

Components have been tested to accept loads of 125 pounds, exceeding ANSI/BIFM X5.9 2004 standards for filing when recommended counterbalance weight is installed.

Partition:

A 1-1/2" thick double wall partition runs down the center of the unit dividing the bookcase section from the file section.

Legs:

1-1/2" x 3/4" Steel legs with threaded insert and 16 ga top plate are bolted to the underside of the credenza raising it 3-1/16 off the floor. Adjustable leveling glides provide 1" of adjustment.

Pedestals:

Mobile Box/File Pedestals 15 W x 21-3/4" are available in 3 depths, 17-5/8", 21-


5/8" and 27-5/8".

Basic Shell:

Twenty gauge steel body with 20 gauge steel top and box frame front and back uprights. Uprights are notched in 3" intervals for drawer suspension mounting.


Drawers:

Single wall metal or laminate fronts screw mount to pre-painted drawer bodies and overlap the face of the unit. Box (6") Drawers operate on 2 piece 3/4 extensions ball bearing suspensions, File Drawers operate on 3 piece full extension ball bearing suspensions. Pull options include ADA-compliant nickel plated loop pulls or nickel-plated rectangular pulls.



Lateral File, Open

- Features one 12" lateral file drawer and opposite open shelf
- Steel shell and drawers
- Full extension slides
- Hanging file bars included for side-to-side filing
- Optional pad specified separately



Box/Box, Open

- Features two 6" box drawers and opposite open shelf
- Steel shell and drawers
- Full extension slides
- Optional pad specified separately
- Non-locking

FEATURES	D x W x H	Basic Model	Lock Option	Shell Color	Drawer Color	Pull Style	Approx. Packaged Weight	Net Price
Lateral File Left, Open Right	60 x 18 x 17-3/4"	SKSCS60120FO	□□□	□□	□□□	□□□	143.0#	\$869
Lateral File Left, Open Right	72 x 18 x 17-3/4"	SKSCS72120FO	□□□	□□	□□□	□□□	163.0#	\$896
Open Left, Lateral File Right	60 x 18 x 17-3/4"	SKSCS60120OF	□□□	□□	□□□	□□□	143.0#	\$869
Open Left, Lateral File Right	72 x 18 x 17-3/4"	SKSCS72120OF	□□□	□□	□□□	□□□	163.0#	\$896
Box/Box Left, Open Right	60 x 18 x 17-3/4"	SKSCS60120BBO	□□□	□□	□□□	□□□	158.0#	\$1019
Box/Box Left, Open Right	72 x 18 x 17-3/4"	SKSCS72120BBO	□□□	□□	□□□	□□□	181.0#	\$1058
Open Left, Box/Box Right	60 x 18 x 17-3/4"	SKSCS60120OBB	□□□	□□	□□□	□□□	158.0#	\$1019
Open Left, Box/Box Right	72 x 18 x 17-3/4"	SKSCS72120OBB	□□□	□□	□□□	□□□	181.0#	\$1058

1 2 3 4 5


HOW TO ORDER

Indicate the following information on the order form:
 1.Quantity of each item.
 2.Model Number, including options.
 See "How to Build a Model Number."
 3.Any special service required.

Note:
 The □ indicates that a choice is required.
 The absence of □ indicates that no choice is required

HOW TO BUILD A MODEL NUMBER

- 1 Select Basic Model.**
- 2 Select Lock Option.**
 KS - Key standard
 NLC - No lock core
 KA - Key alike
- 3 Select Shell Powdercoat.**
 Refer to [Color Options](#)
- 4 Select Drawer Powdercoat.**
 Refer to [Color Options](#)
- 5 Select Pull Style.**
 CZP - StyleLinks Pull
 USP - Vini Pull



Pencil/Lateral File, Open

- Features upper 3" pencil drawer, lower 12" lateral file and opposite open with adjustable shelf
- Steel shell and drawers
- Full extension slides
- Hanging file bars included for side-to-side filing
- Optional pad specified separately

Features	W x D x H	Basic Model	Lock Option	Shell Color	Drawer Color	Pull Style	Approx. Packaged Weight	Net Price
Pencil/Lateral File Left, Open w/Adj. Shelf Right	60 x 18 x 20-3/4"	SKSCS60150PFO	□□□	□□	□□□	□□□	171.0#	\$1009
Pencil/Lateral File Left, Open w/Adj. Shelf Right	72 x 18 x 20-3/4"	SKSCS72150PFO	□□□	□□	□□□	□□□	193.0#	\$1055
Open w/Adj. Shelf Left, Pencil/Lateral File Right	60 x 18 x 20-3/4"	SKSCS60150OPF	□□□	□□	□□□	□□□	171.0#	\$1009
Open w/Adj. Shelf Left, Pencil/Lateral File Right	72 x 18 x 20-3/4"	SKSCS72150OPF	□□□	□□	□□□	□□□	193.0#	\$1055

- 1
- 2
- 3
- 4
- 5


HOW TO ORDER

Indicate the following information on the order form:
 1. Quantity of each item.
 2. Model Number, including options.
 See "How to Build a Model Number."
 3. Any special service required.

Note:
 The □ indicates that a choice is required.
 The absence of □ indicates that no choice is required

HOW TO BUILD A MODEL NUMBER

- 1 **Select Basic Model.**
- 2 **Select Lock Option.**
 KS - Key standard
 NLC - No lock core
 KA - Key alike
- 3 **Select Shell Powdercoat.**
 Refer to [Color Options](#)
- 4 **Select Drawer Powdercoat.**
 Refer to [Color Options](#)
- 5 **Select Pull Style.**
 CZP - StyleLinks Pull
 USP - Vini Pull



Box/Lateral File, Open with Adjustable shelf

- Features upper 6" box drawer, lower 12" lateral file and opposite open with adjustable shelf
- Steel shell and drawers
- Full extension slides
- Hanging file bars included for side-to-side filing
- Optional pad specified separately

Features	W x D x H	Basic Model	Lock Option	Shell Color	Drawer Color	Pull Style	Approx. Packaged Weight	Net Price
Box/Lateral File Left, Open w/Adj. Shelf Right	60 x 18 x 23-7/8"	SKSCS60180BFO	□□□	□□	□□□	□□□	175.0#	\$1049
Box/Lateral File Left, Open w/Adj. Shelf Right	72 x 18 x 23-7/8"	SKSCS72180BFO	□□□	□□	□□□	□□□	199.0#	\$1097
Open w/Adj. Shelf Left, Box/Lateral File Right	60 x 18 x 23-7/8"	SKSCS60180BFF	□□□	□□	□□□	□□□	175.0#	\$1049
Open w/Adj. Shelf Left, Box/Lateral File Right	72 x 18 x 23-7/8"	SKSCS72180BFF	□□□	□□	□□□	□□□	199.0#	\$1097

- 1
- 2
- 3
- 4
- 5

HOW TO ORDER

Indicate the following information on the order form:
 1.Quantity of each item.
 2.Model Number, including options.
 See "How to Build a Model Number."
 3.Any special service required.


Note:
 The □ indicates that a choice is required.
 The absence of □ indicates that no choice is required

HOW TO BUILD A MODEL NUMBER

- 1 **Select Basic Model.**
- 2 **Select Lock Option.**
 KS - Key standard
 NLC - No lock core
 KA - Key alike
- 3 **Select Shell Powdercoat.**
 Refer to [Color Options](#)
- 4 **Select Drawer Powdercoat.**
 Refer to [Color Options](#)
- 5 **Select Pull Style.**
 CZP - StyleLinks Pull
 USP - Vini Pull

Credenzas with Elevated Bases

Steel Shell, Laminate Front 18" High



Lateral File, Open

- Features one 12" lateral file drawer and opposite open shelf
- Steel shell; laminate drawer front
- Full extension slides
- Hanging file bars included for side-to-side filing
- Optional pad specified separately
- Laminate drawers feature pattern-matched poly edging

Features	W x D x H	Basic Model	Lock Option	Shell Color	Drawer Color	Pull Style	Approx. Packaged Weight	Net Price
Lateral File Left, Open Right	60 x 18 x 17-5/8"	SKSCL60120FO	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	149.0#	\$950
Lateral File Left, Open Right	72 x 18 x 17-5/8"	SKSCL72120FO	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	172.0#	\$978
Open Left, Lateral File Right	60 x 18 x 17-5/8"	SKSCL60120OF	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	149.0#	\$950
Open Left, Lateral File Right	72 x 18 x 17-5/8"	SKSCL72120OF	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	172.0#	\$978

- 1
- 2
- 3
- 4
- 5

HOW TO ORDER

Indicate the following information on the order form:
 1. Quantity of each item.
 2. Model Number, including options.
 See "How to Build a Model Number."
 3. Any special service required.


Note:
 The indicates that a choice is required.
 The absence of indicates that no choice is required

HOW TO BUILD A MODEL NUMBER

- 1 Select Basic Model.**
- 2 Select Lock Option.**
 KS - Key standard
 NLC - No lock core
 KA - Key alike
- 3 Select Shell Powdercoat.**
 Refer to [Color Options](#)
- 4 Select Drawer Powdercoat.**
 Refer to [Color Options](#)
- 5 Select Pull Style.**
 CZP - StyleLinks Pull
 USP - Vini Pull

Credenzas with Elevated Bases

Steel Shell, Laminate Front 18" High



Box/Box, Open

- Features two 6" box drawers and opposite open shelf
- Steel shell; laminate drawer front
- Full extension slides
- Optional pad specified separately
- Laminate drawers feature pattern-matched poly edging
- Non-locking

Features	W x D x H	Basic Model	Lock Option	Shell Color	Drawer Color	Edge Color	Pull Style	Approx. Packaged Weight	Net Price
Box/Box Left, Open Right	60 x 18 x 17-5/8"	SKSCL60120BBO	□□□	□□	□□□	□□□	□□□	165.0#	\$1163
Box/Box Left, Open Right	72 x 18 x 17-5/8"	SKSCL72120BBO	□□□	□□	□□□	□□□	□□□	188.0#	\$1202
Open Left, Box/Box Right	60 x 18 x 17-5/8"	SKSCL60120OBB	□□□	□□	□□□	□□□	□□□	165.0#	\$1163
Open Left, Box/Box Right	72 x 18 x 17-5/8"	SKSCL72120OBB	□□□	□□	□□□	□□□	□□□	188.0#	\$1202

- 1
- 2
- 3
- 4
- 5
- 6


HOW TO ORDER

Indicate the following information on the order form:
 1. Quantity of each item.
 2. Model Number, including options.
 See "How to Build a Model Number."
 3. Any special service required.

Note:
 The □ indicates that a choice is required.
 The absence of □ indicates that no choice is required

HOW TO BUILD A MODEL NUMBER

- 1 **Select Basic Model.**
- 2 **Select Lock Option.**
 KS - Key standard
 NLC - No lock core
 KA - Key alike
- 3 **Select Shell Powdercoat.**
 Refer to [Color Options](#)
- 4 **Select Drawer Powdercoat.**
 Refer to [Color Options](#)
- 5 **Select Edge Color.**
 Refer to [Color Options](#)
- 6 **Select Pull Style.**
 CZP - StyleLinks Pull
 USP - Vini Pull



Pencil/Lateral File, Open with Adjustable shelf

- Features upper 3" pencil drawer, lower 12" lateral file and opposite open with adjustable shelf
- Steel shell; laminate drawer front
- Full extension slides
- Hanging file bars included for side-to-side filing
- Optional pad specified separately
- Laminate drawers feature pattern-matched poly edging

Features	W x D x H	Basic Model	Lock Option	Shell Color	Drawer Laminate	Edge Color	Pull Style	Approx. Packaged Weight	Net Price
Pencil/Lateral File L, Open w/Adj. Shelf R	60 x 18 x 20-7/8"	SKSCL60150PFO	□□□	□□	□□□	□□□	□□□	180.0#	\$1161
Pencil/Lateral File L, Open w/Adj. Shelf R	72 x 18 x 20-7/8"	SKSCL72150PFO	□□□	□□	□□□	□□□	□□□	203.0#	\$1199
Open w/Adj. Shelf L, Pencil/Lateral File R	60 x 18 x 20-7/8"	SKSCL60150OPF	□□□	□□	□□□	□□□	□□□	180.0#	\$1161
Open w/Adj. Shelf L, Pencil/Lateral File R	72 x 18 x 20-7/8"	SKSCL72150OPF	□□□	□□	□□□	□□□	□□□	203.0#	\$1199

- 1
- 2
- 3
- 4
- 5
- 6

HOW TO ORDER

Indicate the following information on the order form:
 1. Quantity of each item.
 2. Model Number, including options.
 See "How to Build a Model Number."
 3. Any special service required.


Note:
 The □ indicates that a choice is required.
 The absence of □ indicates that no choice is required

HOW TO BUILD A MODEL NUMBER

- 1 **Select Basic Model.**
- 2 **Select Lock Option.**
 KS - Key standard
 NLC - No lock core
 KA - Key alike
- 3 **Select Shell Powdercoat.**
 Refer to [Color Options](#)
- 4 **Select Drawer Powdercoat.**
 Refer to [Color Options](#)
- 5 **Select Edge Color.**
 Refer to [Color Options](#)
- 6 **Select Pull Style.**
 CZP - StyleLinks Pull
 USP - Vini Pull

Credenzas with Elevated Bases

Steel Shell, Laminate Front 24" High



Box/Lateral File, Open with Adjustable shelf

- Features upper 6" box drawer, lower 12" lateral file and opposite open with adjustable shelf
- Steel shell; laminate drawer front
- Full extension slides
- Hanging file bars included for side-to-side filing
- Optional pad specified separately
- Laminate drawers feature pattern-matched poly edging

Features	W x D x H	Basic Model	Lock Option	Shell Color	Drawer Laminate	Edge Color	Pull Style	Approx. Packaged Weight	Net Price
Box/Lateral File L, Open w/Adj. Shelf R	60 x 18 x 23-7/8"	SKSCL60180BFO	□□□	□□	□□□	□□□	□□□	185.0#	\$1203
Box/Lateral File L, Open w/Adj. Shelf R	72 x 18 x 23-7/8"	SKSCL72180BFO	□□□	□□	□□□	□□□	□□□	210.0#	\$1241
Open w/Adj. Shelf L, Box/Lateral File R	60 x 18 x 23-7/8"	SKSCL60180OBF	□□□	□□	□□□	□□□	□□□	185.0#	\$1203
Open w/Adj. Shelf L, Box/Lateral File R	72 x 18 x 23-7/8"	SKSCL72180OBF	□□□	□□	□□□	□□□	□□□	210.0#	\$1241

- 1
- 2
- 3
- 4
- 5
- 6



HOW TO ORDER

Indicate the following information on the order form:
 1. Quantity of each item.
 2. Model Number, including options.
 See "How to Build a Model Number."
 3. Any special service required.

Note:
 The □ indicates that a choice is required.
 The absence of □ indicates that no choice is required

HOW TO BUILD A MODEL NUMBER

- 1 **Select Basic Model.**
- 2 **Select Lock Option.**
 KS - Key standard
 NLC - No lock core
 KA - Key alike
- 3 **Select Shell Powdercoat.**
 Refer to [Color Options](#)
- 4 **Select Drawer Powdercoat.**
 Refer to [Color Options](#)
- 5 **Select Edge Color.**
 Refer to [Color Options](#)
- 6 **Select Pull Style.**
 CZP - StyleLinks Pull
 USP - Vini Pull

	Features	W x D x H	Basic Model	Surface Finish	Edge Color	Approx. Packaged Weight	Net Price
Single Credenza Tops <ul style="list-style-type: none"> • 1/16" overhang • Intended for single tops only • 74P edge only 	Single Credenza Top	60 x 18 x 1-1/4"	CZSCT6018	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	39.0#	\$210
	Single Credenza Top	72 x 18 x 1-1/4"	CZSCT7218	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	46.0#	\$243
Back to Back Credenza Top <ul style="list-style-type: none"> • 1/16" overhang • Intended for back-to-back credenza top 	Back-to-Back Credenza Top	60 x 36 x 1-1/4"	CZSCT6036	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	77.0#	\$307
	Back-to-Back Credenza Top	72 x 36 x 1-1/4"	CZSCT7236	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	92.0#	\$335
				1	2	3	

HOW TO ORDER

Indicate the following information on the order form:


1. Quantity of each item.
2. Model Number, including options.
See "How to Build a Model Number."
3. Any special service required.

Note:

The indicates that a choice is required.
The absence of indicates that no choice is required

HOW TO BUILD A MODEL NUMBER

- 1 Select Basic Model.**
- 2 Select Surface Finish.**
Refer to [Color Options](#)
- 3 Select Edge Color.**
Refer to [Color Options](#)



Credenza Pads

- Foam and medium density fiberboard construction
- Non-skid pads on underside

W x D x H	Basic Model	Upholstery Color	Approx. Packaged Weight	Net Price
30 x 18 x 1-1/8"	CZSCP3018	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	7.5#	\$74
36 x 18 x 1-1/8"	CZSCP3618	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	9.0#	\$79

1

2

HOW TO ORDER

Indicate the following information on the order form:


1. Quantity of each item.
2. Model Number, including options.
See "How to Build a Model Number."
3. Any special service required.

Note:

The indicates that a choice is required.
The absence of indicates that no choice is required

HOW TO BUILD A MODEL NUMBER

- 1 Select Basic Model.
- 2 Select Upholstery Grade And Color.
Refer to [Color Options](#)



30" Wide

- Steel construction with steel doors
- Shell and door finishes are specified independently
- Standard doors are 15" high
- Individual doors are 14" wide on 30" models
- 4 locking options are offered
- Individual lockers are randomly keyed

Features	W x D x H	Basic Model	Lock Option	Shell Color	Door Color	Pull Style	Approx. Packaged Weight	Net Price Standard	Net Price Padlock	Net Price Combination	Net Price Digital
Standard Personal Lockers 2 X 2	30 x 18 x 33-1/8"	SKSLKSTD3030	□□□□	□□	□□□	□□□	122.0#	\$878	\$935	\$1242	\$1550
Standard Personal Lockers 2 X 3	30 x 18 x 48-7/16"	SKSLKSTD3045	□□□□	□□	□□□	□□□	163.0	\$1214	\$1299	\$1761	\$2222
Standard Personal Lockers 2 X 4	30 x 18 x 63-3/4"	SKSLKSTD3060	□□□□	□□	□□□	□□□	205.0#	\$1567	\$1681	\$2297	\$2912

- 1 2 3 4 5


HOW TO ORDER

Indicate the following information on the order form:
 1. Quantity of each item.
 2. Model Number, including options.
 See "How to Build a Model Number."
 3. Any special service required.

Note:
 The □ indicates that a choice is required.
 The absence of □ indicates that no choice is required

HOW TO BUILD A MODEL NUMBER

- 1 Select Basic Model.**
- 2 Select Lock Option.**
 SLCK - Standard lock
 PLCK - Padlock
 CLCK - Combination lock
 DLCK - Digital lock
- 3 Select Shell Powdercoat.**
 Refer to [Color Options](#)
- 4 Select Door Powdercoat.**
 Refer to [Color Options](#)
- 5 Select Pull Style.**
 CZP - Stylelinks Pull
 USP - Vini Pull
 Pull style pick is only available when standard lock has been selected.



36" Wide

- Steel construction with steel doors
- Shell and door finishes are specified independently
- Standard doors/drawers are 15" high
- Individual doors are 17" wide on 36" models
- 4 locking options are offered
- Individual lockers are randomly keyed

Features	W x D x H	Basic Model	Lock Option	Shell Color	Door Color	Pull Style	Approx. Packaged Weight	Net Price Standard	Net Price Padlock	Net Price Combination	Net Price Digital
Std Lockers, Bottom Drawers 2 X 2	36 x 18 x 33-1/8"	SKSLKSTD3630	□□□□	□□	□□□	□□□	132.0#	\$920	\$978	\$1285	\$1593
Std Lockers, Bottom Drawers 2 X 3	36 x 18 x 48-7/16"	SKSLKSTD3645	□□□□	□□	□□□	□□□	178.0#	\$1274	\$1359	\$1821	\$2283
Std Lockers, Bottom Drawers 2 X 4	36 x 18 x 63-3/4"	SKSLKSTD3660	□□□□	□□	□□□	□□□	223.0#	\$1647	\$1761	\$2376	\$2991

- 1
- 2
- 3
- 4
- 5

HOW TO ORDER


Indicate the following information on the order form:

1. Quantity of each item.
2. Model Number, including options.
See "How to Build a Model Number."
3. Any special service required.

Note:
The □ indicates that a choice is required.
The absence of □ indicates that no choice is required

HOW TO BUILD A MODEL NUMBER

- 1 Select Basic Model.**
- 2 Select Lock Option.**
SLCK - Standard lock
PLCK - Padlock
CLCK - Combination lock
DLCK - Digital lock
- 3 Select Shell Powdercoat.**
Refer to [Color Options](#)
- 4 Select Door Powdercoat.**
Refer to [Color Options](#)
- 5 Select Pull Style.**
CZP - Stylelinks Pull
USP - Vini Pull
Pull style pick is only available when standard lock has been selected.



30" Wide with Lower Drawer

- Steel construction with steel doors
- Lowest lockers feature sliding drawers
- Shell and door/drawer finishes are specified independently
- Standard doors/drawers are 15" high
- Individual doors are 14" wide on 30" models
- 4 locking options are offered
- Individual lockers are randomly keyed

Features	W x D x H	Basic Model	Lock Option	Shell Color	Door Color	Pull Style	Approx. Packaged Weight	Net Price Standard	Net Price Padlock	Net Price Combination	Net Price Digital
Std Lockers, Bottom Drawers 2 X 2	30 x 18 x 33-1/8"	SKSLKSTDD3030	□□□□	□□	□□□	□□□	146.0#	\$1001	\$1058	\$1365	\$1673
Std Lockers, Bottom Drawers 2 X 3	30 x 18 x 48-7/16"	SKSLKSTDD3045	□□□□	□□	□□□	□□□	187.0#	\$1336	\$1421	\$1883	\$2345
Std Lockers, Bottom Drawers 2 X 4	30 x 18 x 63-3/4"	SKSLKSTDD3060	□□□□	□□	□□□	□□□	229.0#	\$1690	\$1804	\$2419	\$3035

- 1 2 3 4 5


HOW TO ORDER

Indicate the following information on the order form:
 1.Quantity of each item.
 2.Model Number, including options.
 See "How to Build a Model Number."
 3.Any special service required.

Note:
 The □ indicates that a choice is required.
 The absence of □ indicates that no choice is required

HOW TO BUILD A MODEL NUMBER

- 1 Select Basic Model.**
- 2 Select Lock Option.**
 SLCK - Standard lock
 PLCK - Padlock
 CLCK - Combination lock
 DLCK - Digital lock
- 3 Select Shell Powdercoat.**
 Refer to [Color Options](#)
- 4 Select Door Powdercoat.**
 Refer to [Color Options](#)
- 5 Select Pull Style.**
 CZP - Stylelinks Pull
 USP - Vini Pull
 Pull style pick is only available when standard lock has been selected.



36" Wide with Lower Drawer

- Steel construction with steel doors
- Lowest lockers feature sliding drawers
- Shell and door/drawer finishes are specified independently
- Standard doors/drawers are 15" high
- Individual doors are 17" wide on 36" models
- 4 locking options are offered
- Individual lockers are randomly keyed

Features	W x D x H	Basic Model	Lock Option	Shell Color	Door Color	Pull Style	Approx. Packaged Weight	Net Price Standard	Net Price Padlock	Net Price Combination	Net Price Digital
Std Lockers, Bottom Drawers 2 X 2	36 x 18 x 33-1/8"	SKSLKSTDD3630	□□□□	□□	□□□	□□□	159.0#	\$1043	\$1100	\$1409	\$1716
Std Lockers, Bottom Drawers 2 X 3	36 x 18 x 48-7/16"	SKSLKSTDD3645	□□□□	□□	□□□	□□□	204.0#	\$1396	\$1482	\$1944	\$2404
Std Lockers, Bottom Drawers 2 X 4	36 x 18 x 63-3/4"	SKSLKSTDD3660	□□□□	□□	□□□	□□□	249.0#	\$1769	\$1883	\$2499	\$3114

- 1 2 3 4 5


HOW TO ORDER

Indicate the following information on the order form:
 1. Quantity of each item.
 2. Model Number, including options.
 See "How to Build a Model Number."
 3. Any special service required.

Note:
 The □ indicates that a choice is required.
 The absence of □ indicates that no choice is required

HOW TO BUILD A MODEL NUMBER

- 1 Select Basic Model.**
- 2 Select Lock Option.**
 SLCK - Standard lock
 PLCK - Padlock
 CLCK - Combination lock
 DLCK - Digital lock
- 3 Select Shell Powdercoat.**
 Refer to [Color Options](#)
- 4 Select Door Powdercoat.**
 Refer to [Color Options](#)
- 5 Select Pull Style.**
 CZP - Stylelinks Pull
 USP - Vini Pull
 Pull style pick is only available when standard lock has been selected.



Large Locker Fixed Shelves

- For use with large lockers only

Locker Master Key for CLCK Lock

- Master key for CLCK combination locks used on StyleLinks storage lockers ONLY
- Not for use with any other locks except StyleLinks combination locks

Locker Master Key for DLCK Lock

- Master key for DLCK digital locks used on StyleLinks storage lockers ONLY
- Not for use with any other locks except StyleLinks digital locks

NO IMAGE AVAILABLE

NO IMAGE AVAILABLE

W x D x H	Basic Model	Shelf Color	Approx. Packaged Weight	Net Price
13-1/2 x 15-7/8 x 7/8"	CZLK30FS	<input type="checkbox"/>	5.0#	\$47
	CZLK36FS	<input type="checkbox"/>	6.0#	\$52
	2-KP61614		0.2#	\$15
	2-KP61616		0.2#	\$6

① ②


HOW TO ORDER

Indicate the following information on the order form:
 1.Quantity of each item.
 2.Model Number, including options.
 See "How to Build a Model Number."
 3.Any special service required.

Note:
 The indicates that a choice is required.
 The absence of indicates that no choice is required


HOW TO BUILD A MODEL NUMBER

- 1 Select Basic Model.**
- 2 Select Shelf Color.**
 Refer to [Color Options](#)



Steel Shell and Drawer

- Upper box drawer, lower file
- 5th wheel eliminates need for counterbalance weight
- Steel shell and steel fronts
- Optional dividers specified separately
- Optional pad specified separately



Steel Shell, Laminate Front

- Upper box drawer, lower file
- 5th wheel eliminates need for counterbalance weight
- Steel shell with laminate drawer fronts
- Optional dividers specified separately
- Optional pad specified separately

W x D x H	Basic Model	Shell Color	Door Color	Door Laminate	Edge Color	Lock Option	Pull Style	Approx. Packaged Weight	Net Price
15 X 17-5/8 X 21-3/4"	SKPDS20MBF	□□	□□□	□□□	□□□	□□□□	□□□	51.0#	\$226
15 x 21-5/8 x 21-3/4"	SKPDS24MBF	□□	□□□	□□□	□□□	□□□□	□□□	54.0#	\$241
15 x 27-5/8 x 21-3/4"	SKPDS30MBF	□□	□□□	□□□	□□□	□□□□	□□□	66.0#	\$267
15 x 17-5/8 x 21-3/4"	SKPDL20MBF	□□	□□□	□□□	□□□	□□□	□□□	48.0#	\$337
15 x 21-5/8 x 21-3/4"	SKPDL24MBF	□□	□□□	□□□	□□□	□□□	□□□	51.0#	\$352
15 x 27-5/8 x 21-3/4"	SKPDL30MBF	□□	□□□	□□□	□□□	□□□	□□□	63.0#	\$378

- 1
- 2
- 3
- 4
- 5
- 6
- 7


HOW TO ORDER

Indicate the following information on the order form:
 1. Quantity of each item.
 2. Model Number, including options.
 See "How to Build a Model Number."
 3. Any special service required.

Note:
 The □ indicates that a choice is required.
 The absence of □ indicates that no choice is required

HOW TO BUILD A MODEL NUMBER

- 1 **Select Basic Model.**
- 2 **Select Shell Color.**
Refer to [Color Options](#)
- 3 **Select Drawer Color.**
Refer to [Color Options](#)
- 4 **Select Drawer Laminate.**
Refer to [Color Options](#)
- 5 **Select Edge Color.**
Refer to [Color Options](#)
- 6 **Select Lock Option.**
KS - Key standard
NLC - No lock core
KA - Key alike
- 7 **Select Pull Style.**
CZP - Stylelinks Pull
USP - Vini Pull



Pedestal Pads

- Foam and medium density fiberboard construction
- Non-slip pads on underside

W x D	Basic Model	Upholstery Color	Approx. Packaged Weight	Net Price
15 x 17-5/8"	CZSPP1520	<input type="checkbox"/>	4.0#	\$55
15 x 21-5/8"	CZSPP1524	<input type="checkbox"/>	5.0#	\$64
15 x 27-5/8"	CZSPP1530	<input type="checkbox"/>	6.0#	\$69

1

2

HOW TO ORDER

- Indicate the following information on the order form:
1. Quantity of each item.
 2. Model Number, including options.
See "How to Build a Model Number."
 3. Any special service required.


Note:
The indicates that a choice is required.
The absence of indicates that no choice is required

HOW TO BUILD A MODEL NUMBER


- 1 Select Basic Model.
- 2 Select Upholstery Grade and Color.
Refer to [Color Options](#)



**Acrylic Gradient Pattern
Printed Surface**



**Acrylic Grid Pattern
Printed Surface**



**Acrylic Solid White
Unprinted Surface**



**Acrylic Translucent
Crystal Unprinted
Surface**

StyleLinks Screens, as part of the StyleLinks Collection, offer freestanding mobile collaboration and space division. Mobile screens feature steel frames and acrylic inserts, either printed or unprinted, with dry-erase coating. All StyleLinks Screen models meet or exceed relevant ANSI/BIFMA X5.6-2010/ BIFMA 5.9-2012 standards, available upon request.

CONSTRUCTION AND STANDARD FEATURES

Frame Construction

Mobile frames are constructed of steel tube supports. Tubes are shaped and joined to create a screen with interior storage compartments. Frame is fully coated with dry-erase powdercoat paint, allowing marker write-ability on all painted surfaces. Frames support the attachment of acrylic sheets for the creation of a two-sided complete screen, and frame design allows for physical connection of one screen to another. Frames feature 2 steel formed hooks for attachment of flip chart pads. Screens available in heights of 72" and 80", and in widths of 36" and 42". Screen floor space depth is 22-1/2".

Acrylic Inserts

One-quarter inch thick acrylic sheets are captured on either side of steel frame. Acrylic features dry-erase coating on user-facing side of each sheet for full surface write-ability. Inserts may be specified in either unprinted or printed styles. See images above and price list for available options. Other print patterns and customization are available through KI Custom Options, subject to additional lead time and set up charges.

Steel Inserts

Steel inserts feature a dry erase-writable surface attached to a hardboard core. Steel inserts are magnetic and accept optional tackable fabric bulletin boards and rails.

Fabric Inserts

Fabric inserts feature fiberglass cores. Inserts are tackable and are offered in a variety of colors. Fabric inserts are neither write-able nor magnetic.

Casters

Casters feature 4" black swivel twin wheels, and are plate-mounted.


Ledge

An optional steel accessory shelf ledge is available allowing for placement of foam board or other presentation materials at the bottom of the unit.

Bulletin Boards and Rails

Optional tack-able bulletin boards are intended for placement on the upper portion of steel insert tiles. Boards are magnetically attached and are fully re-positionable.

Rails are intended for horizontal placement anywhere on a steel insert.



Printed Acrylic Surface Screen

- Acrylic insert with dry-erase coating
- Gradient and grid print patterns allow graduated translucency and permeation of light
- Includes storage tray and ganging hardware
- Black casters
- Acrylic surface is non-magnetic and will not accept magnetic attachments

W x H x D	Basic Model	Print Pattern	Frame Color	Approx. Packaged Weight	Net Price
36 x 72 X 22-1/2"	CZMSAP3672	□□□□	□□□□	225.0#	\$2895
42 x 72 X 22-1/2"	CZMSAP4272	□□□□	□□□□	232.0#	\$2895
42 x 80 X 22-1/2"	CZMSAP4280	□□□□	□□□□	238.0#	\$2895

1

2

3

HOW TO ORDER

Indicate the following information on the order form:


1. Quantity of each item.
2. Model Number, including options.
See "How to Build a Model Number."
3. Any special service required.

Note:

The □ indicates that a choice is required.
The absence of □ indicates that no choice is required

HOW TO BUILD A MODEL NUMBER

- 1 **Select Basic Model.**
- 2 **Select Acrylic Type.**
AGRA - Gradient Pattern
AGRD - Grid Pattern
- 3 **Select Frame Color.**
SLDE - Silver Dry-Erase
WHDE - White Dry-Erase



Unprinted Acrylic Surface Screen

- Acrylic insert with dry-erase coating
- Acrylic does not feature any print pattern
- Includes storage tray and ganging hardware
- Black casters
- Acrylic surface is non-magnetic and will not accept magnetic attachments

W x H x D	Basic Model	Print Pattern	Frame Color	Approx. Packaged Weight	Net Price
36 x 72 X 22-1/2"	CZMSAS3672	□□□□	□□□□	225.0#	\$2578
42 x 72 X 22-1/2"	CZMSAS4272	□□□□	□□□□	232.0#	\$2578
42 x 80 X 22-1/2"	CZMSAS4280	□□□□	□□□□	238.0#	\$2578

1 **2** **3**




HOW TO ORDER

- Indicate the following information on the order form:
1. Quantity of each item.
 2. Model Number, including options.
See "How to Build a Model Number."
 3. Any special service required.

Note:
The □ indicates that a choice is required.
The absence of □ indicates that no choice is required

HOW TO BUILD A MODEL NUMBER

- 1 Select Basic Model.**
- 2 Select Acrylic Type.**
CRYS - Translucent crystal
WHTE - Solid white
- 3 Select Frame Color.**
SLDE - Silver Dry-Erase
WHDE - White Dry-Erase

	W x H x D	Basic Model	Frame Color	Fabric Color	Approx. Packaged Weight	Net Price
 <p>Dry Erase Steel Surface Screen</p> <ul style="list-style-type: none"> White dry erase steel surface two sides Steel is magnetic Includes storage tray and ganging hardware Black casters 	36 x 72 X 22-1/2"	CZMSDS3672	□□□□		254.0#	\$1894
	42 x 72 X 22-1/2"	CZMSDS4272	□□□□		263.0#	\$1947
	42 x 80 X 22-1/2"	CZMSDS4280	□□□□		272.0#	\$2021
 <p>Magnetic Tackable Fabric Bulletin Board</p> <ul style="list-style-type: none"> Magnetic attachment to steel tiles only Intended for use on topmost 24" of tile only Not intended for use on curve Tackable surface 	24 x 24 x 1/2"	CZMSBB2424		□□	2.5#	\$265
	36 x 24 x 1/2"	CZMSBB3624		□□	3.0#	\$280
	42 x 24 x 1/2"	CZMSBB4224		□□	3.5#	\$282
 <p>Magnetic Tackable Fabric Bulletin Rail</p> <ul style="list-style-type: none"> Magnetic attachment to steel tiles only Intended for horizontal placement only Not intended for use on curve Tackable surface 	24 x 6 x 1/2"	CZMSBR246		□□	1.0#	\$129
	36 x 6 x 1/2"	CZMSBR366		□□	1.5#	\$139
	42 x 6 x 1/2"	CZMSBR426		□□	2.0#	\$145

1

2

3

HOW TO ORDER

Indicate the following information on the order form:


- Quantity of each item.
- Model Number, including options.
See "How to Build a Model Number."
- Any special service required.

Note:

The □ indicates that a choice is required.
The absence of □ indicates that no choice is required

HOW TO BUILD A MODEL NUMBER

- Select Basic Model.**
- Select Frame Type.**
SLDE - Silver Dry-Erase
WHDE - White Dry-Erase
- Select Fabric.**
Refer to [Color Options](#)



Fabric Tile Surface Two Sides

- Tackable fabric surface on both sides
- Includes storage tray and ganging hardware
- Black casters

W x H x D	Basic Model	Frame Color	Fabric Side 1	Fabric Side 2	Approx. Packaged Weight	Net Price
36 x 72 X 22-1/2"	CZMSTF3672	□□□□	□□	□□	205.0#	\$1957
42 x 72 X 22-1/2"	CZMSTF4272	□□□□	□□	□□	209.0#	\$2021
42 x 80 X 22-1/2"	CZMSTF4280	□□□□	□□	□□	212.0#	\$2092

① ② ③ ④


HOW TO ORDER

- Indicate the following information on the order form:
1. Quantity of each item.
 2. Model Number, including options.
See "How to Build a Model Number."
 3. Any special service required.

Note:
The □ indicates that a choice is required.
The absence of □ indicates that no choice is required

HOW TO BUILD A MODEL NUMBER


- ① Select Basic Model.
- ② Select Frame Color.
SLDE - Silver Dry-Erase
WHDE - White Dry-Erase
- ③ Select Fabric Side 1
- ④ Select Fabric Side 2



**Magnetic Dry Erase Steel Side One,
Tackable Fabric Side Two**

- Latch mechanism is handed; latch is located at the top left of side 1
- Steel is magnetic
- Dry erase steel on side 1
- Tackable fabric on side 2

W x H x D	Basic Model	Frame Color	Fabric Side 1	Fabric Side 2	Approx. Packaged Weight	Net Price
36 x 72 X 22-1/2"	CZMSSF3672	□□□□		□□□□	229.0#	\$1946
42 x 72 X 22-1/2"	CZMSSF4272	□□□□		□□□□	236.0#	\$2006
42 x 80 X 22-1/2"	CZMSSF4280	□□□□		□□□□	242.0#	\$2076



Tackable Fabric Side One, Magnetic Dry-Erase Steel Side Two

- Latch mechanism is handed; latch is located at the top left of side 1
- Steel is magnetic
- Tackable fabric on side 1
- Dry erase steel on side 2

36 x 72 X 22-1/2"	CZMSFS3672	□□□□	□□□□		229.0#	\$1946
42 x 72 X 22-1/2"	CZMSFS4272	□□□□	□□□□		236.0#	\$2006
42 x 80 X 22-1/2"	CZMSFS4280	□□□□	□□□□		242.0#	\$2076

1

2

3

4

HOW TO ORDER

Indicate the following information on the order form:

1. Quantity of each item.
2. Model Number, including options.
See "How to Build a Model Number."
3. Any special service required.

Note:


The □ indicates that a choice is required.
The absence of □ indicates that no choice is required

HOW TO BUILD A MODEL NUMBER

- 1 Select Basic Model.
- 2 Select Frame Color.
SLDE - Silver Dry-Erase
WHDE - White Dry-Erase
- 3 Select Fabric Side 1
- 4 Select Fabric Side 2

Attachable Ledge Tray

- Provides support for ancillary presentation materials such as foam boards and easel pads
- Approximately 1/2" deep by width of screen



W x H x D	Basic Model	Paint Color	Approx. Packaged Weight	Net Price
34 x 1 x 2"	CZMSL36	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	1.3#	\$24
40 x 1 x 2"	CZMSL42	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	1.5#	\$26

1

2

HOW TO ORDER

Indicate the following information on the order form:

1. Quantity of each item.
2. Model Number, including options.
See "How to Build a Model Number."
3. Any special service required.

Note:

The indicates that a choice is required.
The absence of indicates that no choice is required

HOW TO BUILD A MODEL NUMBER

- 1 **Select Basic Model.**
- 2 **Select Paint Color.**
SLDE - Silver Dry-Erase
WHDE - White Dry-Erase

State of Wisconsin Bureau of Correctional Enterprises

Business Office and Showroom
3099 East Washington Avenue
Madison, WI 53704

608.240.5200

shopbce.com

BCE Product Development Center
Design. Support. Promote.



Industries