


# BCE Sign Catalog

for Road and Trail  
2022-2023



# Mission Statement

The mission of the Bureau of Correctional Enterprises is to enhance public safety by providing jobs and training for inmates which develop marketable skills and experience in financially viable businesses while producing quality products and services to our customers.

# Vision Statement

The Bureau of Correctional Enterprises makes a demonstrable contribution to public safety through our valued staff. We provide training and work experience for inmates that leads to long term success while in prison and in the community upon re-entry. Together we provide high quality products and services to our customers.

## Bureau of Correctional Enterprises

Road and Trail Signs  
Sign Recycling/Hydrostripping  
3099 East Washington Ave.  
Madison, Wi 53904

## Central Office Sales:

Paul Gradian: 608-240-5207  
[Paul.Gradian@wisconsin.gov](mailto:Paul.Gradian@wisconsin.gov)  
Megan Rodriguez: 608-240-5257  
[Megan.Rodriguez@wisconsin.gov](mailto:Megan.Rodriguez@wisconsin.gov)

**Black River Falls Office:** 715-284-4550 ext. 7090

Email: [BCERoadandTrailSigns@wisconsin.gov](mailto:BCERoadandTrailSigns@wisconsin.gov)



— Bureau of —  
Correctional  
Enterprises



# Table of Contents

HYDROSTRIPPING .....	Pg. 4
SIGN REUSE PROGRAM.....	Pg. 5
ATV SIGNS .....	Pg. 6
TRAIL SIGNS .....	Pg. 7
WARNING SIGNS.....	Pg. 9
ROAD WORK SIGNS.....	Pg. 17
REGULATORY SIGNS.....	Pg. 20
DIRECTIONAL SIGNS.....	Pg. 32
ROUTE MARKERS.....	Pg. 33
SCHOOL ZONE SIGNS.....	Pg. 34
OBJECT MARKERS.....	Pg. 35
FIRE SIGNS.....	Pg. 35
US BIKE ROUTE SIGNS.....	Pg. 36
POSTS & HARDWARE.....	Pg. 38
ROAD MARKER .....	Pg. 39

## Sheeting Options

BCE uses 3M Reflective Sheetings.

- **3M Diamond Grade DG3 Reflective Sheeting Series 4000** features the most efficient full-cube retroreflective prismatic design for use on vertical traffic control signs and delineators. Series 4000 meets the stringent retroreflective requirements described in the ASTM D4956 standard with an industry-leading 12 year warranty.
- **3M Deamond Grade DG3 Fluorescent Reflective Sheeting Series 4080** uses full-cube prismatic retroreflective and fluorescent technology for added visibility during dawn, daytime, dusk, and inclement weather. Available in fluorescent orange, yellow, and yellow/green (lime). Meets specs for ASTM Type XI and performance is warranted for up to 10 years.
- **3M Deamond Grade Conspicuity Markings Series 983** are flexible, highly retroreflective microprismatic markings designed to enhance the visibility of the sides and rears of vehicles. Highly durable with excellent angularity providing up to 10 years of field performance.
- **3M High Intensity Prismatic (HIP) Reflective Sheeting Series 3930** is a microprismatic lens reflective sheeting. Meets ASTM D4956 Type III and Type IV specs and ASTM D4956-07 Type X specs. Performance is warranted for up to 10 years.



# HYDROSTRIPPING

**BCE Industries produces thousands of roadway, trail and property signs weekly.** We produce these signs utilizing new blank aluminum sign stock and/or hydrostripped material. We have made an investment into becoming environmentally friendly along with practicing our smart and lean manufacturing philosophy. Whether your department has budgetary concerns or wants to be part of an environmentally friendly concept, we have established a cost efficient green enterprise within our sign production process. Our hydrostripped signs will ultimately result in an economically positive way to keep your sign budget to a minimum.

**Hydrostripping is a clean industrious method used for removing all grades of reflective sheeting from signs of all shapes and sizes.** This machine utilizes ultra-high pressure waterjet technology and continuously filters and reuses the same water over and over. This environmentally friendly system does not use chemicals or sanding belts, nor does it produce any hazardous waste. In

addition, hydrostripping does not harm the corrosion resistant coatings that have previously been applied to the sign blank. The refurbished sign blanks are ready for re-facing and net extensive savings over the cost of buying new aluminum. Hydrostripping is endorsed and certified by all of the major reflective sheeting manufacturers.





**In comparison the surface difference is minimal between a hydrostripped sign blanks and a new sign blanks.** Once the sheeting is applied the difference is unnoticeable. You will, however, notice the savings and reduced impact on the environment.

**The Wisconsin DOT has been BCE's partner in the development of the Hydrostripping industry.** State regional offices are established collection sites. Consider joining BCE's growing list of state, county and municipal customers that are saving real money with refurbished sign blanks by joining our Sign Reuse Partnership Program.

HYDROSTRIPPED

NEW



# SIGN REUSE PARTNERSHIP PROGRAM

**Committed to our community and our environment.** The list of reasons to become a BCE Sign Reuse Partner continuously grows. Topping the list is your money savings opportunity. We save our customers an average of 10-30% when hydrostripping material is used vs. new blanks. Second on the list is the protection of the natural environment through conservation and sustainable practices. We accomplish this by transforming outdated, weathered aluminum signs that no longer meet DOT standards into clean reusable sign blanks. We do this without damaging the environment by utilizing our 100% Green hydrostripping technology. Next, take into account the environmental issues of aluminum production and the benefits of hydrostripping. Aluminum does not exist in its pure form in nature; it must be extracted from ore and produced. Aluminum production is a relatively energy intensive process that requires some 13 million watt-hours per ton of metal produced. On average, it takes 15.7 kWh of electricity to produce one kilogram of aluminum. Hydrostripping is an environmentally friendly production system that does not use chemicals, reuses its own water supply, and does not produce any hazardous waste.

**Become our Partner in change.** We have developed a worry free sign collection process throughout the state. All partners will be provided with decommissioned sign standards. Remember we even collect signs that are damaged in accidents, have been destroyed by vandalism, or have simply expired. You can use pallets, crates, or bins to collect. Signs are picked up and brought to BCE's warehouse, weighed and sorted. You will be assigned a drop off point and provided with records of the collection. Our partnership credit policy allows you to use the value of collections towards future sign purchases.

## Common Questions & Answers



**Q:** How will I know if I am saving money?

**A:** Each year we will provide you with an annual report to show savings related to this partnership program. Incoming scrap and spending.



**Q:** What about the signs that are damaged beyond re-use.

**A:** Typically we can cut them down into a smaller size.



**Q:** What types of recognition come with this program?

**A:** Every BCE Sign Reuse Partner is added to our quarterly newsletter. We will welcome in new members as well as recognize current ones. We will gather stories about green initiatives throughout our customer base and boast about your efforts.

**Q:** How can partners promote their involvement with this program in their community?

**A:** Each sign will display a Sign Reuse Partner sticker on the non-facing side. BCE will also distribute stickers, at no cost, to be displayed on customer fleet vehicles. A plaque promoting this initiative will also be provided to display in main lobbies.



BCERoadandTrailSigns@wisconsin.gov

# ATV SIGNS



**ATV-1**  
ATV ROUTE MARKER  
(SPECIFY BROWN/GREEN)  
6" • 12" • 24" • 30"



**ATV-1A**  
NO ATV'S MARKER  
6" • 12" • 24"



**ATV-2**  
NO ATV TRAFFIC SYMBOL  
6" • 12" • 24" • 12" x 18"



**ATV -2A**  
NO ATV OR UTV'S  
12" x 6"



**ATV-2T**  
NO ATV PLAQUE  
12" x 4"



**ATV-3**  
ATV X-ING SYMBOL  
12" • 18" • 24" • 30" • 36" • 48"



**ATV-4**  
ATV CROSSING SYMBOL  
12" • 18" • 24" • 30" • 36" • 48"



**ATV5-1**  
NO POWERURNS  
12" x 12"



**ATV-6S**  
ATV SUMMER TRAIL MARKER  
6" x 6"



**ATV-6SW**  
ATV SUMMER/WINTER TRAIL MARKER  
6" x 6"




**ATV-6W**  
ATV WINTER TRAIL MARKER  
6" x 6"



**ATV-17**  
ATV SPEED LIMIT  
(SPECIFY SPEED)  
12" x 12" • 9" x 9" • 6" x 6"




**ATV-17A**  
SPEED LIMIT  
(SPECIFY NUMBER)  
9" x 12" • 12" x 18"  
18" x 24" • 24" x 30"



**ATV22-1**  
MUST STAY ON ROAD  
12" x 12"




**D11-8**  
SNOWMOBILE/ATV ROUTE  
24" x 18"



**D11-10**  
ATV ROUTE  
24" x 18" • 12" x 9" • 12" x 12"



**D1-10A**  
ATV ROUTE NOTIFICATION  
(SPECIFY NAME)  
24" • 36"



**D11-10B**  
ATV ROUTE NOTIFICATION  
(SPECIFY NAME)  
9" x 12" • 12" x 18" • 18" x 24"




**ATV-29**  
ATV MUST STAY ON  
HARD SURFACE  
12" x 12" green/white  
15" x 21 black/white



**ATV1-28**  
LOCAL ACCESS ONLY  
12" • 18" • 24" • 30" • 36" • 48"



# TRAIL SIGNS



**SN1-1**  
TRAIL BLAZER (SPECIFY COLOR)  
(SPECIFY SINGLE/DOUBLE SIDED)

6" x 6"



**SN2-1**  
ARROW BLAZER  
(SPECIFY COLOR)

6" x 6"



**SN5-4**  
STEEP HILL

12" • 18" • 24" • 30" • 36" • 48"



**SN5-13**  
CAUTION

12" • 18" • 24" • 30" • 36" • 48" 12" • 18" • 24" • 30" • 36" • 48"



**SN5-13A**  
CAUTION WORK  
CREW AHEAD

12" • 18" • 24" • 30" • 36" • 48"



**SN5-18**  
WINDING TRAIL

12" • 18" • 24" • 30" • 36" • 48"



**SN6-1**  
BRIDGE CROSSING  
AHEAD

12" • 18" • 24" • 30" • 36" • 48"



**SN6-3**  
CREEK CROSSING

12" • 18" • 24" • 30" • 36" • 48"



**SN6-13**  
STAY ON  
TRAIL

12" • 18" • 24" • 30" • 36" • 48"



**SN-008**  
BRIDGE AHEAD

12" • 18" • 24" • 30" • 36" • 48"



**SN-009**  
DRIVEWAY  
AHEAD

12" • 18" • 24" • 30" • 36" • 48"



**SN-010**  
LOGGING  
AHEAD

12" • 18" • 24" • 30" • 36" • 48"



**SN-015**  
GATE  
AHEAD

12" • 18" • 24" • 30" • 36" • 48"



**SN15-1L**  
**SN15-1R**  
**SN15-1D**

GATE MARKER  
(SPECIFY DOWN LEFT/DOWN  
RIGHT/DOUBLE SIDED)  
36" x 06"



**SN-017**  
DANGER  
OPEN  
WATER

12" • 18" • 24" • 30" • 36" • 48"



**SN17**  
SNOWMOBILE SPEED  
LIMIT (SPECIFY SPEED)

12" x 18"



**SN20-1**  
NO SNOWMOBILE SYMBOL

12" x 12" • 24" x 24"



**SN22-4**  
CORRIDOR  
MARKER  
(SPECIFY NAME)

6" x 6"



**SN-025**  
DIP  
AHEAD

12" • 18" • 24" • 30" • 36" • 48" 12" • 18" • 24" • 30" • 36" • 48"



**SN-026**  
TRAIL  
CLOSED



# TRAIL SIGNS



**SN-036**  
STAY RIGHT



**SN-038**  
DANGER BARBED  
WIRE FENCE



**SN-053**  
HIGHWAY CROSSING  
AHEAD



**SN-069**  
TRAIL ENDS



**SN-073**  
TRAIL NARROWS

12" • 18" • 24" • 30" • 36" • 48"   12" • 18" • 24" • 30" • 36" • 48"   12" • 18" • 24" • 30" • 36" • 48"   12" • 18" • 24" • 30" • 36" • 48"   12" • 18" • 24" • 30" • 36" • 48"



**SN-084**  
SNOWMOBILES  
ONLY



**SN-085**  
JOIN A LOCAL CLUB



**SN-086**  
STAY ON TRAIL OR  
STAY HOME



**SN-090**  
OPEN WATER



**SN-125**  
CULVERT AHEAD

12" • 18" • 24" • 30" • 36" • 48"   12" • 18" • 24" • 30" • 36" • 48"   12" • 18" • 24" • 30" • 36" • 48"   12" • 18" • 24" • 30" • 36" • 48"   12" • 18" • 24" • 30" • 36" • 48"



**SN-132**

CAUTION TRAIL  
INTERSECTION AHEAD



**SN-133**

STAY ON ROAD



**SN-143G**

NO THRU TRAFFIC



**SP1-27**

STAY ON ROUTE



**TR-002**

USE OF THIS TRAIL IS A  
PRIVILEGE & NOT A RIGHT

12" x 12"



**TR-010**  
STAY ON TRAIL OR  
WE WILL LOSE IT

12" x 12"



**TR-013**  
PRIVATE TRAIL

12" x 12"



**W3-1**  
STOP AHEAD SYMBOL

12" • 18" • 24" • 30" • 36" • 48"



**SN-070**  
DANGER BLIND  
INTERSECTION

12" • 18" • 24" • 30" • 36" • 48"



**SN-136**  
PRIVATE PROPERTY



# WARNING SIGNS



**CAUTION  
AHEAD**

**SN6-12**  
CAUTION AHEAD

12" • 18" • 24" • 30" • 36" • 48"    12" • 18" • 24" • 30" • 36" • 48"



**BUMP  
AHEAD**

**W8-1E**  
BUMP AHEAD

12" • 18" • 24" • 30" • 36" • 48"    12" • 18" • 24" • 30" • 36" • 48"



**W1-1**  
**(SN5-1 - 12")**  
TURN ARROW  
(SPECIFY DIRECTION)

12" • 24" • 30" • 36" • 48"



**W1-1A**

TURN ARROW/ADVISORY SPEED  
(SPECIFY SPEED)

30" • 36" • 48"



**W1-2L / W1-2R**  
**(SN5-2 - 12")**  
CURVE ARROW  
(SPECIFY DIRECTION)

12" • 18" • 24" • 30" • 36" • 48"



**W3-3**  
SIGNAL  
AHEAD SYMBOL

12" • 18" • 24" • 30" • 36" • 48"



**W3-3A**  
SIGNAL AHEAD

12" • 18" • 24" • 30" • 36" • 48"



**W3-4**  
BE PREPARED  
TO STOP

12" • 18" • 24" • 30" • 36" • 48"



**W3-5**

REDUCED SPEED LIMIT  
AHEAD (SPECIFY SPEED)

12" • 18" • 24" • 30" • 36" • 48"



**W3-5A**  
SPEED ZONE AHEAD  
(SPECIFY SPEED)

12" • 18" • 24" • 30" • 36" • 48"



**W3-6**  
DRAW  
BRIDGE

DRAW BRIDGE



**W3-7**  
RAMP  
METER  
AHEAD

RAMP METER AHEAD



**W3-8**

RAMP METERED  
WHEN FLASHING



**W4-1L / W4-1R**

**SN-030 LEFT, SN-031 RIGHT - 12"**  
MERGE (SPECIFY DIRECTION)



**W4-2L / W4-2R**

LANE ENDS  
(SPECIFY DIRECTION)

12" • 18" • 24" • 30" • 36" • 48"

12" • 18" • 24" • 30" • 36" • 48"

12" • 18" • 24" • 30" • 36" • 48"

12" • 18" • 24" • 30" • 36" • 48"

12" • 18" • 24" • 30" • 36" • 48"



**W4-3L / W4-3R**  
ADDED LANE  
(SPECIFY DIRECTION)

12" • 18" • 24" • 30" • 36" • 48"



**W4-4AL/AR**  
TRAFFIC DOES NOT STOP  
(SPECIFY DIRECTION)

30" x 12" • 42" x 15" • 54" x 18"



**W4-4B**  
ONCOMING TRAFFIC  
DOES NOT STOP

30" x 12" • 42" x 15" • 54" x 18"



**W4-4P**  
CROSS TRAFFIC  
DOES NOT STOP

24" x 12" • 36" x 15" • 42" x 18"



**W4-5L / W4-5R**  
ROADWAY MERGE  
(SPECIFY DIRECTION)

12" • 18" • 24" • 30" • 36" • 48"



# WARNING SIGNS



**W4-6L / W4-6R**  
ENTERING ROAD  
WAY ADDED LANE  
(SPECIFY DIRECTION)

12" • 18" • 24" • 30" • 36" • 48" 12" • 18" • 24" • 30" • 36" • 48"



**W5-1**  
ROAD NARROWS



**W5-2**  
NARROW BRIDGE



**W5-3**  
ONE LANE  
BRIDGE




**W5-4**  
RAMP  
NARROWS

12" • 18" • 24" • 30" • 36" • 48" 12" • 18" • 24" • 30" • 36" • 48" 12" • 18" • 24" • 30" • 36" • 48" 12" • 18" • 24" • 30" • 36" • 48" 12" • 18" • 24" • 30" • 36" • 48"



**W5-4A**  
PATH  
NARROWS

12" • 18" • 24" • 30" • 36" • 48"



**W5-52L & W5-52R**  
BRIDGE MARKERS  
(SPECIFY LEFT/RIGHT)

6" x 12" • 12" x 36" • 18" x 54" 12" • 18" • 24" • 30" • 36" • 48" 12" • 18" • 24" • 30" • 36" • 48" 12" • 18" • 24" • 30" • 36" • 48" 12" • 18" • 24" • 30" • 36" • 48"



**W6-1**  
DIVIDED  
HIGHWAY SYMBOL



**W6-1A**  
DIVIDED  
HIGHWAY



**W6-1B**  
DIVIDED  
ROAD

12" • 18" • 24" • 30" • 36" • 48" 12" • 18" • 24" • 30" • 36" • 48" 12" • 18" • 24" • 30" • 36" • 48" 12" • 18" • 24" • 30" • 36" • 48" 12" • 18" • 24" • 30" • 36" • 48"



**W6-2**  
DIVIDED HIGHWAY  
ENDS SYMBOL

12" • 18" • 24" • 30" • 36" • 48" 12" • 18" • 24" • 30" • 36" • 48" 12" • 18" • 24" • 30" • 36" • 48" 12" • 18" • 24" • 30" • 36" • 48" 12" • 18" • 24" • 30" • 36" • 48"



**W6-2A**  
DIVIDED HIGHWAY  
ENDS



**W6-2B**  
DIVIDED ROAD  
ENDS



**W6-3**  
**(SN-037 - 12")**  
TWO-WAY TRAFFIC SYMBOL



**W7-1S**  
HILL SYMBOL

12" • 18" • 24" • 30" • 36" • 48" 12" • 18" • 24" • 30" • 36" • 48" 12" • 18" • 24" • 30" • 36" • 48" 12" • 18" • 24" • 30" • 36" • 48" 12" • 18" • 24" • 30" • 36" • 48"



**W7-1B**  
HILL SYMBOL X %  
(SPECIFY %)

12" • 18" • 24" • 30" • 36" • 48"



**W7-2**  
USE LOWER GEAR

24" x 18"



**W7-2B**  
TRUCKS USE  
LOWER GEAR

24" x 18" • 30" x 24" • 48" x 36"



**W7-3**  
X% GRADE  
(SPECIFY %)

24" x 18"



**W7-4**  
RUNAWAY TRUCK RAMP  
XX MILES (SPECIFY MILES)

78" x 48"



# WARNING SIGNS



**W7-4B**  
TRUCK  
ESCAPE  
RAMP  
W/ARROW

78" x 60"



**W7-4C**  
TRUCK  
ESCAPE RAMP  
(SPECIFY ARROW)

78" x 60"



**W7-5**  
HILL

12" • 18" • 24" • 30" • 36" • 48"



**W7-6**  
HILL BLOCKS  
VIEW

12" • 18" • 24" • 30" • 36" • 48"



**W7-DP W7-EP W7-FP**  
SAND GRAVEL PAVED

24" x 12"



**W8-1**  
BUMP

12" • 18" • 24" • 30" • 36" • 48"



**W8-2**  
DIP

12" • 18" • 24" • 30" • 36" • 48"



**W8-4**  
SOFT SHOULDER

12" • 18" • 24" • 30" • 36" • 48"



**W8-5**  
SLIPPERY  
WHEN WET SYMBOL

12" • 18" • 24" • 30" • 36" • 48"



**W8-6**  
TRUCK CROSSING

12" • 18" • 24" • 30" • 36" • 48"



**W8-8**

ROUGH ROAD  
(SPECIFY COLOR)

12" • 18" • 24" • 30" • 36" • 48"



**W8-9**

LOW SHOULDER  
(SPECIFY COLOR)

12" • 18" • 24" • 30" • 36" • 48"



**W8-9A**

SHOULDER DROP-OFF  
(SPECIFY COLOR)

12" • 18" • 24" • 30" • 36" • 48"



**W8-10**

SLIPPERY WHEN WET  
(BICYCLE)

12" • 18" • 24" • 30" • 36" • 48"



**W8-10A**

SLIPPERY WHEN WET

12" x 9" • 24" x 18"



**W8-11**

UNEVEN LANES  
(SPECIFY COLOR)

12" • 18" • 24" • 30" • 36" • 48"



**W8-12**

NO CENTER LINE

12" • 18" • 24" • 30" • 36" • 48"



**W8-13**

BRIDGE ICES  
BEFORE ROAD

12" • 18" • 24" • 30" • 36" • 48" 12" • 18" • 24" • 30" • 36" • 48" 12" • 18" • 24" • 30" • 36" • 48"



**W8-14**

FALLEN ROCKS

12" • 18" • 24" • 30" • 36" • 48"



**W8-16**

METAL BRIDGE DECK



# WARNING SIGNS



**W8-17**  
SHOULDER DROP  
OFF SYMBOL



**W8-17P**  
SHOULDER DROP-OFF



**W8-19**  
FLOOD GAUGE



**W8-23**  
NO SHOULDER



**W8-25**  
SHOULDER ENDS

12" • 18" • 24" • 30" • 36" • 48"    24" x 18" • 30" x 24" • 36" x 30"

12" x 72"

12" • 18" • 24" • 30" • 36" • 48"    12" • 18" • 24" • 30" • 36" • 48"



**W8-52**  
GROOVED PAVEMENT



**W8-58**  
HIGH WATER



**W8-65**  
WATCH FOR WATER  
OVER ROAD



**W8-69**  
WATCH FOR FOG



**W8-72**  
GUSTY WINDS

12" • 18" • 24" • 30" • 36" • 48"

12" • 18" • 24" • 30" • 36" • 48"

12" • 18" • 24" • 30" • 36" • 48"

12" • 18" • 24" • 30" • 36" • 48"

12" • 18" • 24" • 30" • 36" • 48"



**W9-1L / W9-1R**  
LANE ENDS  
(SPECIFY LEFT/RIGHT)




**W9-2L / W9-2R**  
LANE ENDS MERGE  
(SPECIFY LEFT/RIGHT)



**W10-1**  
**TY01 DIAMOND-12”**  
RAILROAD CROSSING



**W10-1A**  
EXEMPT



**W10-2L / W10-2R**  
TRAIN INTERSECTION


12" • 18" • 24" • 30" • 36" • 48"

12" • 18" • 24" • 30" • 36" • 48"


12" • 18" • 24" • 30" • 36" • 48"

24" x 12"

12" • 18" • 24" • 30" • 36" • 48"



**W10-3L / W10-3R**  
TRAIN INTERSECTION



**W10-4L / W10-4R**  
TRAIN INTERSECTION



**W10-5**  
LOW GROUND  
CLEARANCE SYMBOL



**W10-5P**  
LOW GROUND  
CLEARANCE MESSAGE  
15" x 30" • 18" x 36"



**W10-7**  
LIGHT RAIL SYMBOL

12" • 18" • 24" • 30" • 36" • 48"

12" • 18" • 24" • 30" • 36" • 48"

12" • 18" • 24" • 30" • 36" • 48"

24" • 30" • 36"



# WARNING SIGNS




**W10-8**  
TRAIN MAY EXCEED  
XX MPH (SPECIFY MPH)  
12" • 18" • 24" • 30" • 36" • 48"



**W10-9**  
NO TRAIN HORN  
12" • 18" • 24" • 30" • 36" • 48"




**W10-10**  
NO SIGNAL  
24" x 18"



**W10-11**  
TRAIN INTERSECTION  
12" • 18" • 24" • 30" • 36" • 48"



**W10-11A**  
XX FEET BETWEEN  
TRACKS AND HIGHWAY  
(SPECIFY FEET) 30"



**W10-11B**  
XX FEET BETWEEN  
TRACKS AND HIGHWAY  
(SPECIFY FEET)  
30" x 36"



**W10-12L / W10-12R**  
SKEWED RAILROAD  
CROSSING  
(SPECIFY DIRECTION)  
12" • 18" • 24" • 30" • 36" • 48"



**W10-13**  
NO GATES OR LIGHTS  
24" x 18"




**W10-14**  
NEXT CROSSING  
24" x 18"



**W10-14A**  
USE NEXT CROSSING  
24" x 18"



**W10-15**  
ROUGH CROSSING  
24" x 18"



**W10-19**  
PHOTO ENFORCED  
24" x 18" • 36" x 24" • 48" x 36"



**W11-1**  
BICYCLE CROSSING  
12" • 18" • 24" • 30" • 36" • 48"



**W11-2**  
PEDESTRIAN CROSSING  
12" • 18" • 24" • 30" • 36" • 48"



**W11-3**  
DEER CROSSING  
12" • 18" • 24" • 30" • 36" • 48"



**W11-4**  
COW CROSSING  
12" • 18" • 24" • 30" • 36" • 48"



**W11-5**  
FARM MACHINERY  
TRAFFIC  
12" • 18" • 24" • 30" • 36" • 48"



**W11-5A**  
FARM MACHINERY  
TRAFFIC  
12" • 18" • 24" • 30" • 36" • 48"



**W11-6**  
SNOWMOBILE TRAFFIC  
12" • 18" • 24" • 30" • 36" • 48"



**W11-7**  
EQUESTRIAN TRAFFIC  
12" • 18" • 24" • 30" • 36" • 48"



# WARNING SIGNS



**W11-8**  
EMERGENCY VEHICLE



**W11-9**  
HANDICAPPED



**W11-10**  
TRUCK CROSSING



**W11-11**  
GOLF CART TRAFFIC



**W11-12P**  
EMERGENCY  
SIGNAL AHEAD  
36" x 30"



**W11-14**  
HORSE & BUGGY  
TRAFFIC



**W11-15**  
TRAIL CROSSING  
SYMBOL



**W11-15A**  
TRAIL  
CROSSING MESSAGE



**W11-15P**  
TRAIL X-ING



**W11-16**  
BEAR CROSSING



**W11-17**  
SHEEP CROSSING



**W11-18**  
BIGHORN SHEEP  
CROSSING



**W11-19**  
DONKEY CROSSING



**W11-20**  
ELK CROSSING



**W11-21**  
MOOSE CROSSING


12" • 18" • 24" • 30" • 36" • 48"

12" • 18" • 24" • 30" • 36" • 48"

12" • 18" • 24" • 30" • 36" • 48"

12" • 18" • 24" • 30" • 36" • 48"

12" • 18" • 24" • 30" • 36" • 48"



**W11-22**  
RECREATIONAL TRAIL  
CROSSING

12" • 18" • 24" • 30" • 36" • 48"



**W12-1L / W12-1R**  
SINGLE DOWNTURN  
(SPECIFY LEFT/RIGHT)



**W12-1D**  
DOUBLE DOWNTURN

12" • 18" • 24" • 30" • 36" • 48"



**W12-2**  
LOW CLEARANCE  
(SPECIFY HEIGHT)

12" • 18" • 24" • 30" • 36" • 48"



**W12-2A**  
CLEARANCE AT CENTER  
(SPECIFY HEIGHT)  
42" x 18" x 30" x 60"



# WARNING SIGNS



**W13-1**  
ADVISORY SPEED  
(SPECIFY SPEED)  
18" • 24" • 30"



**W13-2**  
ADVISORY EXIT SPEED  
(SPECIFY SPEED)  
24" x 30" • 36" x 48" • 48" x 60"



**W13-2B**  
ADVISORY EXIT SPEED  
(SPECIFY SPEED)  
48" x 90"



**W13-3**  
ADVISORY RAMP SPEED  
(SPECIFY SPEED)  
24" x 30" • 36" x 48" • 48" x 60"



**W13-3B**  
ADVISORY RAMP SPEED  
(SPECIFY SPEED)  
48" x 90"



**W13-4P**  
ON RAMP  
36"



**W14-1**  
DEAD END  
12" • 18" • 24" • 30" • 36" • 48"



**W14-1AL / W14-1AR**  
DEAD END  
SPECIFY DIRECTION  
36" x 8"



**W14-2**  
NO OUTLET  
12" • 18" • 24" • 30" • 36" • 48"



**W14-2AL / W14-2AR**  
NO OUTLET  
(SPECIFY DIRECTION)  
36" x 8"



**W14-3**  
NO PASSING ZONE  
40" x 40" x 30" • 48" x 48" x 36"  
• 64" x 64" x 48"



**W15-1**  
PLAYGROUND SYMBOL  
12" • 18" • 24" • 30" • 36" • 48"



**W16-1P**  
SHARE THE ROAD  
18" x 24" • 24" x 30"



**W16-2**  
XX FEET  
(SPECIFY FEET)  
18" x 12" • 24" x 18"  
• 30" x 24"



**W16-2A**  
XX FT  
(SPECIFY FEET)  
24" x 12" • 30" x 18"  
• 42" x 21"



**W16-3**  
XX MILES  
(SPECIFY MILES)  
30" x 24"




**W16-3A**  
XX MILES  
(SPECIFY MILES)  
30" x 12"



**W16-4**  
NEXT XX FT  
30" x 24"



**W16-5P**  
ARROW  
(SPECIFY LEFT/RIGHT)  
24" x 18"



**W16-6PL / W16-6PR**  
TURN ARROW  
(SPECIFY LEFT/RIGHT)  
24" x 18"



# WARNING SIGNS



**W16-8A**  
ADVANCE STREET NAME  
(SPECIFY NAME AND ARROWS)  
VARIES x 15"

**W16-8P**  
ADVANCE STREET NAME  
(SPECIFY NAME)  
VARIES x 8"

**W16-9P**  
AHEAD

**W16-10**  
PHOTO ENFORCED

**W16-10P**  
PHOTO ENFORCED SYMBOL



**W16-11**  
HOV  
24" x 12" • 30" x 18"

**W16-12P**  
TRAFFIC CIRCLE  
(SPECIFY COLOR)  
24" x 18"

**W16-13P**  
WHEN FLASHING  
24" x 18" • 30" x 24"

**W16-15P**  
NEW  
24" x 12"

**W16-17P**  
ROUNDABOUT  
24" x 12"



**W16-18P**  
NOTICE  
24" x 12"

**W17-1**  
SPEED HUMP  
12" • 18" • 24" • 30" • 36" • 48"

**W18-1**  
NOTRAFFIC SIGNS  
12" • 18" • 24" • 30" • 36" • 48"

**W19-3**  
FREEWAY ENDS  
30" • 36" • 48"

**W19-5**  
ALL TRAFFIC MUST EXIT  
90" x 48"



# ROAD WORK SIGNS



**W20-7A**  
FLAGGER SYMBOL



**W21-1**  
WORKERS MESSAGE



**W21-1A**  
WORKERS SYMBOL



**W21-2**  
FRESH OIL



**W21-3**  
ROAD MACHINERY AHEAD

12" • 18" • 24" • 30" • 36" • 48"

12" • 18" • 24" • 30" • 36" • 48"

12" • 18" • 24" • 30" • 36" • 48" 12" • 18" • 24" • 30" • 36" • 48" 12" • 18" • 24" • 30" • 36" • 48"



**W21-5**  
SHOULDER WORK



**W21-5A**  
SHOULDER CLOSED  
(SPECIFY DIRECTION)



**W21-5B**  
SHOULDER CLOSED AHEAD  
(SPECIFY RIGHT/LEFT)



**W21-6**  
SURVEY CREW



**W21-7**  
UTILITY WORK AHEAD

12" • 18" • 24" • 30" • 36" • 48"

12" • 18" • 24" • 30" • 36" • 48"

12" • 18" • 24" • 30" • 36" • 48" 12" • 18" • 24" • 30" • 36" • 48" 12" • 18" • 24" • 30" • 36" • 48"



**W21-51**  
MOWING OPERATIONS  
AHEAD



**W22-1**  
BLASTING ZONE AHEAD



**W22-2**  
TURN OFF RADIO  
42" x 36"



**W22-3**  
END BLASTING ZONE  
42" x 36"



**W23-1**  
SLOW TRAFFIC  
AHEAD  
48" x 24"



**W23-2**  
NEW TRAFFIC  
PATTERN




**W23-7L / W23-7R**  
TILT DOWN ARROW  
(SPECIFY DIRECTION)



**W24-1L / W24-1R**  
DBL REVERSE CURVE  
(SPECIFY LEFT/RIGHT)



**W24-1AL / W24-1AR**  
DBL REVERSE CURVE  
(SPECIFY LEFT/RIGHT)



**W24-1BL / W24-1BR**  
DBL REVERSE CURVE  
(SPECIFY LEFT/RIGHT)



# ROAD WORK SIGNS



**W24-1P**

ALL LANES

36" x 24"



**W25-1**

ONCOMING TRAFFIC  
HAS EXTENDED GREEN

24" x 30"



**W25-2**

ONCOMING TRAFFIC MAY  
HAVE EXTENDED GREEN

24" x 30"



**W42-8**

SLOW


12" • 18" • 24" • 30" • 36" • 48"



**W57-51**

NEXT XX MILES  
(SPECIFY MILES)

24" x 12" • 30" x 15"  
36" x 18" • 48" x 24"



**W6-4**

TWO- WAY  
TRAFFIC SYMBOL

12" x 18"



**W8-7\***

LOOSE GRAVEL

12" • 18" • 24" • 30" • 36" • 48"



**W8-24**

STEEL PLATE  
AHEAD

12" • 18" • 24" • 30" • 36" • 48"



**W9-3**

LANE CLOSED AHEAD  
(SPECIFY LEFT/  
CENTER/RIGHT)

12" • 18" • 24" • 30" • 36" • 48"



**W9-3A**

LANE CLOSED  
AHEAD SYMBOL

12" • 18" • 24" • 30" • 36" • 48"



**G20-2A**

END ROAD WORK

36" x 18" • 48" x 24"



**G20-4**

PILOT

CAR FOLLOW ME

36" x 18"



**M4-8**

DETOUR

24" x 12" • 30" x 15" •  
36" x 18"



**M4-9DL/DR**

DETOUR

(SPECIFY LEFT/RIGHT)

48" x 18"



**M4-9AL / M4-9AR**

BIKE & PEDESTRIAN  
DETOUR

(SPECIFY LEFT/RIGHT)

30" x 24" • 48" x 36" •  
60" x 48"



# ROAD WORK SIGNS



**M4-9BL / M4-9BR**  
PEDESTRIAN DETOUR  
(SPECIFY LEFT/RIGHT)  
30" x 24" • 48" x 36" •  
60" x 48"



**M4-9CL / M4-9CR**  
BIKE DETOUR  
(SPECIFY LEFT/RIGHT)  
30" x 24" • 48" x 36" •  
60" x 48"



**M4-9DL/DR**  
DETOUR  
(SPECIFY LEFT/RIGHT)  
48" x 18"



**M4-9L/R**  
DETOUR  
(SPECIFY LEFT/RIGHT)  
30" x 24" • 48" x 36" •  
60" x 48"



**W4-7L / W4-7R**  
THRU TRAFFIC MERGE  
(SPECIFY LEFT/RIGHT)  
12" • 18" • 24" • 30" • 36"  
• 48"



**W20-3**

ROAD CLOSED



**W20-4**

ONE LANE ROAD



**W20-5**

RIGHT LANE CLOSED



**W20-5A**

RIGHT LANE CLOSED AHEAD

12" • 18" • 24" • 30" • 36" • 48"

12" • 18" • 24" • 30" • 36" • 48"

12" • 18" • 24" • 30" • 36" • 48"

12" • 18" • 24" • 30" • 36" • 48"



**W20-7**

FLAGGER

AHEAD MESSAGE

12" • 18" • 24" • 30" • 36" • 48"



**W20-2**

DETOUR XX

(SPECIFY AHEAD/  
#FT/ # MILES)

12" • 18" • 24" • 30" • 36" • 48"



**W20-1C**

ROAD WORK XX

(SPECIFY AHEAD/  
#FT/ # MILES)

12" • 18" • 24" • 30" • 36" • 48"



**G20-1**

ROAD WORK NEXT  
XX MILES

(SPECIFY MILES)

36" x 18" • 60" x 24"



# REGULATORY SIGNS



**R1-1**  
STOP

12" • 18" • 24" • 30" • 36" • 48"



**R1-2**  
YIELD

12" x 12" • 18" x 15.5"  
30" x 26" • 36" x 31"  
48" x 42" • 60" x 52"



**R1-2A**  
TO ONCOMING TRAFFIC

24" x 18" • 36" x 30"  
48" x 36"



**R1-3P**  
ALL WAY

18" x 6" • 24" x 9"  
30" x 12" • 36" x 15"  
48" x 18"



**R1-5AL / R1-5AR**  
YIELD HERE TO PED.  
(SPECIFY ARROW)  
(STOP ALSO AVAILABLE)  
18" x 24" • 30" x 42"  
36" x 48"




**R1-5L, R1-5R**  
YIELD HERE TO PED.  
(SPECIFY ARROW)  
(STOP ALSO AVAILABLE)  
18" • 30" • 36"



**R1-6**  
STATE LAW YIELD TO  
[PED SYMBOL]  
(SPECIFY YELLOW-G)  
(STOP ALSO AVAIL.)  
(PED SYMBOL ALSO AVAIL.)  
12" x 36"



**R1-9**  
YIELD/FOR PEDESTRIANS  
**R1-9A**  
STOP FOR PEDESTRIANS  
90" x 24"



**R1-10P**  
EXCEPT RIGHT TURN

24" x 18"



**R2-1**  
SPEED LIMIT  
(SPECIFY SPEED)  
18" x 24" • 24" x 30"  
30" x 36" • 36" x 48"  
48" x 60"



**R2-2**  
TRUCKS SPEED LIMIT  
(SPECIFY SPEED)  
24" • 36" • 48"



**R2-3**  
NIGHT SPEED LIMIT  
(SPECIFY SPEED)  
24" • 36" • 48"



**R2-4**  
MIN SPEED LIMIT  
(SPECIFY SPEED)  
24" x 30" • 36" x 48"  
48" x 60"



**R2-6AP**  
FINES DOUBLE  
24" • 36" • 48"



**R2-6BP**  
\$150 FINE  
24" • 36" • 48"



# REGULATORY SIGNS



**R2-6P**  
FINES HIGHER

24" x 18" • 36" x 24" •  
48" x 36"



**R3-1**  
NO RIGHT  
TURNS SYMBOL  
24" • 30" • 36" • 48"



**R3-2**  
NO LEFT  
TURNS SYMBOL  
24" • 30" • 36" • 48"



**R3-3**  
NO TURNS MESSAGE  
24" • 30" • 36" • 48"



**R3-4**  
NO U-TURNS SYMBOL  
24" • 30" • 36" • 48"



**R3-5L / R3-5R**  
LEFT TURN ONLY  
(THICK BLACK BORDER)  
42" x 48"




**R3-5B**      **R3-5E**  
LEFT LANE    CENTER LANE  
**R3-5F**  
RIGHT LANE  
30" x 12"



**R3-5A**  
AHEAD ONLY  
(THICK BLACK BORDER)  
42" x 48"




**R3-5D**      **R3-5G**  
TAXI LANE    BUS LANE  
30" x 12"



**R3-6L / R3-6R**  
LEFT/AHEAD ARROW  
(THICK BLACK BORDER)  
42" x 48"




**R3-7L / R3-7R**  
LANE MUST TURN  
(SPECIFY LEFT/RIGHT)  
30" x 36" • 48"



**R3-8**  
ANY COMBINATION AVAILABLE  
(SPECIFY ARROWS)  
SECTION SIZE VARIES  
BY ARROW TYPE



**R3-8B**  
DOUBLE ARROWS  
(SPECIFY ARROWS)  
36" x 30" • 48" x 36" •  
60" x 48"



**R3-8LAR**  
TRIPLE ARROWS  
(SPECIFY ARROWS)  
54" x 30" • 84" x 48"



**R3-9A**  
TWO-WAY LEFT  
TURN ONLY  
30" x 36"



# REGULATORY SIGNS



**R3-9B**  
CENTER LANE TWO-WAY  
LEFT TURN ONLY  
24" x 36" • 36" x 48"




**R3-9C BEGIN PLAQUE**  
**R3-9D END PLAQUE**  
24" x 6" • 36" x 9"



**R3-10**  
HOV 2+ RESTRICTED  
LANE AHEAD  
30" x 42" • 42" x 60" •  
54" x 84" • 78" x 96"



**R3-10A**  
BUS LANE AHEAD  
24" x 30" • 30" x 42" •  
36" x 60" • 78" x 96"



**R3-10B**  
LOW EMISSION  
VEHICLES ALLOWED  
30" x 42" • 42" x 60" •  
54" x 84" • 78" x 96"



**R3-11**  
HOV 2+ ONLY  
(SPECIFY DAYS & TIMES)  
30" x 42" • 42" x 60" •  
54" x 84" • 78" x 96"



**R3-11A**  
HOV 2+ LEFT LANE  
(SPECIFY DAYS & TIMES)  
30" x 42" • 42" x 60" •  
54" x 84" • 78" x 96"




**R3-11B**  
(SPECIFY DAYS & TIMES)  
BUSES ONLY  
30" x 42" • 42" x 60" •  
54" x 84" • 78" x 96"




**MOTORCYCLES  
ALLOWED**


**R3-11C**  
HOV 2+ ONLY 24 HOURS  
BUSES ONLY  
30" x 42" • 42" x 60" •  
54" x 84" • 78" x 96"  
30" x 15"



**R3-12C**  
HOV RESTRICTION ENDS  
30" x 42" • 42" x 60" •  
54" x 84" • 78" x 96"




**R3-12D**  
HOV RESTRICTIONS  
ENDS (SPECIFY MILES)  
30" x 42" • 42" x 60" •  
54" x 84" • 78" x 96"



**R3-12G**  
BUS LANE ENDS  
24" x 30"



**R3-12H**  
BUS LANE ENDS  
(SPECIFY MILES)  
24" x 30" • 30" x 42" •  
36" x 60" • 78" x 96"



**R3-13**  
HOV 2+ 2 OR MORE  
PERSONS  
66" x 36" • 84" x 48" •  
144" x 78"



**R3-13A**  
HOV 2+ 2 OR MORE PERSONS  
(SPECIFY DAYS & TIMES)  
66" x 36" • 84" x 48" •  
144" x 78"



**R3-14A**  
HOV 2+ ONLY  
(SPECIFY DAYS & TIMES)  
72" x 60" • 96" x 72" •  
144" x 106"



**R3-15C**  
HOV RESTRICTIONS ENDS  
66" x 36" • 84" x 48" • 102" x 60"



# REGULATORY SIGNS



R3-17

BIKE LANE

30" x 24"

AHEAD  
ENDS



R3-18

NO LEFT OR  
U-TURNS SYMBOL

24" • 30" • 36" • 48"

BEGIN  
LEFT  
TURN  
LANE

R3-20L / R3-20LL  
R3-20R / R3-20RRBEGIN TURN LANE  
(SPECIFY LEFT/RIGHT)  
(SPECIFY DL/DR ARROW)  
24" x 36" • 36" x 54"

R3-27

NO STRAIGHT  
THROUGH SYMBOL

24" • 36" • 48"

RIGHT LANE  
MUST EXIT



R3-33

RIGHT LANE MUST EXIT

78" x 36"

R3-50L / R3-50R

LEFT TURN ONLY

30" x 36"

R3-50A

AHEAD ONLY

30" x 36"

R3-60L / R3-60R

LEFT/AHEAD ARROW

30" x 36"

R3-15A

HOV LANE ENDS

66" x 36" • 84" x 48" • 102" x 60"

R4-1  
DO NOT PASS12" x 18" • 18" x 24" •  
24" x 30" • 36" x 48" •  
48" x 60"R4-2  
PASS WITH CARE12" x 18" • 18" x 24" •  
24" x 30" • 36" x 48" •  
48" x 60"

R4-3

SLOWER TRAFFIC  
KEEP RIGHT  
12" x 18" • 18" x 24" •  
24" x 30" • 36" x 48" •  
48" x 60"


R4-4

BEGIN TURN LANE


36" x 30"



R4-5L / R4-5R

TRUCKS USE XXX LANE  
(SPECIFY LEFT/CENTER/RIGHT)12" x 18" • 18" x 24" • 24" x 30"  
36" x 48" • 48" x 60"R4-6  
TRUCKS LANE XX FEET  
(SPECIFY FEET)  
24" x 30" • 36" x 48" •  
48" x 60"R4-7  
KEEP RIGHT  
18" x 24" • 24" x 30" •  
36" x 48" • 48" x 60"R4-7A  
KEEP RIGHT  
(SPECIFY R / UP-R ARROW)  
18" x 24" • 24" x 30" •  
36" x 48" • 48" x 60"R4-7D  
KEEP RIGHT

12" • 18" • 24" • 30" • 36" • 48"

R4-8  
KEEP LEFT  
18" x 24" • 24" x 30" •  
36" x 48" • 48" x 60"

# REGULATORY SIGNS



**R4-8A    R4-8B**  
KEEP LEFT  
(SPECIFY L / UP-L ARROW)  
18" x 24" • 24" x 30" •  
36" x 48" • 48" x 60"




**R4-9**  
STAY IN LANE  
18X24" • 24X30" •  
36X48" • 48X60"



**R4-10**  
RUNAWAY VEHICLES  
ONLY  
48"



**R4-11**  
BIKES MAY USE  
FULL LANE  
30"



**R4-13**  
SLOW VEHICLES MUST  
USE TURN-OUT AHEAD  
42" x 24"



**R4-14**  
SLOW VEHICLES MUST  
TURN OUT  
30" x 42"



**R4-55A**  
STAY ON PAVEMENT  
12" • 18" • 24" • 30" • 36" • 48"



**R5-1**  
DO NOT ENTER  
12" • 30" • 36" • 48"



**R5-1A**  
WRONG WAY  
30" x 18" • 36" x 24" •  
42" x 30"



**R5-1B**  
BICYCLE WRONG  
WAY  
12" x 18"



**R5-2**  
NO TRUCKS SYMBOL  
24" • 30" • 36" • 48"



**R5-3**  
NO MOTOR VEHICLES  
24"




**R5-4**  
COMMERCIAL  
VEHICLES  
EXCLUDED  
18" x 24" • 24" x 30" •  
36" x 48" • 48" x 60"



**R5-5**  
VEHICLES  
WITH LUGS  
PROHIBITED  
18" x 24" • 24" x 30" •  
36" x 48" • 48" x 60"  
NO BICYCLES SYMBOL  
24" • 30" • 36" • 48"



**R5-7**  
NO NON  
MOTORIZED TRAFFIC  
30" x 24" • 42" x 24" • 48" x 30



**R5-8**  
NO MOTOR-DRIVEN  
CYCLES  
30" x 24" • 42" x 24" • 48" x 30



**R5-10B**  
PEDESTRIANS AND  
BICYCLES PROHIBITED  
30" x 18"



**R5-10C**  
PEDESTRIANS  
PROHIBITED  
24" x 12"



**R5-11**  
AUTHORIZED  
VEHICLES ONLY  
30" x 24"



# REGULATORY SIGNS



R5-51

NO ATV TRAFFIC

24"



R5-57  
PEDS BIKES  
NONMOTOR TRAFFIC  
MOTOR BIKES  
PROHIBITED  
36"



R6-1L R6-1R

ONE WAY  
(SPECIFY RIGHT/LEFT)  
36" x 12" • 54" x 18"




R6-2L / R6-2R

ONE WAY  
(SPECIFY RIGHT/LEFT)  
12" x 18" • 18" x 24" •  
24" x 30" • 30" x 36" •  
36" x 48"



R6-3

DIVIDED HIGHWAY  
24" x 18" • 30" x 24" •  
36" x 30"



R6-3A  
DIVIDED HIGHWAY  
T-INTERSECTION  
24" x 18" • 30" x 24" •  
36" x 30"



R6-6

BEGIN ONE WAY

24" x 30" • 30" x 36" •  
36" x 48"



R6-7

END ONE WAY

24" x 30" • 30" x 36" •  
36" x 48"



R6-4A

ROUNDABOUT  
DIRECTIONAL  
48" x 24"



R6-4B

ROUNDABOUT  
DIRECTIONAL  
60" x 24"



R6-5P

ROUNDABOUT  
30"



R7-4L / R7-4R  
NO STOPPING OR STANDING  
(SPECIFY ARROW)  
12" x 18" • 18" x 24" •  
24" x 30"

R7-5L / R7-5R  
ONE HOUR PARKING  
(SPECIFY TIMES)  
(SPECIFY ARROW)  
12" x 18" • 18" x 24" •  
24" x 30"

R7-7L / R7-7R  
NO PARKING  
BUS STOP  
(SPECIFY ARROW)  
12" x 18" • 18" x 24" •  
24" x 30"

R7-8L / R7-8R  
RESERVED PARKING  
WHEELCHAIR  
(SPECIFY ARROW)  
12" x 18" • 18" x 24"

R7-8V  
VAN ACCESSIBLE  
12" x 6" • 18" x 9"



BCERoadandTrailSigns@wisconsin.gov

# REGULATORY SIGNS



**R7-107L / R7-107R**

NO PARKING BUS STOP  
(RED CORNER)  
(SPECIFY Y ARROW)

12" x 18"



**R7-107A**

NO PARKING BUS  
STOP SYMBOL  
(SPECIFY ARROW)

12" x 24"



**R7-108D**

LIMITED PARKING  
(GREEN CORNER)  
(SPECIFY DURATION/  
TIMES)(SPECIFY ARROW)

12" x 18"



**R7-108AD**

LIMITED PARKING  
(GREEN CORNER)  
(SPECIFY DURATION/  
TIMES)(SPECIFY ARROW)

12" x 18"



**R7-201**

TOW-AWAY ZONE

12" x 6"



**R7-201A**

TOW-AWAY ZONE

12" x 6"



**R7-202**

THIS SIDE OF SIGN

12" x 6"



**R7-203**

EMERGENCY  
SNOW ROUTE  
NO PARKING  
IF OVER  
2 INCHES



**R8-1**

NO PARKING  
ON PAVEMENT  
18" x 24" • 24" x 30" •  
36" x 48" • 48" x 60"



**R8-2**

NO PARKING EXCEPT  
ON SHOULDER  
18" x 24" • 24" x 30" •  
36" x 48" • 48" x 60"



**R8-3**

NO PARKING  
18" x 24" • 24" x 30" •  
36" x 48" • 48" x 60"



**R8-3A**

NO PARKING SYMBOL  
12" • 18" • 24" • 36" • 48"



**R8-3B**

EXCEPT SUNDAYS  
AND HOLIDAYS  
12" x 9" • 18" x 12" •  
24" x 18" • 30" x 24"



**R8-3C**

ON PAVEMENT  
12" x 9" • 18" x 12" •  
24" x 18" • 30" x 24"



**W8-72P**  
ON BRIDGE

12" x 9" • 18" x 12" •  
24" x 18" • 30" x 24"



**R8-3E**  
ON TRACKS  
12" x 9" • 18" x 12" •  
24" x 18" • 30" x 24"



**R8-3F**  
EXCEPT ON SHOULDER  
12" x 9" • 18" x 12" •  
24" x 18" • 30" x 24"



**R8-3G**  
LOADING ZONE  
12" x 9" • 18" x 12" •  
24" x 18" • 30" x 24"



**R8-4**  
EMERGENCY  
PARKING ONLY  
30" x 24" • 48" x 36"



# REGULATORY SIGNS



**R8-5**  
NO STOPPING  
ON  
PAVEMENT  
12" x 9" • 18" x 12"  
24" x 18" • 30" x 24"



**R8-6**  
NO STOPPING  
EXCEPT ON  
SHOULDER  
12" x 9" • 18" x 12"  
24" x 18" • 30" x 24"



**R8-7**  
EMERGENCY  
STOPPING ONLY  
30" x 24" • 48" x 36"



**R8-8**  
DO NOT  
STOP  
ON  
TRACKS  
24 x 30" • 36 x 48" • 48" x 60"



**R8-9**  
TRACKS OUT  
OF SERVICE  
24" x 30"



**R8-10**  
STOP HERE  
WHEN FLASHING  
24" x 36"



**R8-10A**  
STOP HERE WHEN  
FLASHING  
(SPECIFY DIRECTION)  
24" x 30"



**R9-1**  
WALK ON LEFT  
FACING TRAFFIC  
18" x 24"



**R9-2**  
CROSS ONLY AT  
CROSS WALKS  
12" x 18"



**R9-3**  
NO PED CROSSING  
12" x 18"



**R9-3A**  
NO PEDESTRIAN  
CROSSING SYMBOL  
18" • 24" • 30"



**R9-3C**  
RIDE WITH TRAFFIC  
12"




**R9-4**  
NO HITCHHIKING  
18" x 24"



**R9-4A**  
NO HITCHHIKING  
SYMBOL  
12" • 18" • 24"  
BIKES USE PED SIGNAL  
12" x 18"



**R9-5**  
BIKES USE PED SIGNAL  
12" x 18"




**R9-6**  
BIKES YIELD TO PEDS  
12" x 18"



**R9-7**  
BIKES KEEP LEFT  
PEDS KEEP RIGHT  
12" x 18"



**R9-8**  
PEDESTRIAN  
CROSS WALK  
24" x 12" • 30" x 18"



**R9-9**  
SIDEWALK CLOSED  
24" x 12" • 30" x 18"



**R9-10**  
SIDEWALK CLOSED  
USE OTHER SIDE  
24" x 12" • 48" x 24"



# REGULATORY SIGNS



**R9-11L / R9-11R**  
SIDEWALK CLOSED  
CROSS HERE  
(SPECIFY DIRECTION)  
24" x 12" • 30" x 15"  
48" x 24"

**R9-11AL / R9-11AR**  
SIDEWALK CLOSED  
CROSS HERE  
(SPECIFY DIRECTION)  
24" x 12" • 30" x 15"  
48" x 24"

**R9-13**  
NO SKATING SYMBOL  
18"

**R9-14**  
NO EQUESTRIAN  
TRAFFIC SYMBOL  
18"

**R10-1**  
CROSS ON GREEN  
LIGHT ONLY  
12" x 18"



**R10-2A**  
CROSS ONLY  
ON SIGNAL  
12" x 18"



**R10-3**  
PUSH BUTTON FOR  
GREEN LIGHT  
6" x 9" • 9" x 12"




**R10-3BD**  
CROSSWALK SIGN  
6" x 10" • 9" x 15"



**R10-3CR**  
CROSSWALK SIGN  
9" x 12"



**R10-3EL**  
CROSSWALK SIGN  
6" x 10" • 9" x 15"



**R10-4**  
PUSH BUTTON FOR  
WALK SIGNAL  
6" x 9" • 9" x 12"



**R10-4B**  
PUSH BUTTON FOR  
FOR SIGNAL  
(SPECIFY ARROW)  
6" x 9" • 9" x 12"




**R10-5**  
LEFT ON GREEN  
ARROW ONLY  
24" x 30" • 30" x 36"  
48" x 60"



**R10-6L**  
STOP HERE ON RED  
24" x 36"




**R10-6A**  
NO TURN ON RED  
18" • 24" • 30" • 36"



**R10-7**  
DO NOT BLOCK  
INTERSECTION  
24" x 30" • 36" x 48"



**R10-8**  
USE LANE WITH  
GREEN ARROW  
24" x 30" • 30" x 36"  
36" x 42" • 60" x 72"



**R10-10**  
TURN SYMBOL  
(SPECIFY LEFT/RIGHT)  
24" x 30"




**R10-10L**  
LEFT TURN SIGNAL  
(SPECIFY LEFT/RIGHT)  
24" x 30"



**R10-11**  
LEFT AND AHEAD SYMBOL  
(SPECIFY LEFT/RIGHT)  
24" x 30"



# REGULATORY SIGNS




R10-11A

NO TURN ON RED  
24" x 30" • 36" x 48"



R10-11B

NO TURN ON RED  
18" • 24" • 30" • 36"



R10-11C

NO TURN ON RED EXCEPT RIGHT LANE  
30" x 36"



R10-11D

NO TURN ON RED FROM THIS LANE  
30" x 42"



R10-12

LEFT TURN YIELD ON GREEN  
24" x 30"




R10-13

EMERGENCY SIGNAL  
36" x 24"



R10-14A

EMERGENCY SIGNAL  
STOP ON FLASHING RED  
60" x 24"



R10-16

U-TURN YIELD TO RIGHT TURN  
18" x 24" • 24" x 30" •  
30" x 36"



R10-17A

RIGHT ON RED ARROW AFTER STOP  
30" x 36" • 36" x 48"



R10-18A  
TRAFFIC LAWS  
PHOTO ENFORCED  
36" x 24" • 48" x 30" •  
54" x 36"



R10-18  
TRAFFIC LAWS  
PHOTO ENFORCED  
24" x 12" • 36" x 18" •  
48" x 30" • 72" x 36"



R10-19  
PHOTO ENFORCED  
24" x 18" • 36" x 30" •  
48" x 36"



R10-20A  
DATE AND HOURS  
(SPECIFY DAYS AND HOURS)  
24" x 18" • 30" x 24" • 48" x 36"  
24" • 30" • 48"



R10-21  
LEFT TURN SIGNAL  
YIELDS ON GREEN  
18" x 24" • 24" x 30" •  
30" x 36"



R10-22  
TO REQUEST GREEN  
WAIT ON LINE  
12" x 18"



R10-23  
CROSSWALK  
STOP ON RED  
24" x 30"



R10-25  
PUSH BUTTON  
TO TURN ON  
WARNING LIGHTS  
6" x 9" • 9" x 12"



R10-26  
PUSH BUTTON FOR  
GREEN LIGHT  
9" x 15"



# REGULATORY SIGNS



**R11-1**

KEEP OFF MEDIAN  
24" x 30" • 36" x 48" •  
48" x 60"



**R11-2**

ROAD CLOSED  
48" x 30"



**R11-3**  
ROAD CLOSED XX MILES  
AHEAD  
(SPECIFY MILES)  
36" x 18" • 60" x 30"



**R11-3B**  
BRIDGE OUT XX MILES  
AHEAD  
(SPECIFY MILES)  
36" x 18" • 60" x 30"



**R11-4**  
ROAD CLOSED  
TO THRU TRAFFIC  
60" x 30"




**R12-1B**

WEIGHT LIMIT XX TONS  
(SPECIFY TONS)  
24" x 30" • 36" x 48" • 48" x 60"



**R12-2B**


AXLE WEIGHT LIMIT  
XX TONS  
(SPECIFY TONS)  
24" x 30" • 36" x 48"



**R12-3**  
NO TRUCKS OVER  
7000LBS  
(SPECIFY LBS)  
24" x 36"



**R12-4**  
WEIGHT LIMIT  
X TONS PER AXLE  
(SPECIFY TONS)  
36" x 24"



**R12-5B**

WEIGHT LIMIT  
(SPECIFY TONS)  
24" x 36" • 30" x 42"•  
36" x 48" • 48" x 60"




**R13-1**  
TRUCKS OVER XX TONS  
(SPECIFY TONS)  
90" x 36" • 120" x 48" •  
144" x 66"



**R14-2**  
HAZARDOUS MATERIAL  
SYMBOL  
24" • 30" • 36" • 42"



**R14-3**  
NO HAZADOUS  
MATERIAL SYMBOL  
24" • 30" • 36" • 42"



**R14-4**  
NATIONAL NETWORK  
SYMBOL  
24" • 30" • 36" • 42"



# REGULATORY SIGNS



**R14-5**  
NO NATIONAL  
NEWWORK SYMBOL  
24" • 30" • 36" • 42"



**R15-1**  
RAILROAD CROSSING  
48" x 9" • 24" x 4.5"



**R15-2P**  
NO. OF TRACKS  
(SPECIFY NUMBER)  
27" x 18" • 13.5" x 9"



**R15-3P**  
EXEMPT  
24" x 12" • 12" x 6"



**R15-4**  
LIGHT RAIL XX LANE ONLY  
(SPECIFY LEFT/  
CENTER/RIGHT)  
24" x 30"



**R15-5**  
DO NOT  
PASS  
24" x 30"



**R15-5A**  
DO NOT PASS  
STOPPED TRAIN  
24" x 30"



**R15-6**  
NO MOTOR VEHICLES  
ON TRACKS SYMBOL  
24"




**R15-6A**  
DO NOT DRIVE  
ON  
TRACKS  
24" x 30"



**R15-7**  
DIVIDED HIGHWAY  
OVER TRACKS  
24"



**R15-7A**  
DIVIDED HIGHWAY  
T-INTERSECTION  
OVER TRACKS  
24"



**R15-8**  
LOOK  
36" x 18" • 48" x 24"



**RL-15**  
MOTORCYCLE  
ROUTE MARKER  
6" x 6"




**RL-150A**  
NOT A MOTORCYCLE  
ROUTE MARKER  
6" x 6"



**RL-150DS**  
DUAL SPORT MOTORCYCLE  
ROUTE MARKER  
6" x 6"



# DIRECTIONAL SIGNS



**M4-6**  
END PLAQUE  
(SPECIFY COLORS)

24" x 12" • 36" x 18"



**MK4-14**  
BEGIN

24" x 12" • 36" x 18"



**M4-20 L/C/R**  
USE XX LANE  
(SPECIFY LEFT/CENTER  
RIGHT)(SPECIFY COLOR)

21" • 30" • 36"




**M5-1L / M5-1R**  
TURN ARROW  
(SPECIFY LEFT/RIGHT)

21" • 30" • 21" x 15" •  
30" x 21"




**M5-2L / M5-2R**  
45 DEGREE TURN ARROW  
(SPECIFY LEFT/RIGHT)  
(SPECIFY COLOR)


21" • 30" • 21" x 15" • 30" x 21"




**M6-1**  
ARROW  
(SPECIFY DIRECTION)  
(SPECIFY COLOR)  
21" • 30" • 21" x 15" •  
30" x 21"



**M6-2**  
ARROW  
(SPECIFY DIRECTION)  
(SPECIFY COLOR)  
21" • 30" • 21" x 15" •  
30" x 21"




**M6-4**  
DOUBLE ARROW  
(SPECIFY COLOR)  
21" • 30" • 21" x 15" •  
30" x 21"




**M6-5**  
DIAGONAL  
DOUBLE ARROW  
(SPECIFY COLOR)  
21" • 30" • 21" x 15" •  
30" x 21"



**M6-6L / M6-6R**  
TWO DIRECTIONAL ARROW  
(SPECIFY UP/LEFT  
OR UP/RIGHT)  
(SPECIFY COLOR)  
21" • 30" • 21" x 15" •  
30" x 21"




**M6-7L / M6-7R**  
TWO DIRECTIONAL ARROW  
(SPECIFY UP/LEFT OR UP/  
RIGHT)(SPECIFY COLOR)




**M6-8L / M6-8R**  
TWO DIRECTIONAL ARROW  
(SPECIFY UP/LEFT OR UP/  
RIGHT)(SPECIFY COLOR)



**M7-1L / M7-1R**  
DIRECTIONAL ARROW  
(SPECIFY LEFT/RIGHT)



**M7-2**  
DIRECTIONAL ARROW  
(SPECIFY UP/ DOWN)



**M7-3L / M7-3R**  
DIAGONAL DOUBLE ARROW  
(SPECIFY LEFT/RIGHT)




# DIRECTIONAL SIGNS



**M7-4L / M7-4R**

DIRECTIONAL ARROW  
(SPECIFY DIRECTION)

12" x 9"



**M7-5**

DOUBLE ARROW


12" x 9"



**M7-6L / M7-6R**

TWO DIRECTIONAL  
ARROW (SPECIFY UP  
LEFT/UP RIGHT)

12" x 9"



**M7-7L / M7-7R**

TWO DIRECTIONAL  
ARROW (SPECIFY UP  
LEFT/UP RIGHT)

12" x 9"



**M7-8U**

T-INTERSECTION  
ARROW

12" x 9"



**M7-9L / M7-9R**

DIRECTIONAL SIGN  
(SPECIFY AHEAD  
LEFT/RIGHT)


12" x 9"



**M7-10L / M7-10R**

TURN ARROW  
(SPECIFY LEFT/RIGHT)

12" x 9"



**M7-53A**

DIRECTIONAL SIGN

12" x 9"

## ROUTE MARKERS



**M1-4**

US HIGHWAY  
ROUTE MARKER  
(SPECIFY NUMBER)


24" • 36" • 48"  
30" x 24" • 45" x 36"  
• 60" x 48"



**M1-5A**

COUNTY ROUTE MARKER  
(SPECIFY LETTERS)

24" • 36"



**M1-6**

STATE ROUTE MARKER  
(SPECIFY NUMBERS)

24" • 36"



**M1-54**

US HIGHWAY ROUTE  
MARKER FOR GUIDE SIGNS  
(SPECIFY NUMBER)

24" • 36" • 48"  
30" x 24" • 45" x 36" •  
60" x 48"



BCERoadandTrailSigns@wisconsin.gov

# SCHOOL ZONE SIGNS



**S1-1**  
SCHOOL  
30" • 36" • 48"



**S1-51**  
DRUG FREE SCHOOL  
ZONE  
30" • 36"



**S3-1**  
SCHOOL BUS  
STOP AHEAD  
30" • 36" • 48"



**S4-1P**  
XX:XX-XX:XX  
(SPECIFY TIMES)  
24" x 10" • 36" x 18" • 48" x 24"



**S4-2P**  
WHEN CHILDREN  
ARE PRESENT  
24" x 12" • 36" x 18"



**S4-3P**  
SCHOOL  
12" x 6" • 24" x 8" •  
36" x 12" • 48" x 16"



**S4-4**  
WHEN FLASHING  
24" x 10" • 36" x 18" •  
48" x 24"



**S4-5**  
REDUCED SPEED  
AHEAD  
(SPECIFY SPEED)  
36" • 48"



**S4-5A**  
XX MPH SCHOOL  
ZONE AHEAD  
(SPECIFY SPEED)  
30" • 36" • 48"




**S4-6P**  
MON-FRI  
24" x 10" • 36" x 18"




**S4-51**  
(SPECIFY SPEED)  
24" x 48" • 36" x 72"  
• 48" x 96"



**S5-1**  
(SPECIFY SPEED)  
24" x 48"



**S5-2**  
END SCHOOL  
ZONE  
24" x 30" • 36" x 42"




**S5-3**  
END SCHOOL  
SPEED  
LIMIT  
24" x 30" • 36" x 42"




**S54-61**  
SCHOOL ENTRANCE YG  
30" • 36" • 42"




# OBJECT MARKERS




**OM1-1**  
OBJECT MARKER  
18"



**OM1-2**  
OBJECT MARKER  
18"



**OM2-1H**  
OBJECT MARKER  
12" x 6"




**OM2-1V**  
OBJECT MARKER  
6" x 12"




**OM2-2H**  
OBJECT MARKER  
12" x 6"




**OM3-C**  
12" x 36"




**OM4-1**  
OBJECT MARKER  
18"



**W5-53**  
OBJECT MARKER  
6" x 12"



**W5-54**  
OBJECT MARKER  
12" • 18"



**W5-56**  
OBJECT MARKER  
12" • 18"

# FIRE SIGNS

- ITEM CODE FOR ALL FIRE SIGNS IS **C4-1**




20" x 9"




20" x 8"



24" x 8"



20" x 8"



16" x 8"



18" x 8"



24" x 8"



20" x 8"



18" x 18"



18" x 24"



18" x 18"




# US BIKE ROUTE SIGNS



**M7-6R**  
STRAIGHT & RIGHT ARROW  
12" x 9" • 18" x 12"




**M7-6L**  
STRAIGHT & LEFT ARROW  
12" x 9" • 18" x 12"



**M7-5**  
2-WAY DOUBLE ARROW  
12" x 9" • 18" x 12"




**M7-3R**  
2-WAY ANGLE RIGHT ARROW  
12" x 9" • 18" x 12"



**M7-3L**  
2-WAY ANGLE LEFT ARROW  
12" x 9" • 18" x 12"



**M7-10R**  
RIGHT TURN ARROW  
12" x 9" • 18" x 12"




**M7-10L**  
LEFT TURN ARROW  
12" x 9" • 18" x 12"



**M7-1R**  
RIGHT ARROW  
12" x 9" • 18" x 12"



**M7-1L**  
LEFT ARROW  
12" x 9" • 18" x 12"



**M5-2R**  
RIGHT TURN 45 DEG. ARROW  
12" x 9" • 18" x 12"



**M5-2L**  
LEFT TURN 45 DEG. ARROW  
12" x 9" • 18" x 12"



**M7-2**  
AHEAD ARROW  
12" x 9" • 18" x 12"



# US BIKE ROUTE SIGNS



**M4-7A**

TEMP

12" x 6" • 18" x 9"

**M4-6**

END

12" x 6" • 18" x 9"

**M4-5**

TO

12" x 6" • 18" x 9"

**M4-14**

BEGIN

12" x 6" • 18" x 9" • 24" x 12"



**M4-1A**

ALT

12" x 6" • 18" x 9"

**M3-4**

WEST

12" x 6" • 18" x 9"

**M3-3**

SOUTH

12" x 6" • 18" x 9"

**M3-2**

EAST

12" x 6" • 18" x 9"



**M3-1**

NORTH

12" x 6" • 18" x 9"

**M2-1**

JCT


12" x 6" • 18" x 9"

**M1-9**

ROUTE 30  
BIKE ROUTE ONLY  
12" x 18" • 18" x 24"




# POSTS & HARDWARE




U-CHANNEL POSTS  
6.5', 8', 10', 12'  
1.12 LB/FT & 2 LB/FT  
GREEN, GALVANIZED  
OR YELLOW




2-3/8" ROUND POSTS  
12'  
GALVANIZED



2" SQUARE POSTS  
10'  
GALVANIZED



90 DEGREE CROSS  
SEPARATOR FOR  
FLAT PLATE



90 DEGREE CROSS  
SEPARATOR FOR  
EXTRUDED PLATE



12" SLOTTED  
POST TOP BRACKET FOR  
2-3/8" O.D. ROUND POLE



2" SQUARE  
POLE BRACKET



2-3/8" O.D.  
ROUND POLE BRACKET



4"X4" WOOD POST  
TOP STREET NAME  
SIGN BRACKET

# ROAD MARKER



## How to Order:

<b>CRM 3</b>	<b>072</b>	Color (See chart below)
Product number	Length (in.)	01
See chart for availability by color.		
<hr/>		
Other lengths and colors are available. Contact your representative.		
Post color	Standard Lengths (in.)	
01-White	60, 62, 66, 72, 84	
02-Yellow	60, 62, 66, 72	
03-Brown	72	
04-Orange	60, 62, 66, 72	
05-Red	60, 62, 66	
07-Green	72	
08-Blue	66	

MATERIAL: Fiberglass Composite,  
high-performance construction

Options and Accessories: Reflective sheeting  
Stock or custom decals  
Direct Graphics  
Visibility Enhancer  
Anchor Barb

Installation tools: Post Driver (PDR, PDRL)  
Post Puller  
Pilot Hole Driver

Carsonite High Performance RoadMarkers are designed to stand up to nature as well as vehicular impacts, controlled ditch burns, and even small arms gunfire.



## Recreational RoadMarker™

Withstands highway-speed vehicle impacts

The three-rail design of the Carsonite RoadMarker provides both flexibility and structural integrity. Two ribs on the side protect sheeting from vehicle impacts, while the back rib gives added strength for driving into hard soil.



BCERoadandTrailSigns@wisconsin.gov



# BCE Signage Catalog

*for Road and Trail*

2023-2024

**Contact Us for your quote.**

## **Bureau of Correctional Enterprises**

Road and Trail Signs

Sign Recycling/Hydrostripping

### **Central Office Sales:**

Paul Gradian: 608-240-5207

[Paul.Gradian@wisconsin.gov](mailto:Paul.Gradian@wisconsin.gov)

Megan Rodriguez: 608-240-5257

[Megan.Rodriguez@wisconsin.gov](mailto:Megan.Rodriguez@wisconsin.gov)

Black River Falls Office: 715-284-4550 ext. 7090

Email: [BCERoadandTrailSigns@wisconsin.gov](mailto:BCERoadandTrailSigns@wisconsin.gov)

**SCAN TO VISIT  
BCE SIGNAGE**



**SEE OUR  
PAGE ON:**

