

### Contents

Vini	General Information		2
Vini Lateral Files	Lateral Files		6
	Laminate Tops		7
	Lateral File Accessorie	ac	8
	Lutorui Tilo Mooossoni	03	U
Vini Pedestals	Mobile		9
	FreeStanding		10
	Worksurface Support	ina	11
	Double Pedestal Worl		12
	Pedestal Accessories		13
	1 0000101 710000001100		
Vini Credenzas	FreeStanding Credenz	zas	18
	Laminate Tops		19
	,		
Vini Wardrobe Towers	48" High Cabinet		20
	64" High Cabinet		21
	48" High Side Access	Bookcase	22
	64" High Side Access		23
	0g 0.00 / 100000	250.0000	
Vini Overheads			24
Vini Storage & Accesso	ories		
	Overhead Accessories	S	25
Vini Underhead Storag	е		28



#### **GENERAL INFORMATION**

Vini<sup>®</sup> is an active and accessible storage collection designed to augment systems offerings and provide more relevant and cost-effective workstations for applications within vertical markets.

The Vini® collection includes lateral files, freestanding, mobile and worksurface-supporting pedestals, double pedestals, credenzas, wardrobe tower cabinet units, wardrobe tower side-access bookcase units, overheads, underheads, and related accessories. Nominal and actual dimensions are listed with each item to the nearest 1/16".

All Vini storage models meet or exceed ANSI/BIFMA X5.9-2012 standards.

### CONSTRUCTION AND STANDARD FEATURES

All Vini® storage units are constructed of steel. Box and file drawers feature smooth riding, ball-bearing slides. Box drawers feature a three-quarter travel. File drawers feature a full extension. Units feature ADA-compliant nickel-plated loop pulls.

#### Glides

Freestanding pedestals feature non-adjustable glides which allow units to match the height of mobile units. Credenzas feature 1-1/2" glides with 1" adjustment range. Worksurface-supporting pedestals, double pedestals, and wardrobe towers feature 2-1/2" glides with a 1" adjustment range.

#### Locks

Locks are standard on all units. The lock is a high security, single bit type. Units are standard with random keys in a range of 100 different numbers. Specific keying combinations are available at no additional charge. This information must be included with the order. Locks can be master keyed.

All locks have removable and interchangeable cores. This feature provides for onsite custom keying. Locks can be supplied with the cores installed or shipped separately. To order cores for field installation, specify "lock cores not installed" on order.

Order must specify total quantity of specific key-numbered locks.

Example: 30 Cores

- 3 keyed alike
- 10 keyed alike
- 17 keyed alike

#### **Paint**

All inside and outside shell and front surfaces are electrostatically powder coated. All interior drawer bodies are painted black. Colors are listed in the Color Addendum.

#### **Lateral Files**

Lateral files are offered with 12" drawers and receding doors, in three widths: 30", 36", and 42". Refer to pricelist for standard configurations. Uprights and top and bottom reinforcements are welded into rigid boxframe. Seamless back and top feature reinforced corners.

Optional laminate tops are available.

#### Lateral File Adjustable Glides

Lateral files are supplied with four adjustable glides. The glides can be adjusted from inside the cabinet using a 1/4" hex socket wrench, or from outside the cabinet using a 7/8" wrench. Standard glides provide 3/4" adjustment; longer glides are also available. Overall cabinet heights include the glide in its recessed position.

#### **Pedestals**

Mobile, freestanding and worksurface supporting units are offered in box/box/file and file/file drawer configurations. Mobile units are also available in a box/file configuration. Pedestals are shipped for front-to-back letter-sized filing. Pencil tray, if desired, is specified separately. Worksurface-supporting pedestals may be used to support worksurfaces in panel-wrapped applications. Cantilevers or other supports are not required at the end of a worksurface when specifying a worksurface-supporting pedestal. A panel-tie bracket is required when a worksurface-supporting pedestal replaces a return panel.

A counterbalance weight is included in file/ file mobile and freestanding units for stability. A counterbalance weight may be required in worksurface supporting file/file pedestals depending on the desk configuration.

Optional laminate tops are available.

### Laminate Tops - Pedestals/Laterals

Laminate tops feature a 1-1/8" thick high-density particleboard core with high-pressure laminate top and phenolic backing sheet. Total thickness of table top is 1-1/4". Selection of 74P Edge (2mm Polyproplene) or SE (Laminate Self Edge) is available. Laminate tops are installed with provided double-face tape to allow future removal without damage to cabinets.

#### **Double-Wide Pedestals**

Worksurface-supporting double wide pedestals are used to support worksurfaces in panel-wrapped applications. Units feature two 12" drawers with side-to-side hanging folder bars. Double wide pedestals may be specified at return conditions but not be specified in place of panel returns.

#### Credenzas

Each freestanding credenza features a single sliding door with lock that spans approximately half of the width of the credenza. Bottom shelf is sufficiently sized to hold binders. Top shelf is non-adjustable. Bottom of unit features adjustable clides.

Optional laminate tops are available.

#### **Wardrobe Towers**

Wardrobe towers are stand-alone storage units. Wardrobe/cabinet units feature a pedestal in file/file or box/box/file configuration, a full vertical height wardrobe with coat hook, and a storage cabinet with an adjustable shelf.

Wardrobe/side-access bookcase units feature a pedestal in file/file or box/box/file configuration, a full vertical height wardrobe with coat hook, and an open bookcase with one adjustable shelf. Pedestal aesthetic matches wardrobe pedestal.

The handedness of a wardrobe tower is determined by the location of the wardrobe unit. A right unit features the wardrobe on the right side of the unit.

#### Sliding Door Overhead and Underhead Storage

Overhead and underhead units each feature a single sliding door with lock. Door spans approximately half the width of the unit. Slide mechanism uses four wheeled rollers. Units are sufficiently sized to house upright standard binders. Underheads to be used only in conjunction with Legion Panel Systems.

#### **Model Numbering System**

Each character in the basic model number corresponds to a specific unit feature. How to Build a Model Number

Example: Vini Pedestal

VIN	24	W	BBF
VIN 24	Product na		Vini Pedestal
W	Cabinet de Pedestal t	•	24" deep Worksurface supporting
BBF	Drawer ty	ое	Box/box/file



Lateral File Inside Drawer and Shelf Dimensions	30W x 18D Cabinet	36W x 18D Cabinet	42W x 18D Cabinet
	W D H	W D H	W D H
12" Lateral File Drawer	26 <sup>3</sup> / <sub>4</sub> " 15 <sup>7</sup> / <sub>8</sub> " 11 <sup>1</sup> / <sub>2</sub> "	323/4" 157/8" 111/2"	383/4" 157/8" 111/2"
12" Rec. Door / Roll-out Shelf	26 <sup>3</sup> / <sub>4</sub> " 15 <sup>7</sup> / <sub>8</sub> " 10 <sup>9</sup> / <sub>16</sub> "	323/4" 157/8" 109/16"	38 <sup>3</sup> / <sub>4</sub> " 15 <sup>7</sup> / <sub>8</sub> " 10 <sup>9</sup> / <sub>16</sub> "

Lateral Fil Suspende	le d Filing Configurations	30W Cabinet			36W Cabinet	42W Cabinet			
Letter	side-to-side	Standard		Standard		Standard			
	front-to-back	30FBA w(2)334FBK		36FBA w(2)334FBK		42FBA w(3)334FBK			
Legal	side-to-side	Standard		Standard		Standard			
				36FBA w(2)334FBK		42FBA w(2)334FBK			

### Pedestal Inside Dimensions of Drawers

		)"D Edestal	24"D Pedesta	۱L	WARDROBE Pedestal	
	W	D H	W D	Н	W D H	
6" Box	121/8"	161/4" 51/8"	121/8" 191/4"	51/8"	121/8" 161/4" 51/8"	
12" File	121/8"	161/4" 107/8"	121/8" 191/4"	10 <sup>7</sup> / <sub>8</sub> "	$12^{1}/8$ " $16^{1}/4$ " $10^{7}/8$ "	

### **Pedestal Heights and Depths**

	<b>.</b>	Heights	Heights	
-	Depths	Including Glides	Including Casters	
Freestanding	175/8", 215/8"	275/8"		
Mobile	175/8", 215/8"		213/4", 275/8"	
Worksurface Supporting	175/8", 215/8"	277/8"		



Double-Wide Pedestal File Inside Drawer Dimensions	30" W x 22" D						
	W	D	Н				
Double-Wide Drawer	26-1/2"	15-1/2"	11"				

Credenza Inside Dimensions									
	W	D	Н	W	D	Н			
Long Shelf	34"	14"	6"	40"	14"	6"			
Lower Storage Areas	16-1/2"	14"	15-1/4"	19-1/2"	14"	15-1/4"			

Wardrobe/Towers	48" H x 24" W x 22" D			D 64" H x 24" W x 22"					
Internal Dimensions	W	D	Н	W	D	Н			
Wardrobe Door	7-3/8"	21"	42-7/8"	7-3/8"	21"	58-7/8"			
Bookcase	20-3/8"	14-7/8"	17-7/8"	20-3/8"	14-7/8"	33-7/8"			
Cabinet	13-3/8"	21"	18-1/8"	13-3/8"	21"	34-1/8"			

Overhead/Underhead Outside Dimensions		36" W			42" W			48" W			54" W			60" W	
	W	D	Н	W	D	Н	W	D	Н	W	D	Н	W	D	Н
Overhead	35-3/4"	14-3/8"	14-7/16"	41-3/4"	14-3/8"	14-7/16"	47-3/4"	14-3/8"	14-7/16"	53-3/4"	14-3/8"	14-7/16"	59-3/4"	14-3/8"	14-7/16"

	Vini®	
General	Information	

### Vini® Lateral Files

			MODEL NUMBER					
	MODEL	W x D x H	Basic Model	Unit Color	Optional Counter- balance Weight	Lock Option	Pull Style	Approx. Packaged Weight
	27" File, 2 High	30 x 18 x 27"	VL302D					110.0#
	<ul> <li>Two 12" drawers with side-to-side hanging folder bars</li> </ul>	36 x 18 x 27"	VL362D					120.0#
	<ul> <li>Counterbalance weights are</li> </ul>	42 x 18 x 27"	VL422D					130.0#
	recommended for freestanding units							
VUSL								
VUUL ^	39-1/4" File, 3 High	30 x 18 x 39-1/4"	VL303D					140.0#
	<ul> <li>Three 12" drawers with side-to-side</li> </ul>	36 x 18 x 39-1/4"	VL363D					155.0#
	<ul><li>hanging folder bars</li><li>Counterbalance weights are</li></ul>	42 x 18 x 39-1/4"	VL423D					170.0#
	recommended for freestanding units							
*								
VUSL	54 4 (0)) 511 A 111 I	00 10 51 10	1/1 00 4D					100.0%
	<ul><li>51-1/2" File, 4 High</li><li>Four 12" drawers with side-to-side hanging folder bars</li></ul>	30 x 18 x 51-1/2" 36 x 18 x 51-1/2"	VL304D VL364D					180.0# 200.0#
		42 x 18 x 51-1/2"	VL364D VL424D					220.0#
	<ul> <li>Counterbalance weights are recommended for freestanding units</li> </ul>	42 X 10 X 31-1/2	VL424D					220.0
	recommended for recolanding units							
*								
VUSL								
	63-3/4" File, 5 High • One 12" receding door with rollout	30 x 18 x 63-3/4"	VL305RD					230.0#
	shelf and 3 plate dividers	36 x 18 x 63-3/4"	VL365RD VL425RD					250.0# 270.0#
	Four 12" drawers with side-to-side	42 x 18 x 63-3/4"	VL425RD					270.0#
	<ul><li>hanging folder bars</li><li>Counterbalance weights are</li></ul>							
	recommended for freestanding units							
VUSL								
			A	<b>3</b>	Θ	0	<b>(3</b>	

### **HOW TO ORDER**

Indicate the following information on order form:

- Quantity of each item.
   Model number, including options. See
   "How To Build a Model Number".
- 3. Any special service required.

Note: • The  $\square$  indicates that a choice is required.

- ullet The absence of the  $\square$  indicates that no choice is required.
- · Alpha-numeric characters in place of  $\square$  indicate that no other alternatives are available.

### HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect unit and drawer color. Refer to color addendum.
- Select counterbalance weight. **CBW** - With Counterbalance

Select key option.

KS - Key standard

NLC - No lock core

Select pull style.

USP - Vini Pull (Standard)

CZP - StyleLinks Pull

### INFORMATION

### **Folder Bars**

Files are configured for side-to-side media storage. For alternative configurations, see the General Information section.

### Height

All dimensions shown include 1/8" allowance for glides in recessed position.

### Accessories

See accessory section for accessories that can be ordered separately.

### Vini® Lateral Files

Laminate Tops

			MODEL NU	MDED			
			MODEL NO	WIDEN		Ι	
	Features	WxDxH	Basic Model	Edge Style	Surface Finish	Edge Color	Approx. Packaged Weight
	Fits one 30" wide lateral	30 X 18 X 1-1/4"	S7L/3018T				18.0#
	Fits one 36" wide lateral	36 X 18 X 1-1/4"	S7L/3618T				21.0#
	Fits one 42" wide lateral	42 X 18 X 1-1/4"	S7L/4218T				25.0#
	Fits two 30" wide laterals	60 X 18 X 1-1/4"	S7L/6018T				36.0#
	Fits one 30" & one 36" wide laterals	66 X 18 X 1-1/4"	S7L/6618T				39.0#
	Fits two 36" or one 30" & one 42" laterals	72 X 18 X 1-1/4"	S7L/7218T				43.0#
	Fits one 36" & one 42" wide laterals	78 X 18 X 1-1/4"	S7L/7818T				46.0#
A STATE OF THE STA	Fits two 42" wide laterals	84 X 18 X 1-1/4"	S7L/8418T				50.0#
	Fits three 30" wide laterals	90 X 18 X 1-1/4"	S7L/9018T				53.0#
S7TP	Fits two 30" & one 42" or one 30" & two 36"	102 X 18 X 1-1/4"	S7L/10218T				60.0#
Laminate Top for Side-by-Side Units	Fits three 36" or one 30" & one 36" & one 42"	108 X 18 X 1-1/4"	S7L/10818T				64.0#
Tops are manufactured to allow for	Fits four 30" or one 36" & two 42" laterals	120 X 18 X 1-1/4"	S7L/12018T				71.0#
1/16" overhang on all sides.							
<ul> <li>Do not specify individual tops when ganging multiple units due to the</li> </ul>							
1/16" overhang. Specify proper size							
top for overall configuration and							
alignment.							
	Fits two 30" wide laterals	30 X 36 X 1-1/4"	S7L/3036T				36.0#
	Fits two 36" wide laterals	36 X 36 X 1-1/4"	S7L/3636T				43.0#
	Fits two 42" wide laterals	42 X 36 X 1-1/4"	S7L/4236T				50.0#
	Fits four 30" wide laterals	60 X 36 X 1-1/4"	S7L/6036T				71.0#
	Fits four 36" wide laterals	72 X 36 X 1-1/4"	S7L/7236T				85.0#
	Fits four 42" wide laterals	84 X 36 X 1-1/4"	S7L/8436T				99.0#
	Fits six 30" wide laterals	90 X 36 X 1-1/4"	S7L/9036T				106.0#
	Fits six 36" wide laterals	108 X 36 X 1-1/4"	S7L/10836T				127.0#
S7TP							
Laminate Top for Back-to-Back Units							
Tops are manufactured to allow for  1/16" everypage an all sides.							
<ul><li>1/16" overhang on all sides.</li><li>Do not specify individual tops when</li></ul>							
ganging multiple units due to the							
1/16" overhang. Specify proper size							
top for overall configuration and alignment.							
angiiiioiit.							
			A	<b>③</b>	Θ	0	

### **HOW TO ORDER**

Indicate the following information on order form:

- Quantity of each item.
   Model number, including options. See
   "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The  $\square$  indicates that a choice is required.

- $\bullet$  The absence of the  $\square$  indicates that no choice is required.
- Alpha-numeric characters in place of  $\hfill\Box$  indicate that no other alternatives are available.

### HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect edge style.

 SE
 - Self edge

 74P
 - 74P edge

- Select surface finish. Refer to color addendum. Surface finish offerings are based on edge style selections.
- Select edge color. Refer to color addendum. Edge color offerings are based on edge style selections.

### Vini® Lateral Files

Lateral File Accessories

				MODEL NUMBER		
	MODEL	Features	W	Basic Model	Approx. Packaged Weight	
	Plate Dividers Installs in any drawer Sold in package of three Black finish only		12"	S7L/33412DV	3.0#	
LTACU						
	Type "K" Folder Bars • Converts side-to-side filing to front-to-back filing	Front-to-back	,	S7L/334FBK	5.0#	
	One set (two bars) required per row of filing					
LTACU	Priced per set of two     Legal or letter					
	M-Series Keys	Core/Key Set		2.KP205223	0.4#	
HRDPT	Extractor key used for core removal	Master Key		2.KP205505	0.2#	
		Extractor Key		2.KP205516	0.2#	
	Counterbalance			VSL/CBW35	35.0#	
	<ul><li>For lateral file units</li><li>Recommended unless cabinets</li></ul>			VSL/CBW50	50.0#	
	are ganged					
	Factory installed, if specified					
•						
LTACU						
				<b>(A</b> )		

### **HOW TO ORDER**

Indicate the following information on order form:

- Quantity of each item.
   Model number, including options. See
   "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The  $\square$  indicates that a choice is required.

- $\bullet$  The absence of the  $\square$  indicates that no choice is required.
- Alpha-numeric characters in place of  $\hfill\Box$  indicate that no other alternatives are available.

### HOW TO BUILD A MODEL NUMBER

A Select basic model.

### **Counterbalance Weight**

Model #	Vini Lateral File
VSL/CBW35	30" Wide 4, 5 High
VSL/CBW35	36" Wide 4, 5 High
VSL/CBW35	42" Wide 4, 5 High
VSL/CBW50	30" Wide 2, 3 High
VSL/CBW50	36" Wide 2, 3 High
VSL/CBW50	42" Wide 2, 3 High

## Vini<sup>®</sup> Pedestals

				MODEL NUM	/IBEK			
	MODEL	Features	WxDxH	Basic Model	Unit Color	Lock Option	Pull Style	Approx. Packaged Weight
	Pedestal - MBF	Mobile	15 x 17-5/8" x 21-3/4"	VIN1520MBF				38.0#
	<ul><li>One 6" box drawer</li><li>One 12" file drawer</li></ul>	Mobile	15 x 21-5/8" x 21-3/4"	VIN1524MBF				42.0#
	5th wheel eliminates need for counter-							
	balance weight							
	<ul> <li>Optional dividers sold separately</li> </ul>							
•								
VINI	D 1 1 1 DD5	B	45 47 5 (0) 07 5 (0)	VIII COOMEDDE				40.0 "
	Pedestal - BBF  Two 6" box drawers	Mobile	15 x 17-5/8" x 27-5/8"	VIN1520MBBF				49.0#
	One 12" file drawer	Mobile	15 x 21-5/8" x 27-5/8"	VIN1524MBBF				51.0#
	5th wheel eliminates need for counter-     belongs weight.							
	<ul><li>balance weight</li><li>Optional dividers sold separately</li></ul>							
	.,							
❤								
VINI								
	Pedestal - FF	Mobile	15 x 17-5/8" x 27-5/8"	VIN1520MFF				79.0#
	<ul><li>Two 12" file drawers</li><li>Counterbalance weight included</li></ul>	Mobile	15 x 21-5/8" x 27-5/8"	VIN1524MFF				71.0#
	Optional dividers sold separately							
<b>V</b>								
VINI								
				A	<b>3</b>	Θ	O	

### **HOW TO ORDER**

Indicate the following information on order form:

- Quantity of each item.
   Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The  $\square$  indicates that a choice is required.

- $\bullet$  The absence of the  $\square$  indicates that no choice is required.
- · Alpha-numeric characters in place of  $\square$  indicate that no other alternatives are available.

### HOW TO BUILD A MODEL NUMBER A Select basic model. **B**Select unit and drawer color. Refer to color addendum. Select key option. KS - Key standard NLC - No lock core

### INFORMATION

**Height**Mobile pedestal include 2-5/16" allowance for casters.

#### Accessories

See accessory section for accessories that can be ordered separately.

### Weights

Freestanding

				MODEL NUMBER				
	MODEL	Features	W x D x H	Basic Model	Unit Color	Lock Option	Pull Style	Approx. Packaged Weight
	Pedestal - BBF	Freestanding	15 x 17-5/8" x 27-5/8"	VIN1520FBBF				49.0#
	<ul> <li>Features 2-5/8" non-adjustable glides</li> <li>Two 6" box drawers</li> </ul>	Freestanding	15 x 21-5/8" x 27-5/8"	VIN1524FBBF				51.0#
	One 12" file drawer							
	Center caster eliminates need for counterbalance weight     Optional dividers sold separately							
A so	.,							
VINI								
	Pedestal - FF	Freestanding	15 x 17-5/8" x 27-5/8"	VIN1520FFF				79.0#
	<ul> <li>Features 2-5/8" non-adjustable glides</li> <li>Two 12" file drawers</li> </ul>	Freestanding	15 x 21-5/8" x 27-5/8"	VIN1524FFF				71.0#
	Counterbalance is included							
	<ul> <li>Optional dividers sold separately</li> </ul>							
1								
VINI								
VIIVI								
				A	0	Θ	O	

### **HOW TO ORDER**

Indicate the following information on order form:

- Quantity of each item.
   Model number, including options. See
   "How To Build a Model Number".
- 3. Any special service required.

Note: • The  $\square$  indicates that a choice is required.

- ullet The absence of the  $\square$  indicates that no choice is required.
- Alpha-numeric characters in place of  $\square$  indicate that no other alternatives are available.

### **HOW TO BUILD A MODEL NUMBER** A Select basic model. BSelect unit and drawer color. Refer to color addendum. Select key option. KS - Key standard NLC - No lock core

### INFORMATION

All freestanding pedestals include 1/4" allowance for glides in recessed position.

### Accessories

See accessory section for accessories that can be ordered separately.

### Weights

Worksurface Supporting

			MODEL NUM	/IBER					
	Features	WxDxH	Basic Model	Unit Color	Panel-Tie Bracket	Optional Counter- balance Weight	Key Option	Pull Style	Approx. Packaged Weight
$\sim$	Worksurface Supporting	15 x 17-5/8 x 27-7/8"	VIN1520WBBF						47.0#
	Worksurface Supporting	15 x 21-5/8 x 27-7/8"	VIN1524WBBF						52.0#
/INI P									
Pedestal - Box/Box/File									
<ul> <li>Two 6" box drawers</li> <li>One 12" file drawer</li> <li>Includes four leveling glides</li> <li>Pedestal ships fully assembled</li> <li>Panel-tie bracket, if ordered, ships</li> </ul>									
with unit  Optional dividers sold separately									
	Worksurface Supporting	15 x 17-5/8 x 27-7/8"	VIN1520WFF						43.0#
	Worksurface Supporting	15 x 21-5/8 x 27-7/8"	VIN1524WFF						48.0#
/INI									
Pedestal - File/File									
Two 12" file drawers     Includes four leveling glides     Pedestal ships fully assembled     Panel-tie bracket, if ordered, ships     with unit									
Optional dividers sold separately     Counter balance weight required in certain desk configurations									
			A	3	Θ	O	<b>(3</b>	•	

### **HOW TO ORDER**

Indicate the following information on order form:

- Quantity of each item.
   Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The  $\square$  indicates that a choice is required.

- $\bullet$  The absence of the  $\square$  indicates that no choice is required.
- · Alpha-numeric characters in place of  $\hfill\Box$  indicate that no other alternatives are available.

### HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect unit color. Refer to color addendum.

Select bracket.

NB	- No Bracket
XI24	- 24" Worksurface
X130	- 30" Worksurface
SW24	- 24" Worksurface
SW30	- 30" Worksurface
LN22	- 22" Worksurface
LN24	- 24" Worksurface
LN30	- 30" Worksurface
PW24	- 24" Worksurface
PW30	- 30" Worksurface

When ordering: XI for System XXI

SW for PowerWorks BYO

LN for Legion

PW for PowerWorks

If ped is not replacing return, no bracket is required.

Select counterbalance weight.

CBW - With Counterbalance

NOCBW - NO Counterbalance

Select key option.

KS - Key standard KS NLC - No lock core

### INFORMATION

### Accessories

See accessory section for accessories that can be ordered separately.

### Weights

Double Pedestals Worksurface Supporting

			MODEL NUMBER					
	MODEL	WxDxH	Basic Model	Unit Color	Panel-Tie Bracket	Key Option	Pull Style	Approx. Packaged Weight
	<ul> <li>30" Wide, 2 High</li> <li>Two 12" drawers with side-to-side hanging folder bars</li> <li>Panel-tie bracket, if ordered, ships with unit</li> <li>For use within panel systems' planning only, may not be planned freestanding</li> </ul>	30 x 22 x 27-3/4"	VDP302D					88.0#
VINI			A	<b>3</b>	•	0	<b>3</b>	

### **HOW TO ORDER**

Indicate the following information on order form:

- Quantity of each item.
   Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The  $\square$  indicates that a choice is required.

- $\bullet$  The absence of the  $\square$  indicates that no choice is required.
- · Alpha-numeric characters in place of  $\hfill\Box$  indicate that no other alternatives are available.

### **HOW TO BUILD A MODEL NUMBER**

- A Select basic model.
- BSelect unit color. Refer to color addendum.

Select bracket.

NB	- No Bracket
XI24	- 24" Worksurfac
X130	- 30" Worksurface
SW24	- 24" Worksurface
SW30	- 30" Worksurface
LN22	- 22" Worksurface
LN24	- 24" Worksurface
LN30	- 30" Worksurface
PW24	- 24" Worksurface
PW30	- 30" Worksurface
\ A / I I	

When ordering: XI for System XXI

SW for PowerWorks BYO

LN for Legion

PW for PowerWorks

If ped is not replacing return, no bracket is required.

OSelect key option.

- Key standard - No lock core

Select pull style.

USP - Vini Pull (Standard) CZP - StyleLinks Pull

### INFORMATION

### Accessories

See accessory section for accessories that can be ordered separately.

Height shown is with glides in fully recessed position. Maximum height is 28-1/2".

### Weights

Figures provided are approximate and reflect packaged product without additional accessories.

### **Folder Bars**

Files are configured for side-to-side media storage.

Pedestal Accessories

**MODEL NUMBER** Basic Edge Surface Edge MODEL **Features** WxDxH Model Style Finish Color Laminate Tops Fits one 20" deep pedestal 15 x 17-3/4 x 1-1/4" VSP1715T High pressure laminate with Fits one 24" deep pedestal 15 x 21-3/4 x 1-1/4" VSP2115T particleboard core

74P Edge (2mm Polypropylene) or
SE (Laminate Self Edge) available · Other sizes available upon request VSPA **(** 0 Θ  $\mathbf{O}$ 

### **HOW TO ORDER**

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note:  $\bullet$  The  $\square$  indicates that a choice is required.

- $\bullet$  The absence of the  $\square$  indicates that no choice is required.
- Alpha-numeric characters in place of

   indicate that no other alternatives are available.

### HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B**Select edge style.

 SE
 - Self edge

 74P
 - 74P edge

- Select surface finish.
  Refer to color addendum.
  Surface finish offerings are based on edge style selections.
- Oselect edge color.
  Refer to color addendum.
  Edge color offerings are based on edge style selections.

Pedestal Accessories

			MODEL NU	JMBER	
	MODEL	Features	Basic Model	Paint Color	Approx. Packaged Weight
_	Pedestal Bracket	System XXI® 24" deep worksurface	XI24		6.0#
	<ul> <li>Graphic represents bracket used with a 24" deep pedestal on a 24" deep</li> </ul>	System XXI® 30" deep worksurface	XI30		10.0#
<b>*</b>	worksurface	PowerWorks® BYO 24" deep worksurface	SW24		6.0#
. †	<ul> <li>Bracket makes a mechanical connection</li> </ul>	PowerWorks® BYO 30" deep worksurface	SW30		10.0#
	from rear of worksurface-supporting	Legion® 22" deep worksurface	LN22		6.0#
•	pedestal to upright standards on respective panel system and closes the	Legion® 24" deep worksurface	LN24		6.0#
1	space between the back of the pedestal	Legion® 30" deep worksurface	LN30		6.0#
•	and the panel	PowerWorks® 24" deep worksurface	PW24		6.0#
	<ul> <li>Bracket provides support for extended runs or end-of-run conditions in place</li> </ul>	PowerWorks® 30" deep worksurface	PW30		10.0#
VSPA	of return panels				
	<ul> <li>Bracket installation orientation conceals</li> </ul>				
	attachment hardware behind pedestal				
	<ul> <li>Bracket depth varies by pedestal model 24" worksurface</li> </ul>				
	- 20" pedestal = approx. 6-1/4"				
	- 24" pedestal = approx. 2-1/4"				
	30" worksurface - 20" pedestal = approx. 12-1/4" - 24" pedestal = approx. 6-1/4"		•	3	

### **HOW TO ORDER**

Indicate the following information on order form:

- Quantity of each item.
   Model number, including options. See
   "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The  $\square$  indicates that a choice is required.

- $\bullet$  The absence of the  $\square$  indicates that no choice is required.
- · Alpha-numeric characters in place of  $\hfill\Box$  indicate that no other alternatives are available.

### HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect paint color. Refer to color addendum.

# Vini® Pedestals Pedestal Accessories

			MODEL NUMBER			
	MODEL	WxDxH	Basic Model	Trim Color	Upholstery Color	Approx. Packaged Weight
	Cushioned Seat for Mobile Pedestal	15 x 17 x 1-7/8"	PDCU/17			5.0#
	<ul> <li>17" deep, used with 20" deep mobile pedestal</li> </ul>	15 x 20 x 1-7/8"	PDCU/20			6.0#
PDCU	<ul> <li>20" deep, used with 24" deep mobile pedestal</li> </ul>					
	<ul> <li>Fabric runs side to side</li> <li>Lip height is 3-1/4"</li> </ul>					
	Upholstered fabric cushion is inset into					
	molded polypropylene shell  No hardware required to attach to top of nedestal		A	3	•	

### **HOW TO ORDER**

Indicate the following information on order form:

- Quantity of each item.
   Model number, including options. See
   "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The  $\square$  indicates that a choice is required.

- $\bullet$  The absence of the  $\square$  indicates that no choice is required.
- · Alpha-numeric characters in place of  $\hfill\Box$  indicate that no other alternatives are available.

### HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B**Select trim color. Refer to color addendum.
- Select upholstery color.

Pedestal Accessories

				MODEL NUMBER	
					Approx.
				Basic	Packaged
	MODEL	Features	WxDxH	Model	Weight
	Counterbalance Weight	20"D Units	9-1/2 x 1/2 x 15-1/2"	VSPCBW21	21.0#
	<ul> <li>Required for conversion of worksurface supporting pedestals going from a</li> </ul>				
	box-box-file to file-file configuration				
1/074					
VSPA	Countaria la non Wainht	0.4"D Unito	12-1/2 x 2 x 18"	VCDCDWOF	25.0#
	Counterbalance Weight  Required for conversion of 24" deep	24"D Units	12-1/2 X 2 X 10	VSPCBW25	25.0#
	mobile pedestal going from a				
	box-box-file to file-file configuration				
VSPA					
	Counterbalance Weight	For 20" D Units	7-1/2 x 3/4 x 16"	VSPCBW36	36.0#
	<ul> <li>Required for conversion of 20" deep mobile and freestanding pedestals</li> </ul>				
	going from a box-box-file to file-file				
UN.	configuration				
VSPA	Two required, sold in pairs				
_	<ul><li>M-Series Keys</li><li>Extractor key used for core removal</li></ul>	Core/Key Set		2.KP20523	0.4#
	Extractor key assertor core removal	Master Key		2.KP20555	0.2#
		Extractor Key		2.KP20556	0.2#
HRDPT					
	Caster Kit		2-5/8"	VSPCK	1.0#
- 69	Converts freestanding pedestals to				
<b>&amp;</b>	mobile units • Finished height consistent with free-				
Q Q	standing pedestal				
•	File/file units require counterbalance     weights				
VSPA	<ul><li>weights</li><li>4 casters and a 5th wheel per kit</li></ul>				
8	Glide Kit  Converts mobile pedestal to freestanding		2-5/8"	VSPGK	1.0#
0	File/file units require counterbalance				
<u>।</u> हु <sup>क</sup>	weights				
₽	<ul> <li>Finished height consistent with mobile pedestal</li> </ul>				
VSPA	<ul> <li>4 glides and a center wheel per kit</li> </ul>				
VOI.11					
				•	
				Ø	

### **HOW TO ORDER**

Indicate the following information on order

- form:

  1. Quantity of each item.

  2. Model number, including options. See
  "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The  $\square$  indicates that a choice is required.

- $\bullet$  The absence of the  $\square$  indicates that no choice is required.
- Alpha-numeric characters in place of  $\square$  indicate that no other alternatives are available.

### HOW TO BUILD A MODEL NUMBER

A Select basic model.

# Vini® Pedestals Pedestal Accessories

			MODEL NUMBER		
	MODEL	W x D x H	Basic Model	Approx. Packaged Weight	
	Pencil Tray	12-1/8 x 4 x 1"	CIP/PENTRAY	1.0#	
	• For 3" pencil and 6" box drawers	12 1/0 / 4 / 1	OII /I LIVITIAI	1.0#	
	<ul><li>Black finish only</li><li>Priced each</li></ul>				
PDACU					
	<ul><li>6" Partition</li><li>For 6" box drawers</li></ul>	12-1/8 x 4-5/8"	CIP/D6	1.0#	
	Black finish only				
	Priced each				
PDACU					
1 15/100	Hanging Folder Partition	12-1/8 x 9-5/8"	CIP/D12	1.0#	
	• For 12" file drawers	12 1/0 X 3 0/0	OII/BIZ	1.0#	
	Black finish only				
	<ul> <li>Priced each</li> </ul>				
<u></u>					
PDACU					
			•	•	

### **HOW TO ORDER**

Indicate the following information on order

- form:

  1. Quantity of each item.

  2. Model number, including options. See
  "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The  $\square$  indicates that a choice is required.

- $\bullet$  The absence of the  $\square$  indicates that no choice is required.
- Alpha-numeric characters in place of  $\square$  indicate that no other alternatives are available.

### **HOW TO BUILD A MODEL NUMBER**

A Select basic model.

### Vini® Credenzas

Freestanding Credenzas

			MODE	L NUMB	ER		
	MODEL	WxDxH	Basic Model	Unit Color	Key Option	Pull Style	Approx. Packaged Weight
	<ul><li>36" Wide</li><li>Features sliding door with lock</li></ul>	36 x 15 x 27-3/4"	VC36				45.0#
	<b>3</b>						
VUSC							
	42" Wide • Features sliding door with lock	42 x 15 x 27-3/4"	VC42				50.0#
VUSC							
VUSU			A	<b>3</b>	Θ	•	

### **HOW TO ORDER**

Indicate the following information on order form:

- Quantity of each item.
   Model number, including options. See
   "How To Build a Model Number".
- 3. Any special service required.

Note: • The  $\square$  indicates that a choice is required.

- $\bullet$  The absence of the  $\square$  indicates that no choice is required.
- · Alpha-numeric characters in place of  $\hfill\Box$  indicate that no other alternatives are available.

## HOW TO BUILD A MODEL NUMBER A Select basic model. BSelect unit color. Refer to color addendum. Select key option. KS - Key standard NLC - No lock core Select pull style. USP - Vini Pull (Standard) CZP - StyleLinks Pull

### INFORMATION

### Accessories

See accessory section for accessories that can be ordered separately.

### Weights

## Vini® Credenzas Laminate Tops

	MODEL NU	IMBER						
	MODEL	D x W	Basic Model	Edge Style	Surface Finish	Edge Color	Approx. Packaged Weight	
$\overline{}$	Vini® Credenza-Laminate Tops	15-1/8 x 36-1/8"	VCLT1536	74P			16.0#	
	High pressure laminate with	15-1/8 x 42-1/8"	VCLT1542	74P			19.0#	
	particleboard core • 74P edge only	30-1/8 x 36-1/8"	VCLT3036	74P			34.0#	
Ť	Back-to-back credenzas should use	30-1/8 x 42-1/8"	VCLT3042	74P			40.0#	
CLT	single piece tops of appropriate depth							
			Ø	<b>B</b>	Θ	0		

### **HOW TO ORDER**

Indicate the following information on order form:

- Quantity of each item.
   Model number, including options. See
   "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The  $\square$  indicates that a choice is required.

- $\bullet$  The absence of the  $\square$  indicates that no choice is required.
- · Alpha-numeric characters in place of  $\hfill\Box$  indicate that no other alternatives are available.

### **HOW TO BUILD A MODEL NUMBER**

- A Select basic model.
- BSelect edge style.

**74P** - 74P edge

- Select surface finish. Refer to color addendum. Surface finish offerings are based on edge style selections.
- Select edge color. Refer to color addendum.

## Vini® Wardrobe Towers 48" High Cabinet

				MODEL NUN	1BER			
	MODEL	Features	WxDxH	Basic Model	Unit Color	Key Option	Pull Style	Approx. Packaged Weight
^	Wardrobe/Cabinet - File/File	Left	24 x 22 x 48"	VWFFC48L				122.0#
	<ul> <li>Wardrobe, cabinet and pedestal lock independent of each other</li> </ul>	Right	24 x 22 x 48"	VWFFC48R				122.0#
	If KS key option selected, all tower com-							
	ponents to be keyed alike from factory							
	<ul> <li>If NLC key option selected, tower requires three (3) lock cores</li> </ul>							
	Pedestal features two 12" drawers							
left shown	and locks independently of wardrobe							
	<ul><li>Includes four leveling glides</li><li>Cabinet features adjustable shelf</li></ul>							
VUSW	Units ship fully assembled							
	Wardrobe/Cabinet - Box/Box/File	Left	24 x 22 x 48"	VWBBFC48L				127.0#
	<ul> <li>Wardrobe, cabinet and pedestal lock independent of each other</li> </ul>	Right	24 x 22 x 48"	VWBBFC48R				127.0#
	If KS key option selected, all tower com-							
	ponents to be keyed alike from factory							
	<ul> <li>If NLC key option selected, tower requires three (3) lock cores</li> </ul>							
	Pedestal features two 6" box drawers							
left shown	and one 12" file drawer							
	Includes four leveling glides     Cabinet features adjustable shelf							
VUSW								
	- Onice stup rully assembled			•	<b>3</b>	Θ	•	

### **HOW TO ORDER**

Indicate the following information on order

- Quantity of each item.
   Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The  $\square$  indicates that a choice is required.

- $\bullet$  The absence of the  $\square$  indicates that no choice is required.
- Alpha-numeric characters in place of  $\square$  indicate that no other alternatives are available.

## **HOW TO BUILD A MODEL NUMBER** A Select basic model. BSelect unit color. Refer to color addendum. Select key option. KS - Key standard NLC - No lock core

### INFORMATION

### Accessories

See accessory section for accessories that can be ordered separately.

### Weights

# Vini® Wardrobe Towers 64" High Cabinet

				MODEL NUM	IBER			
	MODEL	Features	WxDxH	Basic Model	Unit Color	Key Option	Pull Style	Approx. Packaged Weight
^	Wardrobe/Cabinet - File/File	Left	24 x 22 x 64"	VWFFC64L				152.0#
	Wardrobe, cabinet and pedestal lock     independent of each other.	Right	24 x 22 x 64"	VWFFC64R				152.0#
	independent of each other  If KS key option selected, all tower components to be keyed alike from factory							
1   5								
	<ul> <li>If NLC key option selected, tower requires three (3) lock cores</li> </ul>							
	Pedestal features two 12" drawers							
	and locks independently of wardrobe							
left shown	<ul><li>Includes four leveling glides</li><li>Cabinet features adjustable shelf</li></ul>							
	Units ship fully assembled							
/USW	Wandarka (Oakinata Bara/Bara/E''	1 - 44	0.4 0.0 0.4"	MANDEROCAL				457.0%
	Wardrobe/Cabinet - Box/Box/File  Wardrobe, cabinet and pedestal lock	Left	24 x 22 x 64"	VWBBFC64L				157.0#
	independent of each other	Right	24 x 22 x 64"	VWBBFC64R				157.0#
	If KS key option selected, all tower com-							
🗗	<ul><li>ponents to be keyed alike from factory</li><li>If NLC key option selected, tower</li></ul>							
	requires three (3) lock cores							
	<ul> <li>Pedestal features two 6" box drawers and one 12" file drawer</li> </ul>							
	Includes four leveling glides							
left shown	<ul> <li>Cabinet features adjustable shelf</li> </ul>							
JSW	<ul> <li>Units ship fully assembled</li> </ul>							
				A	0	Θ	0	

### **HOW TO ORDER**

Indicate the following information on order

- Quantity of each item.
   Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The  $\square$  indicates that a choice is required.

- $\bullet$  The absence of the  $\square$  indicates that no choice is required.
- · Alpha-numeric characters in place of  $\square$  indicate that no other alternatives are available.

## HOW TO BUILD A MODEL NUMBER A Select basic model. BSelect unit color. Refer to color addendum. Select key option. KS - Key standard NLC - No lock core Select pull style. USP - Vini Pull (Standard) CZP - StyleLinks Pull

### INFORMATION

### Accessories

See accessory section for accessories that can be ordered separately.

#### Weights

### Vini® Wardrobe Towers

48" High Side Access Bookcase

				MODEL NUM	1BER			
	MODEL	Features	WxDxH	Basic Model	Unit Color	Key Option	Pull Style	Approx. Packaged Weight
	Wardrobe/Side Access Bookcase - File/File		24 x 22 x 48"	VWFFB48L				120.0#
	Wardrobe and pedestal lock independent	Right	24 x 22 x 48"	VWFFB48R				120.0#
	of each other  If KS key option selected, all tower components to be keyed alike from factory  If NLC key option selected, tower requires two (2) lock cores							
	Pedestal features two 12" drawers							
left shown	and locks independently of wardrobe							
	<ul><li>Includes four leveling glides</li><li>Boockcase features adjustable shelf</li></ul>							
VUSW	Units ship fully assembled							
	Wardrobe/Side Access Bookcase -	Left	24 x 22 x 48"	VWBBFB48L				125.0#
	Box/Box/File	Right	24 x 22 x 48"	VWBBFB48R				125.0#
	<ul> <li>Wardrobe and pedestal lock independent of each other</li> </ul>							
	If KS key option selected, all tower com-							
	ponents to be keyed alike from factory							
	If NLC key option selected, tower  requires two (2) leak serves.							
left shown	requires two (2) lock cores  • Pedestal features two 6" box drawers							
IGIT SHOWIT	and one 12" file drawer							
VUSW	<ul> <li>Includes four leveling glides</li> </ul>							
	Bookcase features adjustable shelf							
	<ul> <li>Units ship fully assembled</li> </ul>			A	•	Θ	O	

### **HOW TO ORDER**

Indicate the following information on order form:

- Quantity of each item.
   Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note:  $\bullet$  The  $\square$  indicates that a choice is required.

- $\bullet$  The absence of the  $\square$  indicates that no choice is required.
- Alpha-numeric characters in place of  $\hfill\Box$  indicate that no other alternatives are available.

## HOW TO BUILD A MODEL NUMBER A Select basic model. BSelect unit color. Refer to color addendum. Select key option. KS - Key standard NLC - No lock core

### INFORMATION

### Accessories

See accessory section for accessories that can be ordered separately.

### Weights

## Vini® Wardrobe Towers 64" High Side Access Bookcase

		MODEL NUMBER						
	MODEL	Features	WxDxH	Basic Model	Unit Color	Key Option	Pull Style	Approx. Packaged Weight
	Wardrobe/Side Access Bookcase -	Left	24 x 22 x 64"	VWFFB64L				155.0#
	File/File	Right	24 x 22 x 64"	VWFFB64R				155.0#
	Wardrobe and pedestal lock independent							
	of each other • If KS key option selected, all tower com-							
	ponents to be keyed alike from factory							
	If NLC key option selected, tower							
	requires two (2) lock cores  • Pedestal features two 12" drawers							
	and locks independently of wardrobe							
left shown	<ul> <li>Includes four leveling glides</li> </ul>							
VUSW	<ul><li>Bookcase features adjustable shelf</li><li>Units ship fully assembled</li></ul>							
10011	Wardrobe/Side Access Bookcase -	Left	24 x 22 x 64"	VWBBFB64L				160.0#
	Box/Box/File	Right	24 x 22 x 64"	VWBBFB64R				160.0#
	Wardrobe and pedestal lock independent		L-1 X LL X U4	***************************************				100.0#
	of each other							
	<ul> <li>If KS key option selected, all tower com- ponents to be keyed alike from factory</li> </ul>							
	If NLC key option selected, tower							
	requires two (2) lock cores							
	Pedestal features two 6" box drawers							
left shown	and one 12" file drawer • Includes four leveling glides							
	Bookcase features adjustable shelf							
VUSW	Units ship fully assembled							
				A	3	•	0	

### **HOW TO ORDER**

Indicate the following information on order form:

- Quantity of each item.
   Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note:  $\bullet$  The  $\square$  indicates that a choice is required.

- ullet The absence of the  $\square$  indicates that no choice is required.
- · Alpha-numeric characters in place of  $\hfill\Box$  indicate that no other alternatives are available.

### HOW TO BUILD A MODEL NUMBER A Select basic model. BSelect unit color. Refer to color addendum. Select key option. KS - Key standard NLC - No lock core

### INFORMATION

### Accessories

See accessory section for accessories that can be ordered separately.

### Weights

### Vini® Overheads

#### **MODEL NUMBER** Approx. Basic Unit Packaged Key MODEL WxDxH Model Bracket Option Weight Color Sliding Door Overhead 35-3/4 x 14-3/8 x 14-7/16 VSSDH36 38.0# Lockable sliding door extends slightly 41-3/4 x 14-3/8 x 14-7/16 VSSDH42 42.0# beyond the center of overhead VSSDH48 47-3/4 x 14-3/8 x 14-7/16 47.0# · Overhead accommodates standard 53-3/4 x 14-3/8 x 14-7/16 VSSDH54 52.0# binders 59-3/4 x 14-3/8 x 14-7/16 VSSDH60 57.0# VSSD0 **(** 0 Θ 0

### **HOW TO ORDER**

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
   "How To Build a Model Number".
- 3. Any special service required.

Note:  $\bullet$  The  $\square$  indicates that a choice is required.

- $\bullet$  The absence of the  $\square$  indicates that no choice is required.
- Alpha-numeric characters in place of

   □ indicate that no other alternatives
   are available.

### **HOW TO BUILD A MODEL NUMBER** A Select basic model. OSelect key option. - Key standard BSelect bracket type. - No lock core - System XXI mounted - Legion mounted LN/UM - Legion upmount PW/LB - PowerWorks mounted on load bar PW/0M12- PowerWorks off module mount w/ 12" high top tile PW/0M18- PowerWorks off module mount w/ 18" high top tile PW/PM - PowerWorks standard onmodule panel-mount in post PW/UM - PowerWorks up-mount brackets Select unit color. Refer to color addendum.

### INFORMATION

### Weights

# Vini® Storage and Accessories Overhead Accessories

	MODEL Vini Overhead On-Module	MODEL NUMBER  Basic Model  46.8177.SET	Approx. Packaged Weight 5.0#	
HRDPT	Mounting Bracket for System XXI     Sold in pairs     Mounts into slots in vertical frame posts     Black only     Allows for vertical adjustment in     "increments			
	Vini Overhead On-Module Mounting Bracket for Legion Sold in pairs Mounts into slots in vertical posts Black only Allows for vertical adjustment in "increments	48.0222.SET	5.0#	
HRDPT	Vini Overhead On-Module Mounting Bracket in Post for PowerWorks  • Sold in pairs • Mounts into slots in vertical posts • Black only • Allows for vertical adjustment in 1" increments	46.8179.SET	5.0#	
HRDPT		Ø		

### **HOW TO ORDER**

Indicate the following information on order

- Quantity of each item.
   Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The  $\square$  indicates that a choice is required.

- $\bullet$  The absence of the  $\square$  indicates that no choice is required.
- Alpha-numeric characters in place of  $\hfill\Box$  indicate that no other alternatives are available.

### **HOW TO BUILD A MODEL NUMBER**

A Select basic model.

# Vini® Storage and Accessories Overhead Accessories

	MODEL NUMBER		
MODEL	Basic Model	Approx. Packaged Weight	
Vini Overhead Off Module Mounting Bracket w/ 12" High To for PowerWorks  • Sold in pairs  • Black only  • Attaches to horizontal rail betw tiles or top cap		5.0#	
Vini Overhead Off Module Mounting Bracket w/ 18" High To for PowerWorks  Sold in pairs Black only Attaches to horizontal rail between tiles or top cap		5.0#	
HRDPT	•		

### **HOW TO ORDER**

Indicate the following information on order

- Quantity of each item.
   Model number, including options. See
   "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The  $\square$  indicates that a choice is required.

- $\bullet$  The absence of the  $\square$  indicates that no choice is required.
- Alpha-numeric characters in place of  $\hfill\Box$  indicate that no other alternatives are available.

### HOW TO BUILD A MODEL NUMBER

A Select basic model.

# Vini® Storage and Accessories Overhead Accessories

			MODEL NUM	IDED	
			MODEL NUM	IBEK	
	MODEL	L	Basic Model	Powdercoat Color	Approx. Packaged Weight
<u>پ</u>	Vini Overhead Upmount Brackets		48.0236.12.S		7.0#
	for Legion or PowerWorks  • Sold in pairs				
	Mounts into slots in vertical posts				
	Uses 8" of slot space at top of panel     Overhead autopde 15" above top and				
	Overhead extends 15" above top cap     Fasteners and allen wrench included				
HRDPT					
	Vini Overhead Load Bar Brackets		46.8186.SET		5.0#
	for Legion or PowerWorks				
	<ul><li>Sold in pairs</li><li>Load Bar mounted overheads hang</li></ul>				
	from an externally mounted load bar				
	Load Bar purchased separately				
<u> </u>					
HRDPT					
	Wall Mounted Load Bar for Legion	24"	SWLB.24		5.0#
	or PowerWorks	30"	SWLB.30		6.0#
	<ul> <li>Supports overhead storage on drywall or other non-panel application</li> </ul>	36"	SWLB.36		7.0#
	<ul> <li>Requires Load Bar Brackets to support</li> </ul>	42"	SWLB.42		8.0#
UDDAT	overhead- sold separate	48"	SWLB.48		10.0#
HRDPT		60"	SWLB.60		12.0#
		66" 72"	SWLB.66 SWLB.72		13.0#
		84"	SWLB.72 SWLB.84		14.0#
		96"	SWLB.96		19.0#
					1
			A	•	

### **HOW TO ORDER**

Indicate the following information on order

- Quantity of each item.
   Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The  $\square$  indicates that a choice is required.

- $\bullet$  The absence of the  $\square$  indicates that no choice is required.
- · Alpha-numeric characters in place of  $\square$  indicate that no other alternatives are available.

### HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B**Select powdercoat color. Refer to color addendum.

### Vini® Underhead Storage

			MODEI	NUMBER				
	MODEL	D x W x H	Basic Model	Direction	Unit Color	Key Option	Approx. Packaged Weight	
	Underhead Storage	35-3/4 x 14-3/8 x 14-7/8	VHS36				38.0#	
	Underheads used only with Legion Panels     Haderhead stars as with resemble to the part of the p	41-3/4 x 14-3/8 x 14-7/8	VHS42				42.0#	
Undernead storage units mount beloworksurface		47-3/4 x 14-3/8 x 14-7/8	VHS48				47.0#	
	Underhead accommodates standard	59-3/4 x 14-3/8 x 14-7/8	VHS60				52.0#	
	binders	71-3/4 x 14-3/8 x 14-7/8	VHS72				57.0#	
• Ir	<ul> <li>Storage units include holes in top &amp; bottom for cord drop in conjuction with grommets</li> <li>Includes brackets for attachment; legs may be specified separately if desired</li> <li>Lockable sliding door extends slightly</li> </ul>							
	beyond the center of storage unit							
	Underhead Storage Support Leg  May be used in place of return  Size noted does not reflect attachment brackets	1-1/2 x 13-7/8 x 13-5/16"	VHSL				8.6#	
VHSL								
			A	•	Θ	O		

### **HOW TO ORDER**

Indicate the following information on order

- Quantity of each item.
   Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The  $\square$  indicates that a choice is required.

- $\bullet$  The absence of the  $\square$  indicates that no choice is required.
- · Alpha-numeric characters in place of  $\hfill\Box$  indicate that no other alternatives are available.

### HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B**Select placement of leg.

L	- Left
R	- Rial

- Select unit color. Refer to color addendum.
- OSelect key option.

KS	- Key standard
NLC	- No lock core

